



UNITED STATES PRICE LIST



EFFECTIVE MARCH 1, 2026

(REV 020426 BDI HEARTH)

PHONE 204.632.1962 FAX 204.632.1960

TABLE OF CONTENTS

Name	Model Number	Description	Page Number
		Update Notes and Comments	3
GAS INSERTS			
CAPRI 24	IDV24	DIRECT VENT INSERT - 24	4
CAPRI 34	IDV34	DIRECT VENT INSERT - 34	7
CAPRI 44	IDV44	DIRECT VENT INSERT - 44	10
GAS FIREPLACES			
BENTLEY 34	ZCV34	ZERO CLEARANCE DIRECT VENT 34"	13
BENTLEY 39	ZCV39	ZERO CLEARANCE DIRECT VENT 39"	15
BENTLEY 42	ZCV42	ZERO CLEARANCE DIRECT VENT 42"	17
BENTLEY 48	ZCV48	ZERO CLEARANCE DIRECT VENT 48"	19
SOLACE II 36	HBZDV3624	ZERO CLEARANCE DIRECT VENT 36"	21
SOLACE II 42	HBZDV4224	ZERO CLEARANCE DIRECT VENT 42"	23
SERENE 47	ZCVRB47	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - SCREEN BARRIER	25
SERENE 60	ZCVRB60	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - SCREEN BARRIER	27
SERENE 72	ZCVRB72	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - SCREEN BARRIER	29
ENCLAVE 34	MQZCVBG34	BAY PENINSULA DIRECT VENT FIREPLACE - GLASS BARRIER	31
ENCLAVE 48	MQVL48	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - GLASS BARRIER	33
ENCLAVE 48	MQVLBG48	LINEAR BAY PENINSULA DIRECT VENT FIREPLACE - GLASS BARRIER	35
ENCLAVE 60	MQVL60	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - GLASS BARRIER	37
ENCLAVE 60	MQVLBG60	LINEAR BAY PENINSULA DIRECT VENT FIREPLACE - GLASS BARRIER	39
ENCLAVE 61	MQVL61	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - TALL GLASS BARRIER	41
ENCLAVE 62	MQVLST62	SEE THROUGH DIRECT VENT LINEAR FIREPLACE - TALL GLASS BARRIER	43
ENCLAVE 72	MQVL72	LINEAR SINGLE SIDED DIRECT VENT FIREPLACE - GLASS BARRIER	45
ENCLAVE 72	MQVLBG72	LINEAR BAY PENINSULA DIRECT VENT FIREPLACE - GLASS BARRIER	47
ATRIUM	MCVP42	PENINSULA DIRECT VENT	49
BENTLEY ST	MQZCV48	SEE THROUGH DIRECT VENT	51
GAS STOVES			
SENTINEL	FDV350	FREE STANDING STOVE - DIRECT VENT - BAY	53
TITAN	FDV200S	FREE STANDING STOVE - DIRECT VENT - SINGLE GLASS	54
VANTAGE	FDV451	FREE STANDING STOVE - DIRECT VENT - SINGLE GLASS	55
VANTAGE	MQFDV453	FREE STANDING STOVE - DIRECT VENT - BAY	57
VENTING			
		VENTING FOR 4" / 7" DIRECT VENT STOVES	59
		VENTING FOR 4" / 7" DIRECT VENT FIREPLACES	60
		POWER VENTING FOR 4" / 7"	61
		VENTING FOR 5" / 8" DIRECT VENT FIREPLACES	62
		POWER VENTING FOR 5" / 8"	63
OUTDOOR			
AURORA	OFP42	OUTDOOR GAS FIREPLACE	64
FIRE PIT	FP2085/2785	OUTDOOR FIREPITS	65

Updates for March 1, 2026

New Product Information

- **Enclave 61 Single Side Tall Glass Model – with ProBurn F3/F7 Burner, additional information coming soon.**
- **Enclave 62 See Through Tall Glass Model – With ProBurn F3/F7 Burner, additional information coming soon.**

Discontinued Items

- Bola FPB30TBT, FPB30SGT,
- Solace MQHBZDV3636N/NE/LP/LPE, HBZDV4236N/NE/LP/LPE
- Infinite MQRB4436NE2/LPE2, MQRB5143NE2/LPE2, MQRB6961NE2/LPE2
- Skyline MQRB4236NT/NTE/LPT/LPTE
- Vent Free ZVF33P
- LOGF27, ZCV39RRH, ZCV42RRH, HB47RRH, VLBIT6, MQRBD2
- Venting ZDVHSK, ZDVHSKSQ, Z57HSK5, Z57HT, Z57VT, Z57GP36, Z57FK5, Z57FK8, Z57FK20, Z57DFA, Z710HSK5, Z710HT, Z710HSC, Z710WT, Z710SS, Z710VT, Z710AIS, Z710FS, Z710RS, Z710GP36, Z710F, Z710F2, Z710F3, Z710SC, Z701FK5, Z710FK8, Z710FK20, ZDV710FC, ZDV710FCL, Z701MIS.

Additional Price Increase

- MQLOGF48, MQLOGF48B an additional 9% to be applied.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

Capri 24	DIRECT VENT FIREPLACE INSERT	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Adjustable Valve, Blower, Two Three Inch Flues Glass Viewing Area 20 13/16" W x 11" H, 24,000 BTU/HR Minimum Fireplace Opening (24 1/4" W x 18 1/2" H x 14" D)	


**** Kingsman Flex Venting & Termination Only ****

STEP 1) CHOOSE MODEL		
Direct Vent Insert - Natural Gas or Propane		
IDV24N	Insert Direct Vent - Millivolt - Natural Gas	2,152
IDV24LP	Insert Direct Vent - Millivolt - Propane	2,204
IDV24NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - NG	2,986
IDV24LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Propane	3,056
Conversion Kits		
24IDV-CKLP	Conversion Kit - Millivolt - To Propane	96
24IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
24IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
24IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207
STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA		
LOG SETS - CHOOSE OAK OR DRIFTWOOD		
LOGF24OAK	Log Set - Fiber Split Oak	514
MQLOGF24DW	Log Set - Driftwood	514
42MVB-258	Pilot Shield - (Replacement Part)	61
GLASS MEDIA (Max 10 lbs) AND DECORATIVE STONES OR ROCKS		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	147
MQG5B	Glass Media - 1/2" Black - 5 lbs.	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
RBCB1	Cannonballs - Assorted size and colors <i>(Don't use large cannonballs)</i>	393
MQEMBER3	Ember Chunks - (3 bags)	215
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQROCK2	Rock Set - Contemporary Collection - Natural	324


STEP 3) CHOOSE CLEAN VIEW FRONT AND APPROPRIATE SURROUND		
CLEAN VIEW CV1 - Required		
I24CV1BL	Clean View - Black - c/w Safety Screen - 30 1/2" W x 21 7/16"H x 15/16" D	523
SURROUNDS - (If needed)		
I24S3827	Surround - Black (Covers 37 13/16" W x 27" H)	199
I24SPF3829	Surround - Picture Frame - Black (Covers 37 13/16" W x 28 7/8" H)	251
I24SU4541	Surround Universal - Black (Covers 45" W x 41" H)	212
STEP 4) CHOOSE OPTIONAL ACCESSORIES		
Riser for Surrounds - Raises Coverage Height by 2 1/2"		
I34R40	Riser For Surround (2 1/2") x 40" W	173
FIREPLACE ACCESSORY OPTIONS		
I24CSS	Safety Screen Barrier (Replacement) - IDV24	248
IDV24RLT	Refractory Brick Liner (3 PCE)	394

IDV24 - Clean View and Surround Options


I24CV1BL




I24CV1BL with I24S3827 Surround




I24CV1BL with I24S3827 Surround, I34R40 Riser, I33CS Mantel Clearance Shield



I24CV1BL with I24SPF3829 Picture Frame Surround



I24CV1BL with I24SU4541 Universal Surround



Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

STEP 5) CHOOSE VENTING

VENTING COMPONENTS 3" & 3" - Kingsman Flex Vent & Termination Only		
TM-ALK33	STANDARD 3" X 3" CO-LINEAR FLEX KIT - 35' FLEX W/ ROUND CAP	653
TM-ALT33	TRADITIONAL 3" X 3" CO-LINEAR FLEX KIT - 35' FLEX W/ RECT CAP	653
VENTING COMPONENTS 2" & 3" - (LIMITED TO 25FT VERTICAL)		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	218
I23FK25	Flex Pipe Kit (2"x 25FT & 3" x 25FTGas Flex Liner)	475
I23FAK	Flue Adaptor Kit - 2 x 2" to 3" Increaser and 6" to 7" Increaser	80
** Kingsman Flex Venting & Termination Only For 2" x 3" Applications**		

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
Capri 34	DIRECT VENT FIREPLACE INSERT	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Blower, Two Three Inch Flues, Glass Viewing Area 25 5/8" x 14 1/8", 31,000 BTU/HR NG, 28,500 BTU/HR Propane Minimum Fireplace Opening for CV1/2/3/4 - (28 5/8" W x 21 1/2" H x 17 3/4" D) Minimum Fireplace Opening for CV6 - (26 1/4" W x 21 3/8" H x 15 3/4" D)	

STEP 1) CHOOSE MODEL

Direct Vent Insert - Natural Gas or Propane		
IDV34N	Insert Direct Vent - Millivolt - Natural Gas	2,398
IDV34LP	Insert Direct Vent - Millivolt - Propane	2,459
IDV34NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,262
IDV34LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,324
Conversion Kits		
33IDV-CKLP	Conversion Kit - Millivolt - To Propane	96
33IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
33IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
33IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA PLATFORMS OR ROCK SUPPORT PLATFORM





















LOG SETS - CHOOSE OAK OR DRIFTWOOD		
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	444
MQRSP11	Log / Glass Support Platform (Required if using MQLOGF33/34 or MQRBD4-MQRBRV)	212
MQLOGF33	Log Set - Driftwood (Requires MQRSP11)	669
MQLOGF34	Log Set - Oak Split (Requires MQRSP11)	567
MQRBRW	Log Set - Birch - Small Branch Set (Requires MQRSP11 and 15Lbs of Glass Media)	493
MQRBD4	Drift Wood - Three Piece Set (Requires MQRSP11 and 15 lbs of Glass Media)	330
36IDV-204	Pilot Shield - for RSP10 or MQRSP11 (Replacement Part)	61
GLASS MEDIA SUPPORT PLATFORMS		
MQRSP8	Glass Support Platform Tray - IDV33/43 (REQUIRES 5 LBS OF GLASS)	311
36IDV-205	Pilot Shield - for MQRSP8 (Replacement Part)	61
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	147
MQG5B	Glass Media - 1/2" Black - 5 lbs.	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
MQEMBER3	Ember Chunks - (3 bags)	215
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
ROCK SUPPORT PLATFORM		
MQRSP4	Rock Support Platform Tray - IDV34/43- (REQUIRES MQROCK SET BELOW)	286
MQROCK2	Rock Set - Contemporary Collection - Natural	324

STEP 3) CHOOSE CLEAN VIEW FRONT AND APPROPRIATE SURROUND IF NEEDED

CLEAN VIEW CV1 AND CV2		
I34CV1BL	Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D	541
MQ34CV2BL	Clean View - Black - c/w Safety Screen - 35 3/4" W x 24 11/16" H x 1 3/4" D	541
SURROUNDS - (If Needed)		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	205
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	264
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	218

IDV34 Clean Views and Surround Options

IDV34 Opening Requirements: Width 28-5/8" x Height 21-1/2" x Depth 17-3/4"

I34CV1BL		I34S3927	I34SPF4131	I34SU4541
				
C/W Safety Screen				
WIDTH	35-1/4"	39"	41-1/8"	45"
HEIGHT	24-3/16"	27-5/16"	31-3/8"	41"
DEPTH	13/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
MQ34CV2BL		I34S3927	I34SPF4131	I34SU4541
				
C/W Safety Screen				
WIDTH	35-3/8"	39"	41-1/8"	45"
HEIGHT	24-11/16"	27-5/16"	31-3/8"	41"
DEPTH	1-5/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
MQ34CV3BL		I34S3927	I34SPF4131	I34SU4541
				
WIDTH	37-1/8"	39"	41-1/8"	45"
HEIGHT	25-3/16"	27-5/16"	31-3/8"	41"
DEPTH	1-7/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
*NOTE: MQ34CV3 Clean Views have a tapered profile. Refer to illustrations for frontal dimensions. MQ34CV3 Clean Views Require either a Frame Door (MQ34SF1BL) or a Heavy Iron Door (MQ34DD1BL)				
MQ34CV4PFBL		I34S3927	I34SPF4131	I34SU4541
				
WIDTH	37-1/8"	39"	41-1/8"	45"
HEIGHT	27-3/8"	27-5/16"	31-3/8"	41"
DEPTH	1-7/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
*NOTE: MQ34CV4 Clean Views have a tapered profile. Refer to illustrations for frontal dimensions. MQ34CV4 Clean Views Require either a Frame Door (MQ34SF1BL) or a Heavy Iron Door (MQ34DD1BL)				
I34CV6BL		I34S3927	I34SPF4131	I34SU4541
				
C/W Safety Screen				
WIDTH	37-5/8"	39"	41-1/8"	45"
HEIGHT	27"	27-5/16"	31-3/8"	41"
DEPTH	2-3/4"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
OPENING REQUIREMENTS for I34CV6: Width- 26-7/8" x Height- 21-1/2" x Depth- 15-3/4"				

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
CLEAN VIEW CV3 - SCREEN DOOR FRAME OR DESIGNER DOOR REQUIRED		
When using a I34CV3 a Designer Door or Door Frame is Required		
MQ34CV3BL	Clean View - Black - 37 1/8" W x 25 3/16" H x 1 7/16" D	554
MQ34DD1BL	Designer Door - Series 1 - c/w Safety Screen	755
MQ34SF1BL	Door Frame - c/w Safety Screen	423
SURROUNDS - (If Needed)		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	205
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	264
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	218
CLEAN VIEW CV4PF PICTURE FRAME - SCREEN DOOR FRAME OR DESIGNER DOOR REQUIRED		
When using a I34CV4PF a Designer Door or Door Frame is Required		
MQ34CV4PFBL	Clean View - Picture Frame - Black (37 1/8" W x 27 3/8" H x 1 7/16" D)	594
MQ34DD1BL	Designer Door - Series 1 - c/w Safety Screen	755
MQ34SF1BL	Door Frame - c/w Safety Screen	423
SURROUNDS - (If Needed)		
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	264
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	218
CLEAN VIEW CV6 - (Minimum Fireplace Opening - 26 1/4" W x 21 1/2" H x 15 3/4" D)		
I34CV6BL	Clean View w/ Backer Surround - Safety Screen - Black (Coverage - 37 5/8" W x 26 15/16" H x 2 3/4" D)	753
SURROUNDS - (If Needed)		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	205
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	264
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	218
STEP 4) CHOOSE OPTIONAL ACCESSORIES		
Riser for Surrounds - Raises Coverage Height by 2 1/2"		
I34R40	Riser For Surround (2 1/2") x 40" W	173
I44R45	Riser For Surround (2 1/2") x 45" W	173
OPTIONAL ACCESSORIES		
I34CSS	Safety Screen Barrier (Replacement) - I34SF1/MQ34DD1	248
I34CV1SS	Safety Screen Barrier (Replacement) - I34CV1/CV2/CV6	218
I33CS	Mantel Clearance Shield	46
IDV33RL	Refractory Brick Liner (3 PCE)	207
MQ33RLF	Brick Liner - Fluted (3 PCE)	476
IDV33PRL	Porcelain Reflective Panel Liner (3 PCE)	456
THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

STEP 5) CHOOSE VENTING

VENTING COMPONENTS		
TM-ALK33	STANDARD 3" X 3" CO-LINEAR FLEX KIT - 35' FLEX W/ ROUND CAP	653
TM-ALT33	TRADITIONAL 3" X 3" CO-LINEAR FLEX KIT - 35' FLEX W/ RECT CAP	653

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
Capri 44	DIRECT VENT FIREPLACE INSERT	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Fan, 3" Intake/4" Exhaust, Glass Viewing Area 29 7/8" x 18 1/8", 34,250 BTU NG, 30,000 BTU LP Minimum Fireplace Opening: (32 7/8" W x 25 3/4" H x 18"D	

STEP 1) CHOOSE MODEL

Direct Vent Insert - Natural Gas or Propane		
IDV44N	Insert Direct Vent - Millivolt - Natural Gas	2,935
IDV44LP	Insert Direct Vent - Millivolt - Propane	2,997
IDV44NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,798
IDV44LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,863
Conversion Kits		
36IDV-CKLP	Conversion Kit - Millivolt - To Propane	96
36IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
43IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
43IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA PLATFORMS OR ROCK SUPPORT PLATFORM













LOG SETS - CHOOSE OAK OR DRIFTWOOD		
LOGF36	Log Set - Fiber Split Oak	591
MQRSP11	Log / Glass Support Platform (Required if using MQLOGF33/34 or MQRBD4-MQRBRV)	212
MQLOGF453	Log Set - Driftwood (Requires MQRSP11)	690
MQLOGF34	Log Set - Oak Split (Requires MQRSP11)	567
MQRBRW	Log Set - Birch (Requires MQRSP11)	493
MQRBD4	Drift Wood - Three Piece Set (Requires MQRSP11 and 15 lbs of Glass Media)	330
36IDV-204	Pilot Shield - for RSP10 or MQRSP11 (Replacement Part)	61
GLASS MEDIA SUPPORT PLATFORMS		
MQRSP8	Glass Support Platform Tray - IDV34/44 (Requires 5 LBS of Glass)	311
36IDV-205	Pilot Shield - for MQRSP8 (Replacement Part)	61
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	147
MQG5B	Glass Media - 1/2" Black - 5 lbs.	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
MQEMBER3	Ember Chunks - (3 bags)	215
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
ROCK SUPPORT PLATFORM		
MQRSP4	Rock Support Platform Tray - IDV34/44- (REQUIRES MQROCK SET BELOW)	286
MQROCK2	Rock Set - Contemporary Collection - Natural	324

STEP 3) CHOOSE CLEAN VIEW AND APPROPRIATE SURROUND

CLEAN VIEW - I44CV1 AND I44CV2		
I44CV1BL	Clean View - Black - C/W Safety Screen - 39 9/16" W x 28 1/2"H x 13/16"D	529
MQ44CV2BL	Clean View - Black - C/W Safety Screen - 40 1/16" W x 29 1/16"H x 1 3/4"D	582
SURROUNDS		
I44S4432BL	Surround - Black (Covers 44" W x 32 1/16" H)	250
I44SPF4436BL	Surround Picture Frame - Black (Covers 44" W x 36" H)	311
I44SU4742BL	Surround Universal - Black (Covers 47" W x 42" H)	256

IDV44 Clean Views and Surround Options

IDV44 Opening Requirements: Width 32-7/8" x Height 25-3/4" x Depth 18"

I44CV1BL		I44S4432	I44SPF4436	I44SU4742
				
C/W Safety Screen				
WIDTH	39-9/16"	44"	44"	47"
HEIGHT	28-1/2"	32-1/16"	36"	42"
DEPTH	13/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
MQ44CV2BL		I44S4432	I44SPF4436	I44SU4742
				
C/W Safety Screen				
WIDTH	39-5/8"	44"	44"	47"
HEIGHT	29-1/16"	32-1/16"	36"	42"
DEPTH	1-5/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
MQ44CV3BL		I44S4432	I44SPF4436	I44SU4742
				
WIDTH	41-7/16"	44"	44"	47"
HEIGHT	29-1/8"	32-1/16"	36"	42"
DEPTH	1-7/16"	1/2"	1/2"	1/16" -To be Custom Cut and Bent
*NOTE: MQ44CV3 Clean Views have a tapered profile. Refer to illustrations for frontal dimensions. MQ44CV3 Clean Views Require either a Frame Door (MQ44SF1BL) or a Heavy Iron Door (MQ44DD1BL)				

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
CLEAN VIEW - I44CV3 - SCREEN DOOR FRAME OR DESIGNER DOOR REQUIRED		
When using a I44CV3 a Designer Door or Door Frame is Required		
MQ44CV3BL	Clean View - Black - 41 7/16" W x 29 1/8" H x 1 7/16" Depth	582
MQ44DD1BL	Designer Door - Series 1 - c/w Safety Screen	783
MQ44SF1BL	Door Frame - c/w Safety Screen	434
SURROUNDS - (IF NEEDED)		
I44S4432BL	Surround - Black (Covers 44" W x 32 1/16" H)	250
I44SPF4436BL	Surround Picture Frame - Black (Covers 44" W x 36" H)	311
I44SU4742BL	Surround Universal - Black (Covers 47" W x 42" H)	256

STEP 4) CHOOSE OPTIONAL ACCESSORIES		
RISER FOR SURROUNDS - Raises Coverage Height by 2 1/2"		
I44R45	Riser For Surround (2 1/2") x 45" W	173
OPTIONAL ACCESSORIES		
IDV36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	263
IDV36PRL	Porcelain Reflective Panel Liner (3 PCE)	584
MQ43RLF	Refractory Liner (3 PCE) - Fluted	435
I33CS	Mantel Clearance Shield	46
I44CV1SS	Safety Screen Barrier (Replacement) - (I44CV1/CV2)	265
I43CSS	Safety Screen Barrier (Replacement) - (I44SF1BL/MQ44DD1BL)	300
THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

STEP 5) CHOOSE VENTING		
VENTING COMPONENTS		
TM-ALK43	STANDARD 4" X 3" CO-LINEAR FLEX KIT - 35' FLEX W/ ROUND CAP	689
TM-ALT43	TRADITIONAL 4" X 3" CO-LINEAR FLEX KIT - 35' FLEX W/ RECT CAP	689

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

BENTLEY 34"	ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Viewing Area 28 1/2" W x 25 5/16" H Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, BTU 19,000 NG, 18,000 Propane	

The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 68". See Installation Manual for further details of Vented Chase options.

STEP 1) CHOOSE MODEL

BENTLEY 34 - TEMPERED GLASS FIREPLACE		
ZCV34N	Fireplace, Millivolt Valve (as above) Natural Gas	2,253
ZCV34LP	Fireplace, Millivolt Valve (as above) Propane	2,336
ZCV34NE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights, Natural Gas	3,670
ZCV34LPE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights, Propane	3,767
BENTLEY 34 - CERAMIC GLASS FIREPLACE		
ZCV34NH	Fireplace, Millivolt Valve (as above) Natural Gas	2,744
ZCV34LPH	Fireplace, Millivolt Valve (as above) Propane	2,827
ZCV34NHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights, Natural Gas	4,170
ZCV34LPHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights, Propane	4,267
CONVERSION KITS		
34ZCV-CKLP	Conversion Kit - Millivolt - To Propane	96
34ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
34ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
34ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

STEP 2) CHOOSE LOG SET OR GLASS MEDIA ACCESSORIES

LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)		
MQLOGF34OAK	Log Set - Oak - Seven Piece	674
MQLOGF34BW	Log Set - Birch - Seven Piece	895
MQLOGF453	Log Set - Driftwood	690
LOGC44	Log Set - Eight Piece - Burnt Oak (HB3624/28, 4224/28, ZCV34)	290
Glass Media - (Maximum 10 lbs)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	147
MQG5B	Glass Media - 1/2" Black - 5 lbs.	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
Optional Media Accessories		
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
RBCB1	Cannonballs - Assorted size and colors	413

STEP 3) IF CHASE IS BEING VENTED CHOOSE GRILL OR SPECIFIED OPENING SIZE AT TOP OF ENCLOSURE

OPTIONAL - WHEN VENTILATING ENCLOSURE		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	352
V34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	264

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL BRICK AND PORCELAIN LINERS		
ZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	394
ZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	394
ZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	541
Optional Electrical Components and Pilot Shield		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
42MCVP-258-3	Pilot Shield - for ZCV34 (Replacement Part)	61
OPTIONAL SURROUNDS, SAFETY SCREEN AND TILE LIP KIT		
ZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 34 3/8" W x 30 7/16" H)	409
ZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	409
ZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	378
ZCV34CSS	Safety Screen Barrier - Inside Fit (Replacement)	330
34ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	76
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
DCHS	Heat Shield - Required for Millivolt Remote Receivers	24
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207
Non Vented Chase with Horizontal Venting Requires a Wall Thimble Shield		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	49

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number **Description** **USA LIST**

BENTLEY 39" VC	ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame, Wall Switch, 4/7" Sloped Top Flue, Safety Screen, Viewing Area 33" x 28 9/16" Framing 39 1/2" W x 37 7/8" H x 18 1/2" D

The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance.
Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.

STEP 1) CHOOSE MODEL

BENTLEY 39 - TEMPERED GLASS FIREPLACE (25,000 BTU)		
ZCV39N	Fireplace, Millivolt Valve (as above) Natural Gas	2,427
ZCV39LP	Fireplace, Millivolt Valve (as above) Propane	2,510
ZCV39NE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,677
ZCV39LPE2	Fireplace, IPI PF 2 - Remote-Thermostat-Mod-Fan - Propane	3,762
CONVERSION KITS - BENTLEY TEMPERED GLASS		
39ZCV-CKLP	Conversion Kit - Millivolt - To Propane	96
39ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
39ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
39ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207
BENTLEY 39 - CERAMIC GLASS FIREPLACE (28,000 BTU)		
ZCV39NH	Fireplace, Millivolt Valve (as above) Natural Gas	3,188
ZCV39LPH	Fireplace, Millivolt Valve (as above) Propane	3,273
ZCV39NHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	4,443
ZCV39LPHE2	Fireplace, IPI PF 2 - Remote-Thermostat-Mod-Fan - Propane	4,528
CONVERSION KITS - BENTLEY CERAMIC GLASS		
39ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	96
39ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	96
39ZCV-CKLPH2	Conversion Kit - IPI Proflame 2 - To Propane	207
39ZCV-CKNGH2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

STEP 2) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA

LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)		
MQLOGF9	Log Set - Oak - Ten Piece - ZCV39/42	638
MQLOGF39BW	Log Set - Birch	1,043
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	432
Glass Tray for ZCV39 - (Requires 15 lbs. of Glass Media)		
ZCV39GT	Glass Tray for ZCV39 - (Not for use with Brick Liners)	182
MQ39D	Log Set - Drift Wood Four Piece Set - (Requires Glass Tray ZCV39/42GT)	409
MQ42D	Log Set - Drift Wood Six Piece Set - (Requires Glass Tray ZCV39/42GT)	638
*(MQ42D not for use with Brick Liners in a ZCV39 model)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	147
MQG5B	Glass Media - 1/2" Black - 5 lbs.	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
Optional Media Accessories		
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
RBCB1	Cannonballs - Assorted size and colors	413

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

STEP 3) IF CHASE IS BEING VENTED CHOOSE GRILL OR SPECIFIED OPENING SIZE AT TOP OF ENCLOSURE
OPTIONAL - WHEN VENTILATING ENCLOSURE

V39EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	387
V39EG	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8")	273

OPTIONAL BRICK AND PORCELAIN LINERS

MQZCV39RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	516
ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	432
ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	432
ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	432
ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)	532

Optional Electrical Components and Pilot Shield

Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	325
ULK2-P2	Universal Light Kit - Two Lamps (for use with Glass Tray Proflame 2)	325
39ZCV-258	Pilot Shield - for ZCV39GT (Replacement Part)	61

OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREENS

ZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	431
ZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" W x 37" H)	431
ZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	393
MQ39DD1BL	Designer Door ZCV39 - Series 1 - Black c/w Safety Screen	1,056
MQ39DD2BL	Designer Door ZCV39 - Series 2 - Black c/w Safety Screen	1,125
MQ39DD3BL	Designer Door ZCV39 - Series 3 - Black c/w Safety Screen	1,125
ZCV39CSS	Safety Screen Barrier - Outside Fit (Replacement)	333
ZCV39CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	388
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	76

OPTIONAL THERMOSTATS AND REMOTE CONTROLS

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
BENTLEY 42" VC	ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame, Wall Switch, 4/7" Sloped Top Flue, Safety Screen, Viewing Area 37" x 31 11/16" Framing 42 1/2" W x 41" H x 18 1/2" D	

The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.

STEP 1) CHOOSE MODEL		
BENTLEY 42 - TEMPERED GLASS FIREPLACE (25,000 BTU)		
ZCV42N	Fireplace, Millivolt Valve (as above) Natural Gas	2,721
ZCV42LP	Fireplace, Millivolt Valve (as above) Propane`	2,807
ZCV42NE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,974
ZCV42LPE2	Fireplace, IPI PF 2 - Remote-Thermostat-Mod-Fan - Propane	4,061
CONVERSION KITS - BENTLEY TEMPERED GLASS		
42ZCV-CKLP	Conversion Kit - Millivolt - To Propane	96
42ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
42ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
42ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207
BENTLEY 42 - CERAMIC GLASS FIREPLACE (29,500 BTU)		
ZCV42NH	Fireplace, Millivolt Valve (as above) Natural Gas	3,885
ZCV42LPH	Fireplace, Millivolt Valve (as above) Propane`	3,969
ZCV42NHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	5,137
ZCV42LPHE2	Fireplace, IPI PF 2 - Remote-Thermostat-Mod-Fan - Propane	5,222
CONVERSION KITS - BENTLEY CERAMIC GLASS		
42ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	96
42ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	96
42ZCV-CKLPH2	Conversion Kit - IPI Proflame 2 - To Propane	207
42ZCV-CKNGH2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

STEP 2) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA		
LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)		
MQLOGF9	Log Set - Oak - Ten Piece - ZCV39/42	638
MQLOGF39BW	Log Set - Birch	1,043
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	432
Glass Tray for ZCV42 - (Requires 20 lbs. of Glass Media)		
ZCV42GT	Glass Tray for ZCV42 - (Not for use with Brick Liners)	192
MQ39D	Log Set - Drift Wood Four Piece Set - (Requires Glass Tray ZCV39/42GT)	409
MQ42D	Log Set - Drift Wood Six Piece Set - (Requires Glass Tray ZCV39/42GT)	638
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	147
MQG5B	Glass Media - 1/2" Black - 5 lbs.	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
Optional Media Accessories		
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
RBCB1	Cannonballs - Assorted size and colors	413

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

STEP 3) IF CHASE IS BEING VENTED CHOOSE GRILL OR SPECIFIED OPENING SIZE AT TOP OF ENCLOSURE
OPTIONAL - WHEN VENTILATING ENCLOSURE

V39EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 ½" x 6 1/8")	387
V39EG	Grill - Enclosure Front - Unfinished - (Opening 36 ½" x 3 5/8")	273

OPTIONAL BRICK AND PORCELAIN LINERS

MQZCV42RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	563
ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	471
ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	471
ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	471
ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)	572

Optional Electrical Components and Pilot Shield

Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	325
ULK2-P2	Universal Light Kit - Two Lamps (for use with Glass Tray Proflame 2)	325
39ZCV-258	Pilot Shield - for ZCV39GT (Replacement Part)	61

OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREENS

ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	488
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	488
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	431
MQ42DD1BL	Designer Door ZCV42 - Series 1 - Black c/w Safety Screen	1,105
MQ42DD2BL	Designer Door ZCV42 - Series 2 - Black c/w Safety Screen	1,183
MQ42DD3BL	Designer Door ZCV42 - Series 3 - Black c/w Safety Screen	1,183
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	375
ZCV42CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	434
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	76

OPTIONAL THERMOSTATS AND REMOTE CONTROLS

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
BENTLEY 48"	ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 48" Wide	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, 5/8" Sloped Top Flue, Tempered Glass, Viewing Area 43" W x 37 9/16" H, Safety Screen Invis-Mesh. 42,250 BTU Framing 48 1/2" W x 49 3/4" H x 23 1/4" D	

The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 78" for Natural Gas and 80" for Propane. See Installation Manual for details of Vented Chase options.

STEP 1) CHOOSE MODEL		
ZERO CLEARANCE DIRECT VENT FIREPLACE:		
MQZCV48N	Fireplace, Millivolt Valve (as above) Natural Gas	4,442
MQZCV48LP	Fireplace, Millivolt Valve (as above) Propane	4,538
MQZCV48NE2	Fireplace, IPI PF2 -Remote-Thermostat-Mod-Fan-Lights - Natural Gas	6,247
MQZCV48LPE2	Fireplace IPI PF2 -Remote-Thermostat-Mod-Fan-Lights - Propane	6,335
CONVERSION KITS - BENTLEY 48		
48ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	96
48ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	96
48ZCV-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
48ZCV-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

STEP 2) CHOOSE LOG SET OR GLASS TRAY AND DRIFTWOOD OR GLASS MEDIA		
Log Set		
MQLOGF48	Log Set - Traditional Oak (Not for Use with Propane)	1,449
MQLOGF48B	Log Set - Burnt Oak	1,449
MQLOGF39BW	Log Set - Birch	1,043
MQBBITS	Log Bit Kit - Birch (Add on for MQLOGF39BW)	382
Glass Tray for MQZCV48 - (Requires 25 lbs of Glass Media)		
MQZCV48GT	Glass Tray for MQZCV48	242
MQLOGF48D	Log Set - Drift Wood - MQZCV48GT Tray Required - (No Glass Media Required)	1,063
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
Optional Media Accessories		
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
RBCB1	Cannonballs - Assorted size and colors	413

STEP 3) IF CHASE IS BEING VENTED CHOOSE GRILL OR SPECIFIED OPENING SIZE AT TOP OF ENCLOSURE		
OPTIONAL - WHEN VENTILATING ENCLOSURE		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 15 1/4" x 6 5/8")	370
V49EG	Grill - Enclosure Front - Unfinished - (Opening 48 1/2" x 4 7/8")	300

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN		
ZCV47S1BL	Surround - Hearth Mount 4" Wide (Covers 50 9/16" W x 43 3/16" H)	550
MQ48DD1BL	Designer Door - Series 1 - Black c/w Safety Screen	1,189
MQ48DD2BL	Designer Door - Series 2 - Black c/w Safety Screen	1,335
MQ48DD3BL	Designer Door - Series 3 - Black c/w Safety Screen	1,393
ZCV48CSS	Safety Screen Barrier - Outside Fit (Replacement)	405
ZCV48CSS2	Safety Screen Barrier - Inside Fit (Replacement)	405
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	76

OPTIONAL FIREPLACE ACCESSORIES		
ZCV48RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	637
ZCV48RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	637
ZCV48RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	704
MQZCV48RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	704
ZCV48PL	Porcelain Reflective Panel Liner (3 PCE)	847
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
ULK4	Universal Light Kit - Four Lamps	632
48ZCV-258	Pilot Shield - for MQZCV48GT (Replacement Part)	66

OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
Solace II - 36"	ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 36" WIDE	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Safety Screen, Viewing Area 33" x 21 3/16 Framing Louvered 36 3/8" W x 35" H x 17" D	

STEP 1) CHOOSE MODEL		
SOLACE II 36 - TEMPERED GLASS FIREPLACE (24,000 BTU NG)		
HBZDV3624N	Fireplace, Millivolt Valve (as above) Natural Gas	2,003
HBZDV3624LP	Fireplace, Millivolt Valve (as above) Propane	2,091
HBZDV3624N44	Fireplace, Millivolt Valve (as above) Natural Gas - With LOGC44 Log Set	2,225
HBZDV3624LP44	Fireplace, Millivolt Valve (as above) Propane - With LOGC44 Log Set	2,314
CONVERSION KITS - SOLACE II - TEMPERED GLASS		
3624HB-CKLP	Conversion Kit - Millivolt - To Propane	96
3624HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
STEP 2) CHOOSE LOG SET OR CONTEMPORARY ROCK COLLECTION		
LOG SET		
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	290
MQLOGF36BW	Log Set - Birch Wood (Solace II)	1,050
ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS		
MQRSP3	Rock Support Platform (HB3624/3628)	286
MQROCK2	Rock Set - Contemporary Collection - Natural	324

STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT		
GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)		
HB36CVCK	Designer Clean View Circulating Kit	430
HB36GBL	Grill Kit - Black	109

OPTIONAL BRICK OR PORCELAIN LINERS		
HB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	300
HB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	300
HB36PL	Porcelain Reflective Panel Liner (3 PCE)	492

OPTIONAL SURROUND (FOR LOUVERED UNITS) - (Coverage 35 1/2" H x 41 1/8" W)		
HB36SBL	Surround - Black	300

OPTIONAL FIREPLACE ACCESSORIES		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
HB36CSS	Safety Screen Barrier (Replacement)	265

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
Solace II - 42"	ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 42" WIDE:	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Safety Screen, 37" x 23 15/16"	
	Framing Louvered 42 3/8" W x 37 1/4" H x 17" D	

STEP 1) CHOOSE MODEL		
SOLACE II 42 - TEMPERED GLASS FIREPLACE (24,000 BTU NG)		
HBZDV4224N	Fireplace, Millivolt Valve (as above) Natural Gas	2,308
HBZDV4224LP	Fireplace, Millivolt Valve (as above) Propane	2,360
HBZDV4224N44	Fireplace, Millivolt Valve (as above) Natural Gas - With LOGC44 Log Set	2,531
HBZDV4224LP44	Fireplace, Millivolt Valve (as above) Propane - With LOGC44 Log Set	2,583
CONVERSION KITS -SOLACE II - TEMPERED GLASS		
4224HB-CKLP	Conversion Kit - Millivolt - To Propane	96
4224HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
STEP 2) CHOOSE LOG SET OR CONTEMPORARY ROCK COLLECTION		
LOG SET		
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	290
MQLOGF36BW	Log Set - Birch Wood (Solace II)	1,050
ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS		
MQRSP3	Rock Support Platform (HB4224/4228)	286
MQROCK2	Rock Set - Contemporary Collection - Natural	324

STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT		
GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)		
HB42CVCK	Designer Clean View Circulating Kit	473
HB42GBL	Grill Kit - Black	119

OPTIONAL BRICK OR PORCELAIN LINERS		
HB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	344
HB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	344
HB42PL	Porcelain Reflective Panel Liner (3 PCE)	541

OPTIONAL FIREPLACE ACCESSORIES		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
HB42CSS	Safety Screen Barrier (Replacement)	278
SURROUNDS - FOR LOUVERED UNITS (Coverage 37 5/8" H x 45 1/8" W)		
HB42SBL	Surround - Black	315

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCF	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
SERENE 47	ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 47" WIDE	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 4/7" Top Flue Tempered Glass, Viewing Area 41 5/8" x 15 7/8", Safety Screen, Framing 47" W x 38 3/4" H x 18 1/4" D, 24,500 BTU, Max Media 5 LBS	
	The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details. NOTE: To vent the chase, removal of vent shields is required	

STEP 1) CHOOSE MODEL		
ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE		
ZCVRB47N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	3,798
ZCVRB47LP	Fireplace Linear, Millivolt Valve (as above) Propane	3,861
MQZCVRB47NE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Natural Gas	5,409
MQZCVRB47LPE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Propane	5,501
<i>(LED LIGHTS ARE NOT DIMMABLE)</i>		
CONVERSION KITS		
46ZRB-CKLP	Conversion Kit - Millivolt - To Propane	96
46ZRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
46VRB-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
46VRB-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 105 Sq./Inches		
	Choose Grill or Custom Grill or Adequate Opening as per manual	
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
V46EG	Grill - Front for Enclosure -Unfinished (46 9/16" W x 2 1/2" H)	218

OPTIONAL MEDIA - BOTTOM OF FIREPLACE - (Max Glass Media 5 LBS)		
MQRBD1	Drift Wood (x4) and Rocks (x4)	376
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood Log Set - 3 Pce	330
MQ46D	Drift Wood Log Set - 3 Pce - (Not for use with Propane)	378
MQLOAK1	Oak Linear Log Set - (Main Set) 5 Pce	510
MQRBRW	Birch Wood Log Set - 5 Pce	493
RBCB1	Cannonballs - Assorted size and colors	413
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQEMBER	Ember Chunks	155
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

OPTIONAL WALL SURROUND - (COVERS 44 5/8"W X 17 3/4"H)		
ZCVRB47S1BL	Surround Trim Kit -1 1/2" Wide - Black	426
ZCVRB47S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	707

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FIREPLACE ACCESSORIES		
MQZCVRB47RLF	Refractory Liner - Fluted - (3 PCE)	563
ZCVRB47PL	Porcelain Reflective Panel Liner (3 PCE)	452
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
ULK2	Universal Light Kit - Two Lamps (For Millivolt/PF1)	325
ZCVRB47CSS	Safety Screen Barrier (Replacement)	333
V47PTLK	Tile Lip Kit - 3 Pce	77
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
SERENE 60	ZERO CLEARANCE DIRECT VENT GAS FIREPLACE	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 5/8" Flue, Tempered Glass, Safety Screen InvisiMesh, Viewing Area 61 1/8" x 19 15/16" Framing 66 9/16" W x 43" H x 19 1/4" D, 35,000 BTU, Max Media 10 LBS	
	The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.	

STEP 1) CHOOSE MODEL		
	ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE	
ZCVRB60N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	4,662
ZCVRB60LP	Fireplace Linear, Millivolt Valve (as above) Propane	4,733
MQZCVRB60NE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Natural Gas	6,103
MQZCVRB60LPE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Propane (LED Accent Lights are Non Dimmable)	6,167
	CONVERSION KITS	
60ZCVRB-CKLP	Conversion Kit - Millivolt - To Propane	96
60ZCVRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
60ZCVRB-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
60ZCVRB-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

	OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 200 Sq./Inches	
	Choose Grill or Custom Grill or Adequate Opening as per manual	
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	340

	OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE - (Max Glass 10 lbs)	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQ46D	Drift Wood Log Set -Three Piece Set	378
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQEMBER	Ember Chunks	155
	OPTIONAL GLASS MEDIA - (Maximum 10 LBS)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
RBCB1	Cannonballs - Assorted size and colors	413

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FIREPLACE ACCESSORIES		
MQRB60RLS	Refractory Liner - Stacked Brick - (3 PCE)	1,100
ZCVRB60PL	Porcelain Reflective Panel Liner (3 PCE)	563
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
ULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	540
ZCVRB60CSS	Safety Screen Barrier (Replacement)	352
V60PTLK	Tile Lip Kit	96
OPTIONAL WALL SURROUND - (COVERS 64"W X 23"H)		
ZCVRB60S1BL	Surround Trim Kit -1 1/2" Wide - Black	762
ZCVRB60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,052
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.**

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

SERENE 72	ZERO CLEARANCE DIRECT VENT GAS FIREPLACE
Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner Bronze Glass Media x 3 Bags, SIT Valve with Hi/Lo Adjustment, 5/8" Flue Ceramic Glass, Invisi-Mesh Safety Screen, Viewing Area 73 7/8" x 20", Framing 79 1/8 x 42 x 19" (Unvented Chase), 50,000 BTU	
*NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG DuraVent must be used at Flue of Fireplace.	
The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Minimum ventilation of 285 Sq./Inches is required. Minimum enclosure height 79", see manual for further information NOTE: To vent the chase, removal of vent shields is required.	

STEP 1) CHOOSE MODEL

	ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE	
ZCVRB72N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	8,217
ZCVRB72LP	Fireplace Linear, Millivolt Valve (as above) Propane	8,287
MQZCVRB72NE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Natural Gas	9,652
MQZCVRB72LPE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Propane (LED Accent Lights are Non Dimmable)	9,717
	CONVERSION KITS	
72ZCVRB-CKLP	Conversion Kit - Millivolt - To Propane	96
72ZCVRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
72VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
72VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

	OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 285 Sq./Inches	
	Choose Grill or Custom Grill or Adequate Opening as per manual	
VL72EGS	Grill - Enclosure Side (Pair) - Unfinished (Opening size 15 1/4" W x 9" H)	383
VL72EG	Grill - Front for Enclosure -Unfinished (Opening size 78 5/8" W x 3 5/8" H)	383

	OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQLOGF48D	Log Set - Drift Wood	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155
	OPTIONAL GLASS MEDIA - (Maximum 15 LBS)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL WALL SURROUNDS		
ZCVRB72S1BL	Surround Trim Kit - 1 1/2" Wide - Black	878
ZCVRB72S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,313

OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
(Order Both Back and Sides for Brick Liners and Reflective Glass Liners)		
MQVL72RLFB2	Refractory Liner - Fluted - Back	1,100
MQVL60RLF2	Refractory Liner - Fluted - Ends	326
MQVL72RLSB	Refractory Liner - Stacked Brick - Back	1,100
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	439
MQVL72RGB	Reflective Glass Liner - Back	1,163
MQVL72RGE	Reflective Glass Liner - Ends (L&R)	475
ZCVRB72PL	Porcelain Line - 5 PCE Set	725
OPTIONAL FIREPLACE ACCESSORIES		
72ZRB-TLK	Tile Lip Kit - c/w Screws	130
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (For Millivolt/PF1)	383
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	356
ULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	540
ZCVRB72CSS	Safety Screen Barrier (Replacement)	423

***NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.**

OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.**

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 34 BAY	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Pan Burner, SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass on Glass Viewing Area: Front 34 1/8" x 20 5/16" Side 13 3/8" x 20 5/16" Halogen Accent Lighting x 2, Flue 5/8", 25,000 BTU NG, 24,000 BTU Propane	
STEP 1) CHOOSE MODEL		
	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
MQZCVBG34NE2	Bay Peninsula, IPI PF2 - Remote-Thermostat-Mod-Lights - Natural Gas	6,756
MQZCVBG34LPE2	Bay Peninsula, IPI PF2 - Remote-Thermostat-Mod-Lights - Propane	6,852
CONVERSION KITS		
34ZCVBG-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
34ZCVBG-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207
CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT		
ZCV34BGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	248

**This Fireplace requires the Chase to be Vented at the top of the enclosure.
Minimum Enclosure Height is 72" measured from floor of appliance.
See Installation Manual for further details of Vented Chase options.**

STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS		
CHASE MUST BE VENTED ABOVE THE APPLIANCE		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	352
V34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	264

STEP 3) CHOOSE LOG SET OR GLASS MEDIA ACCESSORIES		
LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)		
MQLOGF34OAK	Log Set - Oak - Seven Piece	674
MQLOGF34BW	Log Set - Birch - Seven Piece	895
MQ42D	Log Set - Drift Wood - Six Piece	638
MQLOGF453	Log Set - Driftwood - Five Piece	690
GLASS MEDIA - (MAXIMUM 5 LBS)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

OPTIONAL MEDIA - MAY BE USED WITH GLASS MEDIA		
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBRW	Birch Wood Log Set - 5 Pce	493
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

OPTIONAL FLUTED LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQZCVBG34RLTB	Refractory Liner - Traditional - Back	339
MQZCVBG34RLTE	Refractory Liner - Traditional - End (Corner Unit Only)	181
MQZCVBG34RLFB	Refractory Liner - Fluted - Back	394
MQZCVBG34RLFE	Refractory Liner - Fluted - End (Corner Unit Only)	209
MQZCVBG34RGB	Reflective Glass Liner - Back	699
MQZCVBG34RGE	Reflective Glass Liner - End (L&R) (Corner Unit Only)	264

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FIREPLACE ACCESSORIES		
34ZCVBG-TLK	Tile Lip Kit - c/w Screws	107
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES <i>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</i>	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 48	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, Single Side SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue, LED Accent Lighting (Non Dimmable).35,000 BTU Viewing Area 54 15/16" x 15 1/4"	
STEP 1) CHOOSE MODEL		
	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
MQVL48NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	6,855
MQVL48LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	6,941
	CONVERSION KITS	
48VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
48VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Ventilation Required Above the Appliance is 151 Sq./Inches.
Ventilation Required Below the Appliance is 84 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
	CHASE MUST BE VENTED FROM TOP AND BOTTOM	
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL48EG	Grill - Enclosure Front - Unfinished	248

STEP 3) CHOOSE GLASS MEDIA		
	GLASS MEDIA - (REQUIRES 10LBS NATURAL GAS, 5LBS PROPANE)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

	OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

	OPTIONAL WALL SURROUNDS (Covers 58"W x 18 1 1/2")	
MQVL48S1BL	Surround Trim Kit - 1 1/2" Wide - Black	719
MQVL48S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,335
MQVL48SEP	Side Extension Panels - Black	310

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FLUTED LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL48RLFB2	Refractory Liner - Fluted - Back	454
MQVL60RLFE2	Refractory Liner - Fluted - Ends	326
MQVL48RLSB	Refractory Liner - Stacked Brick - Back	554
MQVL48RLSE	Refractory Liner - Stacked Brick- Ends	439
MQVL48RGB	Reflective Glass Liner - Back	922
MQVL72RGE	Reflective Glass Liner - Ends (L&R)	475
OPTIONAL FIREPLACE ACCESSORIES		
48VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	107
VL48AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	519
VL48HDS	Heat Distribution System - (Flex Pipe Not Included)	566
ZDV5FP6	Flex Pipe 5" Diameter x 6FT - (4 per Kit)	322
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 48 BAY	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass on Glass LED Accent Lighting (Non Dimmable), 5/8" Flue, 35,000 BTU Viewing Area 54 15/16" x 15 1/4"	
STEP 1) CHOOSE MODEL		
	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
MQVLBG48NE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	8,257
MQVLBG48LPE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	8,343
	CONVERSION KITS	
48VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
48VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207
	CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT	
VLBGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	248

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Ventilation Required Above the Appliance is 151 Sq./Inches.
Ventilation Required Below the Appliance is 84 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
	CHASE MUST BE VENTED FROM TOP AND BOTTOM - (TWO REQUIRED)	
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL48EG	Grill - Enclosure Front - Unfinished	248

STEP 3) CHOOSE GLASS MEDIA		
	GLASS MEDIA - (REQUIRES 10LBS NATURAL GAS, 5LBS PROPANE)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

	OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FLUTED LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL48RLFB2	Refractory Liner - Fluted - Back	454
MQVL60RLFE2	Refractory Liner - Fluted - Ends (Corner Unit Only)	326
MQVL48RLSB	Refractory Liner - Stacked Brick - Back	554
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends (Corner Unit Only)	439
MQVL48RGB	Reflective Glass Liner - Back	922
MQVL72RGE	Reflective Glass Liner - Ends (L&R) (Corner Unit Only)	475
OPTIONAL FIREPLACE ACCESSORIES		
48VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	107
VL48AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	519
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 60	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, Single Side SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue LED Accent Lighting (Non Dimmable), 45,000 BTU NG and 44,000 BTU Propane Viewing Area 66 11/16" x 15 1/4"	
STEP 1) CHOOSE MODEL		
	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
MQVL60NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	8,912
MQVL60LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	9,035
	CONVERSION KITS	
60VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
60VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Minimum Ventilation Required Above the Appliance is 200 Sq./Inches.
Minimum Ventilation Required Below the Appliance is 102 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
CHASE MUST BE VENTED FROM TOP AND BOTTOM		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	340

STEP 3) CHOOSE GLASS MEDIA		
GLASS MEDIA - (REQUIRES 15LBS NATURAL GAS, 10LBS PROPANE)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)		
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

OPTIONAL WALL SURROUNDS (Covers 70"W x 18 1 1/2")		
VL60S1BL	Surround Trim Kit - 1 1/2" Wide - Black	922
VL60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,412
MQVL48SEP	Side Extension Panels - Black	310

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL60RLFB2	Refractory Liner - Fluted - Back	922
MQVL60RLFE2	Refractory Liner - Fluted - Ends	326
MQVL60RLSB	Refractory Liner - Stacked Brick - Back	922
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	439
MQVL60RGB	Reflective Glass Liner - Back	1,081
MQVL72RGE	Reflective Glass Liner - Ends (L&R)	475
OPTIONAL FIREPLACE ACCESSORIES		
60VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	118
VL60AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	646
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 60 BAY	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue LED Accent Lighting (Non Dimmable), 5/8" Flue, 45,000 BTU NG /44,000 BTU Propane Viewing Area 66 5/8" x 15 1/4"	
STEP 1) CHOOSE MODEL		
	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
MQVLBG60NE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	10,473
MQVLBG60LPE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	10,558
	CONVERSION KITS	
60VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
60VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207
	CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT	
VLBGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	248

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Minimum Ventilation Required Above the Appliance is 200 Sq./Inches.
Minimum Ventilation Required Below the Appliance is 102 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
CHASE MUST BE VENTED FROM TOP AND BOTTOM - (TWO REQUIRED)		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	340

STEP 3) CHOOSE GLASS MEDIA		
GLASS MEDIA - (REQUIRES 15LBS NATURAL GAS, 10LBS PROPANE)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)		
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL60RLFB2	Refractory Liner - Fluted - Back	922
MQVL60RLFE2	Refractory Liner - Fluted - Ends	326
MQVL60RLSB	Refractory Liner - Stacked Brick - Back	922
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	439
MQVL60RGB	Reflective Glass Liner - Back	1,081
MQVL72RGE	Reflective Glass Liner - Ends (L&R) (Corner Unit Only)	475
OPTIONAL FIREPLACE ACCESSORIES		
60VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	118
VL60AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	646
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG DuraVent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 61	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Pro-Burner (F3/F7)	
TALL GLASS	SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue LED Accent Lighting (Non Dimmable), 5/8" Flue, <i>45,000 BTU NG and 44,000 BTU Propane</i> Viewing Area 61 7/16" x 21 5/16"	
STEP 1) CHOOSE MODEL		
	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
MQVL61NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	10,394
MQVL61LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	10,499
	CONVERSION KITS	
61VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
61VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Minimum Ventilation Required Above the Appliance is 200 Sq./Inches.
Minimum Ventilation Required Below the Appliance is 102 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
	CHASE MUST BE VENTED FROM TOP AND BOTTOM	
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	340

STEP 3) CHOOSE GLASS MEDIA		
	GLASS MEDIA - (REQUIRES 15LBS NATURAL GAS, 10LBS PROPANE)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

	OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

	OPTIONAL WALL SURROUNDS (Covers 65 7/16" W x 25 9/16" H)	
VL61S1BL	Surround Trim Kit - 2" Wide - Black	922

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL61RLFB	Refractory Liner - Fluted - Back	935
MQVL61RLFE	Refractory Liner - Fluted - Ends	567
MQVL61RGB	Reflective Glass Liner - Back	1,245
MQVL61RGE	Reflective Glass Liner - Ends (L&R)	546
OPTIONAL FIREPLACE ACCESSORIES		
61VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	136
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 62	SEE THROUGH - LINEAR DIRECT VENT FIREPLACE	
SEE THROUGH TALL GLASS	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner (F3/F7) SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue LED Accent Lighting (Non Dimmable), 45,000 BTU NG and 44,000 BTU Propane Viewing Area 61 7/16" x 21 5/16"	
STEP 1) CHOOSE MODEL		
	SEE THROUGH - LINEAR DIRECT VENT FIREPLACE	
MQVLST62NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	13,019
MQVLST62LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	13,124
	CONVERSION KITS	
61VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
61VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Minimum Ventilation Required Above the Appliance is 200 Sq./Inches.
Minimum Ventilation Required Below the Appliance is 102 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
CHASE MUST BE VENTED FROM TOP AND BOTTOM		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	370
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	340

STEP 3) CHOOSE GLASS MEDIA		
GLASS MEDIA - (REQUIRES 15LBS NATURAL GAS, 10LBS PROPANE)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)		
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

OPTIONAL WALL SURROUNDS (Covers 65 7/16" W x 25 9/16" H)		
VL61S1BL	Surround Trim Kit - 2" Wide - Black	922

OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL61RLFE	Refractory Liner - Fluted - Ends	567
MQVL61RGE	Reflective Glass Liner - Ends (L&R)	546

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FIREPLACE ACCESSORIES		
61VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	136
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 72	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue LED Accent Lighting (Non Dimmable), 50,000 BTU Viewing Area 78 5/8" x 15 1/4"	
STEP 1) CHOOSE MODEL		
	SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE	
MQVL72NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	9,683
MQVL72LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	9,740
	CONVERSION KITS	
72VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
72VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Minimum Ventilation Required Above the Appliance is 285 Sq./Inches.
Minimum Ventilation Required Below the Appliance is 158 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
	CHASE MUST BE VENTED FROM TOP AND BOTTOM	
VL72EGS	Grill - Enclosure Side (Pair) - Unfinished (Opening size 15 1/4" W x 9" H)	383
VL72EG	Grill - Front for Enclosure -Unfinished (Opening size 78 5/8" W x 3 5/8" H)	383

STEP 3) CHOOSE GLASS MEDIA		
	GLASS MEDIA - (REQUIRES 15 LBS)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

	OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

	OPTIONAL WALL SURROUNDS (Covers 82 1/16" W x 18 1 1/2" H)	
VL72S1BL	Surround Trim Kit - 1 1/2" Wide - Black	1,012
VL72S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,437
MQVL48SEP	Side Extension Panels - Black	310

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL72RLFB2	Refractory Liner - Fluted - Back	1,100
MQVL60RLFE2	Refractory Liner - Fluted - Ends	326
MQVL72RLSB	Refractory Liner - Stacked Brick - Back	1,100
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	439
MQVL72RGB	Reflective Glass Liner - Back	1,163
MQVL72RGE	Reflective Glass Liner - Ends (L&R)	475
OPTIONAL FIREPLACE ACCESSORIES		
72VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	130
VL72AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	697
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.**

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ENCLAVE 72 BAY	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, 5/8" Flue LED Accent Lighting (Non Dimmable), 50,000 BTU Viewing Area 78 5/8" x 15 1/4"	
STEP 1) CHOOSE MODEL		
	BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE	
MQVLBG72NE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	11,664
MQVLBG72LPE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	11,748
	CONVERSION KITS	
72VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
72VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207
	CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT	
VLBGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	248

The Fireplace Chase Must Be Vented Both Above and Below Appliance
Minimum Ventilation Required Above the Appliance is 285 Sq./Inches.
Minimum Ventilation Required Below the Appliance is 158 Sq./Inches.
Minimum Enclosure Height, see Manual for details.

STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS		
	CHASE MUST BE VENTED FROM TOP AND BOTTOM - (TWO REQUIRED)	
VL72EGS	Grill - Enclosure Side (Pair) - Unfinished (Opening size 15 1/4" W x 9" H)	383
VL72EG	Grill - Front for Enclosure -Unfinished (Opening size 78 5/8" W x 3 5/8" H)	383

STEP 3) CHOOSE GLASS MEDIA		
	GLASS MEDIA - (REQUIRES 15LBS)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

	OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)	
MQRBD3	Drift Wood Log Set - 5 Pce	510
MQRBD4	Drift Wood - Three Piece Set	330
MQLOAK1	Log Set - Linear Oak (Main Set) - 5 Pce	510
MQLOAK2	Log Set - Linear Oak (Add-on Set) - 4 Pce (for 60/72" models)	362
MQRBRW	Birch Wood Log Set - 5 Pce	493
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	378
MQLOGF48D	Log Set - Drift Wood (NOT FOR USE WITH PROPANE)	1,063
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
RBCB1	Cannonballs - Assorted size and colors	413
MQSTONE10	Decorative Stones - 10 PCE Set	76
MQSTONE	Decorative Stones - 80 PCE Set	375
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks	155

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS		
MQVL72RLFB2	Refractory Liner - Fluted - Back	1,100
MQVL60RLFE2	Refractory Liner - Fluted - Ends	326
MQVL72RLSB	Refractory Liner - Stacked Brick - Back	1,100
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	439
MQVL72RGB	Reflective Glass Liner - Back	1,163
MQVL72RGE	Reflective Glass Liner - Ends (L&R) (Corner Unit Only)	475
OPTIONAL FIREPLACE ACCESSORIES		
72VL-TLK	Tile Lip Kit - 5 Pce Kit c/w Screws	130
VL72AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	697
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

***NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.**

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
ATRIUM	MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE:	
	Listed for USA/Canada as a Vented Gas Fireplace - RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, 5/8" Sloped Flue Viewing Area 40" x 23 15/16" and 24 1/2 x 23 15/16" Small Side	
STEP 1) CHOOSE MODEL		
	PENINSULA DIRECT VENT FIREPLACE - TEMPERED GLASS (30,250 BTU)	
MCVP42N	Peninsula Fireplace, Millivolt (as above) Natural Gas	5,057
MCVP42LP	Peninsula Fireplace, Millivolt (as above) Propane	5,140
MCVP42NE	Peninsula Fireplace, IPI PF1 (as above) Natural Gas	5,396
MCVP42LPE	Peninsula Fireplace, IPI PF1 (as above) Propane	5,480
	PENINSULA DIRECT VENT FIREPLACE - CERAMIC GLASS (31,250 BTU)	
MCVP42NH	Peninsula Fireplace, Millivolt (as above) Natural Gas	7,430
MCVP42LPH	Peninsula Fireplace, Millivolt (as above) Propane	7,513
MCVP42NHE	Peninsula Fireplace, IPI PF1 (as above) Natural Gas	7,769
MCVP42LPHE	Peninsula Fireplace, IPI PF1 (as above) Propane	7,853
	CONVERSION KITS - ATRIUM	
42MP-CKLP	Conversion Kit - Millivolt - To Propane	96
42MP-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
42MP-CKLPI	Conversion Kit - IPI - To Propane	113
42MP-CKNGI	Conversion Kit - IPI - To Natural Gas	113

STEP 2) CHOOSE LOG GRATE AND LOG SET OR GLASS TRAY AND GLASS MEDIA OR LOG SET		
	Log Grate and Log Set	
M42LG	Log Grate - (Requires Log Set) - (Not for Use with Propane Appliance)	192
MQRBRW	Birch Wood Log Set - 5 Pce (Requires 2 Sets)	493
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces - (Not for Use with Propane Appliance)	937
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces - (Not for Use with Propane Appliance)	937
	Glass Tray - (Log Set or Media Required)	
MP42GT	Glass Tray - (No Media Required if using Log Sets) (Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)	192
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces - (Not for Use with Propane Appliance)	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs (Max 10lbs Tube, 15 lbs for Tray)	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
RBCB1	Cannonballs - Assorted size and colors	413

	FIREPLACE ACCESSORIES OPTIONS:	
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	325
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	61
42MCVP-TLK	Tile Lip Kit - (8 Pce Kit, c/w Screws)	101
MP42CSSS	Safety Screen Barrier - Small (Replacement)	205
MP42CSSL	Safety Screen Barrier - Large (Replacement)	278
MP42RLT	Refractory Fiber Brick Liner - Traditional	216
MP42PL	Porcelain Reflective Panel Liner	218

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
EGTRC	Remote Control IPI PF1 - Thermostat	498
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	676
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	676
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	998
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	998

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
BENTLEY ST	MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE:	
	Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, 5/8" Sloped Flue Viewing Area 37 1/16" x 32 1/2", Framing 43 1/8"W x 51 3/8"H x 23 1/16" D	
STEP 1) CHOOSE MODEL		
SEE-THROUGH DIRECT VENT FIREPLACE - TEMPERED GLASS (30,500 BTU)		
MCVST42N	See Through Fireplace, Millivolt (as above) Natural Gas	5,176
MCVST42LP	See Through Fireplace, Millivolt (as above) Propane	5,265
MCVST42NE	See Through Fireplace, IPI (as above) Natural Gas	5,518
MCVST42LPE	See Through Fireplace, IPI (as above) Propane	5,625
SEE-THROUGH DIRECT VENT FIREPLACE:		
MCVST42NH	See Through Fireplace, Millivolt (as above) Natural Gas	7,361
MCVST42LPH	See Through Fireplace, Millivolt (as above) Propane	7,444
MCVST42NHE	See Through Fireplace, IPI (as above) Natural Gas	7,699
MCVST42LPHE	See Through Fireplace, IPI (as above) Propane	7,783
CONVERSION KITS - BENTLEY ST		
42MST-CKLP	Conversion Kit - Millivolt - To Propane	96
42MST-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
42MST-CKLPI	Conversion Kit - IPI - To Propane	113
42MST-CKNGI	Conversion Kit - IPI - To Natural Gas	113

STEP 2) CHOOSE LOG GRATE AND LOG SET OR GLASS TRAY AND LOG SET OR GLASS MEDIA		
Log Grate and Log Set Required		
M42LG	Log Grate - (need to choose log set)	192
MQRBRW	Birch Wood Log Set - 5 Pce (Requires 2 Sets)	493
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces	937
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces	937
Glass Tray - (Log Set or Media Required)		
MST42GT	Glass Tray for MCVST42 - (Requires Glass Media) (Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)	192
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	937
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces	937
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	937
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones - 80 PCE Set	375
MQSTONE10	Decorative Stones - 10 PCE Set	76
RBCB1	Cannonballs - Assorted size and colors	413

OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	488
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	488
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	431
MQ42DD1BL	Designer Door ZCV42 - Series 1 - Black c/w Safety Screen	1,105
MQ42DD2BL	Designer Door ZCV42 - Series 2 - Black c/w Safety Screen	1,183
MQ42DD3BL	Designer Door ZCV42 - Series 3 - Black c/w Safety Screen	1,183
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	375
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	375
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	76

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL FIREPLACE ACCESSORIES		
MST42RLT	Refractory Brick Liner (2 PCE) - Traditional	413
MST42PL	Porcelain Reflective Panel Liner (2 PCE)	435
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	383
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	325
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	61

OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	229
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
EGTRC	Remote Control IPI PF1 - Thermostat	498
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	676
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	676
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	998
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	998

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

Sentinel	FREE STANDING DIRECT VENT GAS STOVES:	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Bay Viewing Area, Black Louver, Adjustable SIT Valve, 4/7 Flue, Certified for use in Mobile Home, Bedroom, and Bed sitting Room, Flat Black, 37,000 BTU - NG, 35,000 BTU - Propane	

STEP 1) CHOOSE MODEL

	FREE STANDING DIRECT VENT GAS STOVE	
FDV350N	Free Standing Stove - Millivolt - Natural Gas	2,251
FDV350LP	Free Standing Stove - Millivolt - Propane	2,329
FDV350NE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,474
FDV350LPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,554

	CONVERSION KITS - SENTINEL	
350DV-CKLP	Conversion Kit - Millivolt - To Propane	96
350DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
350DV-CKLP12	Conversion Kit - IPI PF2 - To Propane	207
350DV-CKNG12	Conversion Kit - IPI PF2 - To Natural Gas	207

STEP 2) CHOOSE DOOR

	DOOR FRONTS: (REQUIRED FOR EACH UNIT)	
F35DB	Door Frame and Ceramic Glass - Black	769

STEP 3) CHOOSE LOG SET

	LOG SETS (REQUIRED FOR EACH UNIT)	
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	444

STEP 4) CHOOSE SAFETY BARRIER

	SAFETY BARRIER (REQUIRED FOR EACH UNIT)	
F350CSS	SAFETY BARRIER	310

	ACCESSORIES:	
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	389
F45FK2	Fan Kit - for Proflame 2, (Replacement)	356
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	36
F35RL	Refractory Liner	203
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	286
	OPTIONAL THERMOSTATS AND REMOTE CONTROLS	
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital Millivolt Wall Mount- MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMR CN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
TITAN	FREE STANDING DIRECT VENT GAS STOVES:	
FDV200S	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, SIT Valve, Leg Model, Safety Screen, 4/7" Flue 30,000 BTU NG, 26,000 BTU Propane	

STEP 1) CHOOSE MODEL

	FREE STANDING DIRECT VENT GAS STOVE	
FDV200SN	Free Standing Stove - Millivolt - Natural Gas	2,592
FDV200SLP	Free Standing Stove - Millivolt - Propane	2,651
FDV200SNE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,408
FDV200SLPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,468
	CONVERSION KITS - TITAN	
200DV-CKLP	Conversion Kit - Millivolt - To Propane	96
200DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
200DV-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
200DV-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

STEP 2) CHOOSE LOG SET

	LOG SETS	
LOGF200	Log Set - Fiber - Five Piece Split Oak	348

	OPTIONAL ACCESSORIES	
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	389
F45FK2	Fan Kit - for Proflame 2, (Replacement)	356
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	36
FDV200RL	Refractory Liner	261
F200CSS	Safety Screen Barrier - (Replacement)	199
	OPTIONAL THERMOSTATS AND REMOTE CONTROLS	
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
VANTAGE	FREE STANDING DIRECT VENT GAS STOVE	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/OFF Switch, 4/7" Flue, Black 34,500 BTU NG, 31,000 BTU Propane	

STEP 1) CHOOSE MODEL

	FREE STANDING DIRECT VENT GAS STOVE	
FDV451N	Free Standing Stove - Millivolt - Natural Gas	2,152
FDV451LP	Free Standing Stove - Millivolt - Propane	2,231
FDV451NE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,371
FDV451LPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,451
	CONVERSION KIT - VANTAGE	
450DV-CKLP	Conversion Kit - Millivolt - To Propane	96
450DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
450DV-CKLP2	Conversion Kit - IPI PF2 - To Propane	207
450DV-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	207

STEP 2) CHOOSE DOOR FRONT AND SIDE DOORS

	DOOR FRONTS: (REQUIRED FOR EACH UNIT)	
F450FBL	Door Front and Vent Lid - Charcoal with Flat Black Posts and Safety Screen	561
	SIDE DOORS: (REQUIRED FOR EACH UNIT)	
F451SDSBL	Side Doors - Black Frame - Solid Panel - Charcoal	362

STEP 3) CHOOSE LOG SET OR GLASS MEDIA

	LOG SETS	
F45LG	Log Grate - FDV451/453 (Optional)	141
LOGF451	Log Set - Oak	510
MQLOGF452	Log Set - Oak	620
MQLOGF453	Log Set - Driftwood	690
	GLASS MEDIA OR ROCKS, STONES, CANNONBALLS - (Maximum Glass 15 lbs)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones	375
RBCB1	Cannonballs - Assorted size and colors	413

	OPTIONAL ACCESSORIES	
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	389
F45FK2	Fan Kit - for Proflame 2, (Replacement)	356
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	46
F451RLT	Brick Liner - Traditional	426
F451RLH	Brick Liner - Herringbone	426
MQ451RLF	Brick Liner - Fluted	548
F451PL	Porcelain Liner - 3 Piece	486
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	286

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMR CN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
VANTAGE	FREE STANDING DIRECT VENT GAS STOVE - BAY VIEW	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/OFF Switch, 4/7" Flue, Black 34,500 BTU NG, 31,000 BTU Propane	

STEP 1) CHOOSE MODEL

	FREE STANDING DIRECT VENT GAS STOVE	
MQFDV453N	Free Standing Stove - Millivolt - Natural Gas	2,485
MQFDV453LP	Free Standing Stove - Millivolt - Propane	2,565
MQFDV453NE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,705
MQFDV453LPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,786
	CONVERSION KIT - VANTAGE	
450DV-CKLP	Conversion Kit - Millivolt - To Propane	96
450DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	96
450DV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	207
450DV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	207

STEP 2) CHOOSE DOOR FRONT AND SIDE DOORS

	DOOR FRONTS: (REQUIRED FOR EACH UNIT)	
F450FBL	Door Front and Vent Lid - Charcoal with Flat Black Posts and Safety Screen	561
	SIDE DOORS: (REQUIRED FOR EACH UNIT)	
MQ453SDBL	Side Doors - Black Frame - Door Panel - Charcoal w/Safety Screen	638

STEP 3) CHOOSE LOG SET OR GLASS MEDIA

	LOG SETS	
F45LG	Log Grate - FDV451/453 (Optional)	141
LOGF451	Log Set - Oak	510
MQLOGF452	Log Set - Oak	620
MQLOGF453	Log Set - Driftwood	690
	GLASS MEDIA OR ROCKS, STONES, CANNONBALLS - (Maximum Glass 15 lbs)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQEMBER	Ember Chunks (2 Bags)	155
MQSTONE	Decorative Stones	375
RBCB1	Cannonballs - Assorted size and colors	413

	OPTIONAL ACCESSORIES	
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	389
F45FK2	Fan Kit - for Proflame 2, (Replacement)	356
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	36
MQ453RLT	Brick Liner - Traditional	220
MQ453RLH	Brick Liner - Herringbone	220
MQ453RLF	Brick Liner - Fluted	280
MQ453PL	Porcelain Liner - Back	241
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	286

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OPTIONAL THERMOSTATS AND REMOTE CONTROLS		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	119
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	186
GTRC	Remote Control Millivolt - Thermostat	423
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	598
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	598
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	950
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	950
RCP2WIFI	#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	207

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
Horizontal Vent Starter Kit - (Direct Vent Stoves)		
FDVHSK	Termination, Wall Thimble, Black Wall Trim Plate, Mill Pac, Black Trim Rings, 7" x 24" Black Pipe, 7" x 48" Black Pipe, 90 Degree Elbow, 4" x 8' Flex Pipe,	727
Vertical Vent Starter Kit - (Direct Vent Stoves)		
FDVVSK	Starter Kit Contains: Attic Insulation Shield, Fire Stop, Ceiling Trim Plate, Black Trim Rings, Roof Support, Spacer Springs(6), Mill Pac	332
Horizontal Venting		
FDVHT	Horizontal Vent Termination	207
FDVHSQ	Horizontal Square Vent Termination	256
FDVHSS	Horizontal Stucco Shield	68
FDVHSCU	Safety Cage Universal for Horizontal Termination	135
ZDVSS	Siding Shield - Heat Deflector for FDVHT Round Termination	34
ZDVSSLR	Siding Shield - Large Return - for FDVHSQ or FDVHT	80
ZDVWT	Wall Thimble (Horizontal Venting)	104
Z47ST24	Snorkel Termination - 24"	758
Z47ST36	Snorkel Termination - 36"	812
Z57STSC	Safety Cage for Snorkel Termination	212
Vertical Venting		
FDVVT40	Vertical Vent Termination - Convertible Between 15' & 40' Vertical	223
ZDVAIS	Attic Insulation Shield - 12"	112
Z7AIS24	Attic Insulation Shield - 24"	149
ZDVVOS	Offset Support	48
ZDVFS	Fire stop Spacer	48
ZDVRS	Roof Support	69
Z47GP36	Galvanized Pipe 4 and 7" Dia. x 36" (Vertical Installations)	219
Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	229
Flashings - Vertical Venting		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	133
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	151
ZDVAF3	Flashing 7" c/w Storm Collar Flat	176
ZDV7SC	Storm Collar 7 Inch	27
Vent Pipe 7" and Flex Pipe 4" - Clamps, Connectors		
FDV48P	Black Pipe (7" Diameter x 48")	119
FDV36P	Black Pipe (7" Diameter x 36")	107
FDV24P	Black Pipe (7" Diameter x 24")	79
FDV12P	Black Pipe (7" Diameter x 12")	55
FDVE90	Black Elbow (7" Diameter x 90 Degree)	75
FDVE45	Black Elbow (7" Diameter x 45 Degree)	75
ZDV4FP8	Flex Pipe 4" Diameter x 8 FT (Spacer Springs Not Included)	104
ZDV4FP20	Flex Pipe 4" Diameter x 20 FT (Spacer Springs Not Included)	233
ZDV4FC	Flex Connector 4" Diameter	24
ZDV4FCL	Flex Clamp 4"	18
ZDV4SS	Spring 4" Standoff Spacer	18
Hard Pipe Adapter - 4 x 6 5/8:		
ZDVDKA	Dura-Vent Stove Adapter (for Direct Vent Stoves)	84
7" Pipe Accessories		
F7DBC	Decorative Black Collar 7"	44
F7DTP	Decorative Black Wall Trim Plate	46

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

HORIZONTAL STARTER KITS 4/7"		
ZDVHSK5	Horizontal Round Termination Vent Starter Kit - 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	375
ZDVHSKSQ5	Horizontal Square Termination Vent Starter Kit - 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	432

HORIZONTAL VENTING 4/7"		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase ZCV34)	49
FDVHT	Horizontal Round Vent Termination - 4/7	207
FDVHSQ	Horizontal Square Vent Termination 4/7	256
FDVHSCU	Safety Cage Universal for Horizontal Termination	135
FDVHSS	Horizontal Stucco Shield	68
Z47ST24	Snorkel Termination - 24"	758
Z47ST36	Snorkel Termination - 36"	812
Z57STSC	Safety Cage for Snorkel Termination	212
ZDVWT	Wall Thimble (Horizontal Venting)	104
ZDVSS	Siding Shield - Heat Deflector for FDVHT Round Termination	34
ZDVSSLR	Siding Shield - Large Return - for FDVHSQ or FDVHT	80

VERTICAL VENTING 4/7"		
FDVVT40	Vertical Vent Termination - 4/7	223
ZDVAIS	Attic Insulation Shield	112
Z7AIS24	Attic Insulation Shield - 24"	149
ZDVVOS	Offset Support	48
ZDVFS	Firestop Spacer	48
ZDVRS	Roof Support	69
Z47GP36	Galvanized Pipe 4 and 7" x 36" (Vertical Installations)	219
Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	229

FLASHINGS - VERTICAL VENTING 4/7"		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	133
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	151
ZDVAF3	Flashing 7" c/w Storm Collar Flat	176
ZDV7SC	Storm Collar 7 "	27

FLEX KITS 4/7", CLAMPS, CONNECTORS AND INSULATION SLEEVE		
ZDVFK5	Flex Kit (4" & 7" Dia.) x 5FT (c/w Springs, Screws, Mill Pac)	206
ZDVFK8	Flex Kit (4" & 7" Dia.) x 8FT (c/w Springs, Screws, Mill Pac)	289
ZDVFK20	Flex Kit (4" & 7" Dia.) x 20FT (c/w Springs, Screws, Mill Pac)	546
ZDV4FC	Flex Connector 4" Diameter	24
ZDV7FC	Flex Connector 7" Diameter	35
ZDV4FCL	Flex Clamp 4"	18
ZDV7FCL	Flex Clamp 7"	19
ZDV4SS	Spring 4" Standoff Spacer	18
MDV38IS	Insulation Sleeve 3ft - for Low Enclosures or Attic Areas	65

HARD PIPE ADAPTERS - 4/6 5/8"		
ZDV DFA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue (for Gemini, Skyline, Solara, Solace, Bentley 34/39/42)	132
ZDV DKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	84

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
HORIZONTAL POWER VENT STARTER KIT- 4/7"		

STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION

HORIZONTAL POWER VENT STARTER KIT		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,478
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,735
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		

STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM

CHOOSE POWER VENT CONTROL MODULE OR HARNESS BY SYSTEM TYPE:		
PVC58MV	Power Vent Control Module - for Millivolt and Dexen Models* (*Remote Control Can't be used with the PVC58MV model)	1,581
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI Models	1,581
584-X12	Harness for Proflame 2 IPI - Deluxe Models	134

STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)

CHOOSE APPROPRIATE LENGTH OF EXTENSION HARNESS:		
	(Distance from the power vent to the appliance)	
PVH50H	Harness Extension - 50 FT	695
PVH20H	Harness Extension - 20 FT	419

STEP 4) CHOOSE VENTING: SECTION 1 - HP 4x6-5/8", SECTION 2 - FLEX VENT 4/7", SECTION 3 - HP 3/5"

SECTION 1 DIRECT VENT HARD PIPE 4x6-5/8" - for entire installation		
(Two Adapters needed one at Flue and one at Termination)		
Flue of Fireplace - Choose appropriate adapter for fireplace		
ZDVDFDA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue (for Gemini, Skyline, Solara, Solace, Bentley 39/42)	132
ZDVDDKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	84
Termination End		
ZDVDDIA	Duravent Hard Pipe Adapter - (used to connect 4/6 5/8 to 5/8 Hard Pipe)	197
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		
SECTION 2 FLEX VENT 4/7" - Used for entire installation - order Z47PVA		
Termination End		
Z47PVA	Flex Pipe Adapter Kit - (to adapt 4/7" flex to power vent 5/8" hard pipe)	182
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		
FLEX VENTING KITS:		
ZDVFK5	Flex Kit (4" & 7" Dia.) x 5' (c/w Springs, Screws, Mill Pac)	206
ZDVFK8	Flex Kit (4" & 7" Dia.) x 8' (c/w Springs, Screws, Mill Pac)	289
ZDVFK20	Flex Kit (4" & 7" Dia.) x 20' (c/w Springs, Screws, Mill Pac)	546
SECTION 3 DIRECT VENT HARD PIPE 3/5" - for entire installation		
(Three Adapters needed two at Flue and one at Termination)		
Flue of Fireplace - Choose appropriate adapter for 4x6-5/8"		
ZDVDFDA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue	132
ZDVDDKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	84
Convert from 4x6-5/8" to 3/5" MG HP		
PVA4635	Duravent Adapter- 4x6-5/8 TO 3/5 - FLUE	219
Convert to Termination - 3/5" to 5/8"		
PVA3558	Duravent Adapter for Power Vent Termination - 3/5" to 5/8"	219
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		
POWER VENT ACCESSORIES		
ZDV4FC	Flex Connector 4" Diameter	24
ZDV7FC	Flex Connector 7" Diameter	35
ZDV4FCL	Flex Clamp 4"	18
ZDV7FCL	Flex Clamp 7"	19
ZDV4SS	Spring 4" Standoff Spacer	18
PVH58WT	Wall Thimble for Power Vent	141

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

HORIZONTAL STARTER KIT 5/8" - Atrium, Bentley ST, Bentley 48, Enclave , Serene 60		
Z58HSK5	Horizontal Vent Starter Kit - 5/8" X 5 FT Flex, Termination, Wall Thimble Wall Thimble Shield, Screws, and Mill Pac	431

HORIZONTAL VENTING 5/8"		
Z58HT	Horizontal Round Vent Termination - 5/8	229
Z57WTS	Horizontal Wall Thimble Shield (Vented Chase Bentley 48)	47
Z58WTS	Horizontal Wall Thimble Shield (For Low Enclosures) MCVST42	49
FDVHSCU	Horizontal Safety Cage	135
Z58WT	Horizontal Wall Thimble	179
Z58SS	Siding Shield - Heat Deflector (for Horizontal Round Termination)	34
Z58SSLR	Siding Shield - Large Return (for Horizontal Round Termination)	80

VERTICAL VENTING 5/8"		
Z58VT	Vertical Vent Termination - 5/8	251
Z58AIS24	Attic Insulation Shield - 24"	156
ZDVVOS	Offset Support	48
Z58FS	Firestop Spacer	58
Z58RS	Roof Support	89
ZDVGP36	Galvanized Pipe 5 and 8" Dia. x 36" (Vertical Installations)	254

FLASHINGS - VERTICAL VENTING 5/8"		
Z58AAF	Flashing 8" c/w Storm Collar (1/12 to 7/12)	194
Z58AF2	Flashing 8" c/w Storm Collar (8/12 to 12/12)	217
Z58AF3	Flashing 8" c/w Storm Collar Flat	194
ZDV8SC	Storm Collar 8 "	41

FLEX KITS 5/8", CLAMPS AND CONNECTORS		
Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	220
Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	311
Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	597
Z58MIS60	Mylar Insulation Sleeve - (8" x 5FT)	171
ZDV5FC	Flex Connector 5" Diameter	30
ZDV8FC	Flex Connector 8" Diameter	39
ZDV5FCL	Flex Clamp 5"	19
ZDV8FCL	Flex Clamp 8"	21
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	18

Hard Pipe Adapter - 5/8"		
Z58DFA	Hard Pipe Adapter - 5/8" (Atrium, Bentley 48, Bentley ST) <i>(Not Required for Enclave or Serene 60)</i>	165

***NOTE: If using ICC/Selkirk Hard Pipe a starter piece of MG Duravent must be used at Flue of Enclave or Serene 60/72**

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
HORIZONTAL POWER VENTING - 5/8"		

STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION

HORIZONTAL POWER VENT STARTER KIT- 5/8"		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,478
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,735
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		

STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM

POWER VENT CONTROL MODULE OR HARNESS BY SYSTEM TYPE:		
PVC58MV	Power Vent Control Module - for Millivolt models <i>(Not available with a Remote)</i>	1,581
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI models	1,581
584-X12	Harness for Proflame 2 IPI - Deluxe Models	134

STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)

POWER VENT EXTENSION HARNESS:		
(Measure distance from the power vent to the appliance)		
PVH50H	Harness Extension - 50 FT	695
PVH20H	Harness Extension - 20 FT	419

STEP 4) CHOOSE VENTING: SECTION 1 - HP 5/8", #2 - HP 4x6-5/8", #3 HP 3/5", #4 - FLEX 5/8"

SECTION 1 DIRECT VENT HARD PIPE 5/8" - Used for entire installation - Order Z58DFA		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZCV48)	165
NOTE : Enclave and Serene 60/72 won't require Z58DFA adapter at flue		
SECTION 2 DV HARD PIPE 4x6-5/8" - Used for entire installation - Required Components Below		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZC	165
NOTE: Enclave and Serene 60 models will only require 1 FT Section of 5/8" Duravent at Flue		
ZDVDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (used at flue of fireplace)	197
Termination End		
ZDVDIA	Duravent Hard Pipe Adapter - (used to connect 4x6-5/8 to 5/8 Hard Pipe)	197
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		
SECTION 3 DV HARD PIPE 3/5" - Used for entire installation - Required Components Below		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZC	165
NOTE: Enclave and Serene 60/72 models will only require 1 FT Section of 5/8" Duravent at Flue		
PVA5835	Duravent Adapter- 5/8" TO 3/5" (used at flue of fireplace)	219
Termination End		
PVA3558	Duravent Adapter - 3/5" to 5/8" (at Termination)	219
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		
SECTION 4 FLEX VENT - Used for entire installation - Order Z58PVA - Plus Applicable Venting		
Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)		
Z58PVA	Flex Pipe Adapter Kit - (to adapt flex pipe to power vent to hard pipe)	68
FLEX VENTING KITS:		
Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	220
Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	311
Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	597

OPTIONAL POWER VENT ACCESSORIES

ZDV5FC	Flex Connector 5" Diameter	30
ZDV8FC	Flex Connector 8" Diameter	39
ZDV5FCL	Flex Clamp 5"	19
ZDV8FCL	Flex Clamp 8"	21
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	18
PVH58WT	Wall Thimble for Power Vent	141

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
----------------	-------------	----------

Aurora	ZERO CLEARANCE OUTDOOR GAS FIREPLACE - 42" WIDE:	
	Listed for USA/Canada For Outdoor Use Only, SIT Nova TMV Valve with Hi/Lo Adjustment, Wall Switch, Stainless Steel Screens, Viewing Area 37 1/8"W x 23" H Framing 42 1/8" W x 38 1/4" H x 18 1/2" D	

STEP 1) CHOOSE MODEL - MILLIVOLT OR IPI PF1		
CHOOSE MILLIVOLT - BLACK OR STAINLESS FIREPLACE - (55,000 BTU)		
OFP42N	Outdoor Fireplace, Satin Coat Black, Millivolt (as above) Natural Gas	\$2,344
OFP42NS	Outdoor Fireplace, Stainless Steel, Millivolt (as above) Natural Gas	3,617
OFP42NE	Outdoor Fireplace, Satin Coat Black, IPI PF1 (as above) Natural Gas	2,734
OFP42NSE	Outdoor Fireplace, Stainless Steel, IPI PF1 (as above) Natural Gas	4,006
CONVERSION KIT - PROPANE		
42OFP-CKLP	Conversion Kit - Millivolt - Propane	96
42OFP-CKLPI	Conversion Kit - IPI PF1 - Propane	113

STEP 2) CHOOSE BETWEEN: LOG SET, ROCKS OR GLASS MEDIA		
LOG SET OR ROCKS		
MQROCK2	Rock Set - Contemporary Collection - Natural	324
MQSTONE	Decorative Stones (Requires base of Lava Rock or Glass Media)	375
LOGF36	Log Set - Fiber Split Oak	591
DECORATE THE BOTTOM OF THE FIREPLACE - (10 lbs of Glass Needed)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

OPTIONAL FIREPLACE ACCESSORIES		
OFP42SS	Surround - Stainless Steel (For use with OFP42N)	901
OFP42WCSS	Weather Cover - Stainless Steel	689
OFP42WCBL	Weather Cover - Black	272
OFP42RLT	Brick Liner - Traditional	478
OFP42RLH	Brick Liner - Herringbone	478
OFP42SA	Spark Assist - (AA Battery not included)	84

Rev 020426 - BDI HEARTH

Mar 1, 2026

Product Number	Description	USA LIST
OUTDOOR FIRE PIT		
	Certified for USA and Canada to Outdoor Decorative Gas Standard Manual Valve with Thermocouple, Listed for Canada and USA	
STEP 1) CHOOSE GAS FIRE PIT		
CHOOSE APPROPRIATE GAS TYPE OF FIRE PIT FOR ABOVE FIRE BOWL		
FP2085NT	Round 20" Diameter - 57,000 BTU - Natural Gas	572
FP2085LPT	Round 20" Diameter - 64,000 BTU - Propane c/w Reg and 5 FT Hose	659
FP2785LPT-FL	Rectangular 27" x 20" - Propane - 1/4" Media c/w Reg & 5FT Hose and Flat Cover Includes 1/4" Lava Rock, and NG conversion orifice.	773
OPTIONAL LOG SET OR MEDIA		
LOGC85	Log Set - Four Piece Cast Oak - Limited Availability	313
LOGC86	Log Set - Four Piece Cast Oak	348
MQSTONE	Decorative Stones (Requires base of Lava Rock or Glass Media)	375
FP2085/2785 Requires 20 lbs of Glass Media		
MQG10C	Media - 1/4" Bronze Reflective Glass 10 lbs	161
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
OPTIONAL ACCESSORIES		
FP20COV	Cover for Round Fire Pit or Propane Tank	132
FP20SSRT	Stainless Steel Decorative Ring - (for FP2085NT/LPT only)	155
FP27COV	Cover for Rectangle Fire Pit (used with LOGC85/86 Log Set)	141
MLR1410	Media - 1/4" Lava Rock 10 lbs.	57
24OBT-MANCP	Control Panel Bracket - for Custom Fire Pit Tables	101