

Hearth & Home Technologies

MSRP Price Book Table of Contents

Hearth & Home Technologies

Fireplace - Gas - Single-Sided

DV3732	2
DV4236	3
DV Linear 36	4
Reveal 36	5
Reveal 42	7

Fireplace - Gas - Multi-Sided

Corner Gas Fireplace L/R-COR	9
Pier 36	11
See Through 36	14

Fireplace - Wood - Single-Sided

Pioneer II	17
Pioneer III	19

Fireplace Outdoor - Gas - Single-Sided

Courtyard 36	21
Courtyard 42	23
Lanai 48	25
Lanai 60	27
Lanai 72	29
Vesper 36	31
Vesper 42	33

Fireplace Outdoor - Wood - Single-Sided

Castlewood 42	35
Castlewood 50	38
Cottagewood 36	40
Cottagewood 42	43
Cottagewood 50	46
Villawood 36	49
Villawood 42	50

Fireplace Outdoor - Gas - Multi-Sided

Fortress 36 Indoor/Outdoor See-Through...	51
Lanai 48 See-Through	53
Lanai 60 See-through	55
Twilight Indoor/Outdoor See-Through G...	57
Twilight Modern	59

Hearth & Home Technologies

Power Vent

Power Vent	61
Power Vent Accessories	61

Wire Harness

Wire Harness	63
------------------------------	----

Venting

8" DuraPlus Pipe	64
Air Kits	64
Decorative Termination Caps/Shrouds	64
Fireplace - Wood & Coal Venting	65
Gas Fireplace - 10" B-Vent	65
Gas Fireplace - 6" B-Vent	66
Gas Fireplace - 8" B-Vent	68
Gas Fireplace - DVP Venting	69
Gas Fireplace - Flex Venting	71
Gas Fireplace - Term./Shrouds	72
Gas Fireplace/Stove - SLP Venting	72
Gas Insert - Venting	74
Outside Kits	75
SLP and DVP - Shield/Flashing/Collars	75
Stove - Pellet Chimney	75
Stove & Insert - Pellet	76
Stoves & inserts - Wall Pass Thru	80
Venting - HHT	80
Venting - VCG	80
Venting - VMT	81
Wood Fireplace - 14" DuraChimney II V...	81
Wood Fireplace - SL1100 Series Venting	82
Wood Fireplace - SL300 Series Venting	83
Wood Fireplace - SL400 Series Venting	85
Wood Insert Venting	85
Wood Stove Venting	86

Termination Kits

Termination Kits	90
----------------------------------	----

Hearth & Home Technologies

Fireplace - Gas - Single-Sided

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT
Current pricing updated 04/06/2026

Prices in USD

Non-stock and custom product cannot be cancelled.

* Please Contact Who You Purchase This Through for MSRP Pricing

Customer is responsible for freight for orders made outside of assigned RDC facility.

DV3732

Includes:

- 13,500-19,000 Btu/Hour Input (NG)
- 14,500-18,000 Btu/Hour Input (LP)
- 5" x 8" rear vent collar
- 4" x 6-5/8" top vent collar
- 5 ceramic logs
- Full firescreen
- Black hood
- Gas flex connector
- Glowing embers
- Battery backup
- Junction box
- 12' control wire
- Tempered glass
- IntelliFire ignition



No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV3732-B	DV3732 Top/rear direct vent fireplace with IntelliFire (NG)	\$ 2,119	Y	Y	Y	Y	N
DV3732L-B	DV3732 Top/rear direct vent fireplace with IntelliFire (LP)	\$ 2,189	Y	Y	Y	Y	N

Fans

Fan

GFK-160C	Fan kit 160 CFM (fan only)	\$ 269	Y	Y	Y	Y	Y
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)	\$ 329	Y	Y	Y	Y	Y

Trim Kits

Trim Kit 550

550-TRIM3-BK-B	Trim Kit, 3 Sided - Black (not for use with Clean Face Kit)	\$ 329	Y	Y	Y	14	Y
550-TRIM4-BK-B	Trim Kit, 4 Sided - Black (not for use with Clean Face Kit)	\$ 389	Y	14	Y	14	Y

Control, remotes, wall switches

Remote/Wall Switch/Wall Thermostat

RCT-MLT-HHT	IPI Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$ 409	Y	Y	Y	Y	Y
-------------	---	--------	---	---	---	---	---

Smart Stat Remote Control

SMART-STAT-HHT	Remote Control - IPI or SP (on/off, temp readout, thermostat mode, timer mode)	\$ 299	Y	Y	Y	Y	Y
----------------	--	--------	---	---	---	---	---

Venting Notes

Requires SLP series or SLP-Flex series pipe when venting off top of unit. See Venting section

Requires DVP series pipe when venting off rear of unit. See Venting section.

Approved for use with PVLP-SLP, PVI-SLP-B and PVV-SLP with PV-IPI-CK kit, power vent wire harness and RC100, 200 or 300 control (order separately). See venting section of manual.

DV4236**Includes:**

- 15,000 - 22,000 Btu/Hour Input (NG)
- 16,500 - 20,500 Btu/Hour Input (LP)
- 5" x 8" rear vent collar
- 4" x 6-5/8" top vent collar
- 6 ceramic logs
- Full firescreen
- Black hood
- Gas flex connector
- Glowing embers
- Battery backup
- Junction box
- 12' control wire
- Tempered glass
- IntelliFire ignition



No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV4236-B	DV4236 Top/rear direct vent fireplace with IntelliFire (NG)	\$ 2,369	Y	Y	Y	Y	N

Conversion Kit**Conversion Kit**

LPK-4236	LP conversion kit- DV4236	\$ 104	Y	Y	Y	Y	Y
----------	---------------------------	--------	---	---	---	---	---

Fans**Fan**

GFK-160C	Fan kit 160 CFM (fan only)	\$ 269	Y	Y	Y	Y	Y
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)	\$ 329	Y	Y	Y	Y	Y

Trim Kits**Trim Kits**

750-TRIM3-BK-B	Trim Kit, 3 Sided - Black (not for use with Clean Face Kit)	\$ 349	Y	14	14	14	Y
750-TRIM4-BK-B	Trim Kit, 4 Sided - Black (not for use with Clean Face Kit)	\$ 399	Y	14	Y	14	Y

Control, remotes, wall switches**Remote/Wall Switch/Wall Thermostat**

RCT-MLT-HHT	IPI Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$ 409	Y	Y	Y	Y	Y
-------------	---	--------	---	---	---	---	---

Smart Stat Remote Control

SMART-STAT-HHT	Remote Control - IPI or SP (on/off, temp readout, thermostat mode, timer mode)	\$ 299	Y	Y	Y	Y	Y
----------------	--	--------	---	---	---	---	---

Venting Notes

Requires SLP series or SLP-Flex series pipe when venting off top of unit. See Venting section

Requires DVP series pipe when venting off rear of unit. See Venting section.

Approved for use with PVLP-SLP, PVI-SLP-B and PVV-SLP with PV-IPI-CK kit, power vent wire harness and RC100, 200 or 300 control (order separately). See venting section of manual.

DV Linear 36

Includes:

- 16,500 Btu/Hour Input (NG/LP)
- 4" x 6-5/8" top vent collar
- IntelliFire ignition system
- Black firescreen
- Onyx media
- Tempered glass
- Junction box
- Battery backup
- Gas flex connector



No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVLINEAR36	DV Linear 36" direct vent fireplace with IntelliFire (NG)	\$ 2,429	Y	Y	14	14	N

Conversion Kit


Conversion Kit

LPK-DVLIN36	LP conversion kit	\$ 104	Y	14	14	14	Y
-------------	-------------------	--------	---	----	----	----	---

Fronts - Non-Operable

Clean Face Trim

CFTF-36-BK	Clean Face Trim - Black	\$ 489	Y	Y	Y	14	Y
------------	-------------------------	--------	---	---	---	----	---



Clean Face Trim

Heat Management

Heat Management

PH-SIDETRIM	Passive Heat trim kit for side discharge (includes 2 side registers)(Starting collars sold separately)	\$ 114	Y	Y	Y	Y	Y
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - For use with Front, Side, Top Discharges)	\$ 219	Y	Y	Y	Y	Y
PH-FRTRIM-36	Passive Heat Vent Trim Kit For Front Discharge (36")(Starting collars sold separately)	\$ 229	Y	Y	Y	21	Y

Control, remotes, wall switches

Remote/Wall Switch/Wall Thermostat

RCT-MLT-HHT	IPI Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$ 409	Y	Y	Y	Y	Y
-------------	---	--------	---	---	---	---	---

Smart Stat Remote Control

SMART-STAT-HHT	Remote Control - IPI or SP (on/off, temp readout, thermostat mode, timer mode)	\$ 299	Y	Y	Y	Y	Y
----------------	--	--------	---	---	---	---	---

Venting Notes

Requires 6-5/8" SLP pipe. See venting section.

Approved for use with PVLP-SLP, PVI-SLP-B and PVV-SLP with PV-IPI-CK kit, power vent wire harness and RC100, 200 or 300 control (order separately). See venting section of manual.

Reveal 36

Includes:

- 40,000 Btu/Hour Input (NG)
- 38,000 BTU/Hour Input (LP)
- Natural Gray Traditional Refractory
- Glowing embers, lava rock, vermiculite
- 6 ceramic fiber logs
- Black hood
- Outside air kit
- Junction box
- Gas flex connector
- Manual gas shut-off valve
- 18' control wire
- 6" B-vent collar
- Battery backup



Special Considerations:

- Remotes w/ thermostat function only approved for use in a bedroom or bed sitting room in Canada

No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
RBV4236IT-B	36" Open Hearth B-Vent Gas Fireplace radiant unit with IntelliFire	\$ 2,399	Y	14	14	Y	N

Conversion Kit

Conversion Kit

DCKP-RBV	LP gas conversion kit for IntelliFire	\$ 104	Y	14	14	Y	Y
----------	---------------------------------------	--------	---	----	----	---	---

Glass Doors - Operable

Glass Bi-Fold Door

DM1036	Original bi-fold glass doors with black trim	\$ 569	Y	Y	Y	Y	Y
DM1036S	Original bi-fold glass doors with stainless steel trim	\$ 619	8	14	14	14	Y



Glass Bi-Fold Door

Control, remotes, wall switches

Smart Stat Remote Control

SMART-STAT-HHT	Remote Control - IPI or SP (on/off, temp readout, thermostat mode, timer mode)	\$ 299	Y	Y	Y	Y	Y
----------------	--	--------	---	---	---	---	---

Wall Switch

WSK-21-W	Wall switch kit- White (includes 20 ft of wire)	\$ 41	Y	Y	Y	14	Y
----------	---	-------	---	---	---	----	---

Venting

Insulated Flex Duct - Chimney Air Kits/Flex Duct

ID4	4" (100mm) insulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 91	Y	Y	14	Y	Y
-----	---	-------	---	---	----	---	---

Uninsulated Flex Duct - Chimney Air Kits/Flex Duct									
--	--	--	--	--	--	--	--	--	--

UD4	4" (100mm) uninsulated flex duct for outside air - includes two 42" (1065mm) sections	\$	58	Y	Y	Y	Y	Y
-----	---	----	----	---	---	---	---	---

Adaptor									
---------	--	--	--	--	--	--	--	--	--

DG3	Thermal damper	\$	389	Y	14	14	14	Y
-----	----------------	----	-----	---	----	----	----	---

Venting Notes									
---------------	--	--	--	--	--	--	--	--	--

Requires 6" B-vent pipe. See venting section									
--	--	--	--	--	--	--	--	--	--

Reveal 42

Includes:

- 43,000 Btu/Hour Input (NG)
- 41,000 Btu/Hour Input (LP)
- Glowing embers, lava rock, vermiculite
- 6 ceramic fiber logs
- Black hood
- Junction box
- Gas flex connector
- Manual gas shut-off valve
- 18' control wire
- 6" B-vent collar
- Outside air kit
- Battery backup
- Natural Gray Traditional Refractory



Special Considerations:

- Remotes w/ thermostat function only approved for use in a bedroom or bed sitting room in Canada

No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
RBV4842IT-B	42" Open Hearth B-Vent Gas Fireplace radiant unit with IntelliFire	\$ 2,799	Y	14	14	Y	N

Conversion Kit

Conversion Kit

DCKP-RBV	LP gas conversion kit for IntelliFire	\$ 104	Y	14	14	Y	Y
----------	---------------------------------------	--------	---	----	----	---	---

Glass Doors - Operable

Glass Bi-Fold Door

DM1042	Original bi-fold glass doors with black trim	\$ 699	Y	Y	Y	Y	Y
DM1042S	Original bi-fold glass doors with stainless steel trim	\$ 749	8	14	14	14	Y



Glass Bi-Fold Door

Control, remotes, wall switches

Smart Stat Remote Control

SMART-STAT-HHT	Remote Control - IPI or SP (on/off, temp readout, thermostat mode, timer mode)	\$ 299	Y	Y	Y	Y	Y
----------------	--	--------	---	---	---	---	---

Wall Switch

WSK-21-W	Wall switch kit- White (includes 20 ft of wire)	\$ 41	Y	Y	Y	14	Y
----------	---	-------	---	---	---	----	---

Venting

Insulated Flex Duct - Chimney Air Kits/Flex Duct

ID4	4" (100mm) insulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 91	Y	Y	14	Y	Y
-----	---	-------	---	---	----	---	---

Uninsulated Flex Duct - Chimney Air Kits/Flex Duct									
--	--	--	--	--	--	--	--	--	--

UD4	4" (100mm) uninsulated flex duct for outside air - includes two 42" (1065mm) sections	\$	58	Y	Y	Y	Y	Y
-----	---	----	----	---	---	---	---	---

Adaptor									
---------	--	--	--	--	--	--	--	--	--

DG3	Thermal damper	\$	389	Y	14	14	14	Y
-----	----------------	----	-----	---	----	----	----	---

Venting Notes									
---------------	--	--	--	--	--	--	--	--	--

Requires 6" B-vent pipe. See venting section									
--	--	--	--	--	--	--	--	--	--

Hearth & Home Technologies

Fireplace - Gas - Multi-Sided

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT
Current pricing updated 04/06/2026

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

Corner Gas Fireplace L/R-COR

Includes:

- 38,000 - 21,000 BTU/Hour input (NG)
- 35,500 - 20,000 BTU/Hour input (LP)
- Intellifire touch ignition system
- 7 ceramic fiber logs
- Glowing embers, lava rock
- Tempered glass
- Fiber brick refractory
- 12' control wire
- Junction box
- Battery backup
- Gas flex connector
- Manual gas shut off valve



Required to Complete - Sold Separately: • Front (x1) • End panel (x1)

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
LCOR-DV36IN	36" Left Corner Direct Vent Multi Side Top/Rear Gas Fireplace with Intellifire Touch Ignition (NG)	\$ 4,529	14	14	14	14	N
RCOR-DV36IN	36" Right Corner Direct Vent Multi Side Top/Rear Gas Fireplace with Intellifire Touch Ignition (NG)	\$ 4,529	14	14	14	14	N

Fronts - Non-Operable (Required to Complete)

Corner End Panel

COREP-36BK	Corner end panel Firescreen front - Black	\$ 399	Y	Y	Y	14	Y
------------	---	--------	---	---	---	----	---

Corner Firescreen

COR-36BK	Corner Firescreen front - Black	\$ 319	Y	14	Y	14	N
----------	---------------------------------	--------	---	----	---	----	---



Corner End Panel



Corner Firescreen

Conversion Kit

Conversion Kit

LPK-MS36-IFT	NG to LP conversion kit 36" multi side units	\$ 104	Y	Y	Y	Y	Y
--------------	--	--------	---	---	---	---	---

Fans						
Fan						
GFK-160C	Fan kit 160 CFM (fan only)	\$ 269	Y	Y	Y	Y
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)	\$ 329	Y	Y	Y	Y
Control, remotes, wall switches						
IntelliFire app						
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400, RC450 or RC150 is required for thermostat control	\$ 239	Y	Y	Y	Y
IntelliFire Touch Controls - Aux Module						
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).	\$ 100	Y	Y	14	14
Remote/Wall Switch/Wall Thermostat						
IFT-RC150	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength	\$ 124		Y	Y	Y
Touch Screen Remote						
IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$ 399	Y	Y	Y	Y
Wall Switch						
IFT-RC150-HTL	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)	*	14	14	14	Y



IntelliFire app



Touch Screen Remote



Wall Switch

Venting Notes	
Requires DVP venting. See venting section of install manual.	
Approved for SLP venting. See venting section of install manual.	
Approved for use with PVLP-SLP, PVI-SLP-B and PVV-SLP with power vent wire harness (order separately) and IFT-RC400 remote. See venting section of manual.	

Pier 36**Includes:**

- 38,000 - 21,000 BTU/Hour input (NG)
- 35,500 - 20,000 BTU/Hour input (LP)
- 6 ceramic fiber logs
- Glowing embers, lava rock
- Tempered glass
- Black steel refractory
- 12' control wire
- Junction box
- Battery backup
- IntelliFire Touch ignition system
- Gas flex connector
- Manual gas shut off valve

**Special Considerations:**

- Crushed glass and stone media require the purchase of the STPR-MOD-KIT

Required to Complete - Sold Separately: • Fronts (x2) • End panel (x1)

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PIER-DV36IN	36" Pier Direct Vent Multi Side Top/Rear Gas Fireplace With IntelliFire Touch ignition (NG)	\$ 4,899	Y	14	14	14	N

Fronts - Non-Operable (Required to Complete)**Multi Side Front**

MSFR-36-BK	Multi Side Firescreen Front - Black	\$ 369	Y	Y	Y	Y	Y
------------	-------------------------------------	--------	---	---	---	---	---



Multi Side Front

End Panels (Required to Complete)**Multi Side Front End Panel**

MSEP-36-BK	Multi Side End Panel Firescreen Front - Black	\$ 399	Y	14	14	14	Y
------------	---	--------	---	----	----	----	---

Conversion Kit**Conversion Kit**

LPK-MS36-IFT	NG to LP conversion kit 36" multi side units	\$ 104	Y	Y	Y	Y	Y
STPR-MOD-KIT	Contemporary conversion kit for See Through and Peninsula units (must order media to complete) (for use with standard black metal refractory or Black glass interior panels only)	\$ 659	14	14	14	14	Y

Media									
Crushed Glass Media									
MEDIA-CLEAR-MS	Glass media, Crystal (translucent white) (must order STPR-MOD-KIT to complete)	\$ 229	14	14	14	14	Y		
MEDIA-EBONY-MS	Glass media, Ebony (black) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y		
MEDIA-RED-MS	Glass media, Scarlet (red) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y		
MEDIA-FOG-MS	Iced fog media (requires black spray paint to complete) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y		
MEDIA-AMBER-MS	Glass media, (Amber) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y		
MEDIA-COBALT-MS	Glass media, Cobalt (blue) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y		
Stone Media									
MEDIA-STONES-30	Large, multi-colored fiber stone media	\$ 239	14	14	14	14	Y		
Liner Kit									
Liner Kit									
LINER-36PIER	Reflective Black glass interior panels for Peninsula	\$ 629	14	14	14	14	Y		
Refractory Upgrade									
Brick Refractory									
WTB36-PR	Traditional brick interior liner 36" Peninsula - Weathered Traditional Brick	\$ 329	56	63	63	63	Y		
Fans									
Fan									
GFK-160C	Fan kit 160 CFM (fan only)	\$ 269	Y	Y	Y	Y	Y		
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)	\$ 329	Y	Y	Y	Y	Y		
Control, remotes, wall switches									
Battery Back Up									
BATTERY-WSK	Battery backup wall switch kit for units with IFT control systems. Includes: On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$ 199	Y	14	Y	14	Y		
IntelliFire app									
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400, RC450 or RC150 is required for thermostat control	\$ 239	Y	Y	Y	Y	Y		
IntelliFire Touch Controls - Aux Module									
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).	\$ 100	Y	Y	14	14	Y		
Remote/Wall Switch/Wall Thermostat									
IFT-RC150	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength)	\$ 124		Y	Y	Y	Y		
Touch Screen Remote									
IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$ 399	Y	Y	Y	Y	Y		

Wall Switch						
IFT-RC150-HTL	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)	*	14	14	14	Y Y



Battery Back Up



IntelliFire app



Touch Screen Remote



Wall Switch

Venting Notes
Requires DVP venting. See venting section of install manual.
Approved for SLP venting. See venting section of install manual.
Approved for use with PVLP-SLP, PVI-SLP-B and PVV-SLP with power vent wire harness (order separately) and IFT-RC400 remote. See venting section of manual.

See Through 36

Includes:

- 38,000 - 21,000 BTU/Hour input (NG)
- 35,500 - 20,000 BTU/Hour input (LP)
- 6 ceramic fiber logs
- Glowing embers, lava rock
- Tempered glass
- Black steel refractory
- 12' control wire
- Junction box
- Battery backup
- IntelliFire Touch ignition system
- Gas flex connector
- Manual gas shut off valve



Special Considerations:

- Crushed glass and stone media require the purchase of the STPR-MOD-KIT

Required to Complete - Sold Separately: • Fronts (x2)

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ST-DV36IN	36" See Through Direct Vent Multi Side Top/Rear Gas Fireplace With IntelliFire Touch Ignition (NG)	\$ 4,989	Y	Y	Y	Y	N

Fronts - Non-Operable (Required to Complete)

Multi Side Front

MSFR-36-BK	Multi Side Firescreen Front - Black	\$ 369	Y	Y	Y	Y	Y
------------	-------------------------------------	--------	---	---	---	---	---



Multi Side Front

Conversion Kit

Conversion Kit

LPK-MS36-IFT	NG to LP conversion kit 36" multi side units	\$ 104	Y	Y	Y	Y	Y
STPR-MOD-KIT	Contemporary conversion kit for See Through and Peninsula units (must order media to complete) (for use with standard black metal refractory or Black glass interior panels only)	\$ 659	14	14	14	14	Y

Media

Crushed Glass Media

MEDIA-CLEAR-MS	Glass media, Crystal (translucent white) (must order STPR-MOD-KIT to complete)	\$ 229	14	14	14	14	Y
MEDIA-COBALT-MS	Glass media, Cobalt (blue) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y
MEDIA-RED-MS	Glass media, Scarlet (red) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y
MEDIA-EBONY-MS	Glass media, Ebony (black) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y
MEDIA-AMBER-MS	Glass media, (Amber) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y
MEDIA-FOG-MS	Iced fog media (requires black spray paint to complete) (must order STPR-MOD-KIT to complete)	\$ 279	14	14	14	14	Y

Stone Media									
MEDIA-STONES-30	Large, multi-colored fiber stone media	\$ 239	14	14	14	14	14	Y	
Liner Kit									
Liner Kit									
LINER-36ST	Reflective Black glass interior panels for See-Through	\$ 699	14	14	14	14	14	Y	
Refractory Upgrade									
Brick Refractory									
WTB36-ST	Traditional brick interior liner 36" See Through - Weathered Traditional Brick	\$ 419	Y	63	14	63	Y		
Fans									
Fan									
GFK-160C	Fan kit 160 CFM (fan only)	\$ 269	Y	Y	Y	Y	Y	Y	
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)	\$ 329	Y	Y	Y	Y	Y	Y	
Control, remotes, wall switches									
Battery Back Up									
BATTERY-WSK	Battery backup wall switch kit for units with IFT control systems. Includes: On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$ 199	Y	14	Y	14	Y		
IntelliFire app									
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400, RC450 or RC150 is required for thermostat control	\$ 239	Y	Y	Y	Y	Y	Y	
IntelliFire Touch Controls - Aux Module									
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).	\$ 100	Y	Y	14	14	Y		
Remote/Wall Switch/Wall Thermostat									
IFT-RC150	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength	\$ 124		Y	Y	Y	Y	Y	
Touch Screen Remote									
IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$ 399	Y	Y	Y	Y	Y	Y	
Wall Switch									
IFT-RC150-HTL	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)	*	14	14	14	Y	Y		



Battery Back Up



IntelliFire app



Touch Screen Remote



Wall Switch

Venting Notes

Requires DVP venting. See venting section of install manual.

Approved for SLP venting. See venting section of install manual.

Approved for use with PVLP-SLP, PVI-SLP-B and PVV-SLP with power vent wire harness (order separately) and IFT-RC400 remote. See venting section of manual.

Hearth & Home Technologies

Fireplace - Wood - Single-Sided

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT
Current pricing updated 04/06/2026

Prices in USD

Non-stock and custom product cannot be cancelled.

* Please Contact Who You Purchase This Through for MSRP Pricing

Customer is responsible for freight for orders made outside of assigned RDC facility.

Pioneer II

Includes:

- 68,200 Peak Btu/Hour Output
- Automatic Combustion Control
- Front and single cast iron arched door
- Dual fans with speed control
- Welded steel firebox
- CAK4A
- Outside air hood
- Attic insulation shield
- 2.7 cu/ft firebox



Special Considerations:

- Advanced Technology Product training required before product ships
- Certified to 2020 EPA emissions standards

No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PIONEER-II-REC	Wood fireplace, with classic black front and single rectangle door	\$ 6,649	Y	Y	Y	14	N
PIONEER-II-ARC	Wood fireplace, with classic black front and single arch door	\$ 6,649	Y	Y	Y	14	N

Options & Accessories

Finishing Template

TMP-MED-REC	Metal Finishing Template - Rectangle	\$ 209	8	14	14	14	Y
TMP-MED-ARC	Metal Finishing Template - Arched	\$ 219	Y	14	14	14	Y

Lintel Bar

LINTELBAR-HHT	Lintel bar	\$ 379	8	21	14	14	Y
---------------	------------	--------	---	----	----	----	---

Heat Management

Heat Zone Kit

HEAT-ZONE-WD-C	Heat distribution kit (includes fan, grille cover, fireplace adaptor, and adjustment control) requires 6" vent for ducting	\$ 409	Y	Y	Y	14	Y
----------------	--	--------	---	---	---	----	---

Floor Protector (HP)

Micore Hearth Extension - Hearth Extension

HX4M	Hearth extension for all size models 5pcs (48" x 20") & 5pcs (22" x 20") to equal 5 full sheets at (70"x 20"x 1/2")	\$ 449	Y	Y	Y	Y	N
------	---	--------	---	---	---	---	---

Venting**Outside Air Kit**

OA-RD-6	Outside air elbow kit (used to offset outside air starting collar)	\$	63	Y	14	14	14	Y
---------	--	----	----	---	----	----	----	---

Venting Notes

Requires SL300 or 8" DuraPlus pipe with the DuraPlus base plate. See venting section

When using 8" DuraPlus use DV-6DP-IS attic insulation shield

Pioneer III**Includes:**

- up to 85,175 Peak Btu/Hour Output
- Smart Burn Technology
- Single cast iron door
- 400 CFM fan system
- Fan air kit grill
- Welded steel firebox
- CAK4A
- Outside air hood
- Attic insulation shield
- 4.1 cu/ft firebox

**Special Considerations:**

- Certified to 2020 EPA emissions standards

Required to Complete - Sold Separately:

- Front
- Flex venting for Fan Air Kit
- Advanced Technology Product training required before product ships

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PIONEER-III-REC	Wood Fireplace with Rectangular door, classic black	\$ 6,279	Y	Y	Y	14	N
PIONEER-III-ARC	Wood Fireplace with Arch door, classic black	\$ 6,279	Y	Y	Y	14	N

Fronts - Non-Operable (Required to Complete)**Forged Arch Front**

DF-PIII-FA	Forged arch front, classic black	\$ 1,479	Y	14	Y	14	N
------------	----------------------------------	----------	---	----	---	----	---

Mission Arch Front

DF-PIII-MA	Mission arch front, classic black	\$ 809	Y	Y	21	21	N
------------	-----------------------------------	--------	---	---	----	----	---

Mission Rectangular Front

DF-PIII-MR	Mission rectangular front, classic black	\$ 809	Y	Y	Y	14	N
------------	--	--------	---	---	---	----	---



Forged Arch Front



Mission Arch Front



Mission Rectangular Front

Options & Accessories**Finishing Template**

TMP-PIIIA	Reusable metal finishing template for the Pioneer III-ARC	\$ 309	8	14	14	14	N
TMP-PIIIR	Reusable metal finishing template for the Pioneer III-REC	\$ 309	8	14	14	14	N

Heat Management**Heat Zone Kit**

HEAT-ZONE-WD-C	Heat distribution kit (includes fan, grille cover, fireplace adaptor, and adjustment control) requires 6" vent for ducting	\$ 409	Y	Y	Y	14	Y
----------------	--	--------	---	---	---	----	---

Floor Protector (HP)**Micore Hearth Extension - Hearth Extension**

HX4M	Hearth extension for all size models 5pcs (48" x 20") & 5pcs (22" x 20") to equal 5 full sheets at (70"x 20"x 1/2")	\$ 449	Y	Y	Y	Y	N
------	---	--------	---	---	---	---	---

Service Parts**Service Parts**

LINTELBAR-PIII	LINTEL BAR - remove	\$ 371	8	14	14	14	Y
----------------	---------------------	--------	---	----	----	----	---

Venting Notes

Requires SL300 or 8" DuraPlus pipe with the DuraPlus base plate. See venting section

When using 8" DuraPlus use DV-6DP-IS attic insulation shield

Hearth & Home Technologies

Fireplace Outdoor - Gas - Single-Sided

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT
Current pricing updated 04/06/2026

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

Courtyard 36

Includes:

- Clean face & flush hearth design
- 55,000 BTUs (NG), 53,000 BTUs (LP)
- Stainless steel pull screens
- 36" X 30" viewing area
- Wall switch with outdoor control box
- UL/ULC Listed



Required to Complete - Sold Separately:

- Hearth Kit (GR-ODCOUG) & choice of log set (SD/HDLOGS-ODCOUG)
- Choice of refractory required for ODCOUG-36NR
- Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCOUG-36NR	36" Courtyard Outdoor Fireplace, refractory required	\$ 2,699	Y	Y	Y	Y	N
ODCOUG-36TS	36" Courtyard Outdoor Fireplace, Traditional Stacked Concrete Refractory	\$ 3,089	Y	Y	Y	Y	N

Hearth Kit (Required to Complete)

Hearth Kit

GR-ODCOUG	Stainless steel grate with lava rock	\$ 399	Y	Y	Y	Y	Y
-----------	--------------------------------------	--------	---	---	---	---	---

Gas Logs - Log Set Option (Required to Complete)

Log Set - Traditional

SDLOGS-ODCOUG	Standard definition log set, requires GR-ODCOUG to complete	\$ 459	Y	Y	Y	Y	Y
HDLOGS-ODCOUG	High definition log set, requires GR-ODCOUG to complete	\$ 859	Y	Y	Y	Y	Y

Refractory (Required to Complete)

Courtyard Refractory for -NR Units

ODCOUG-36SSL	36" Courtyard Outdoor Fireplace, Stainless Steel Refractory	\$ 519	Y	Y	Y	Y	Y
ODCOUG-36BTR	36" Courtyard Outdoor Fireplace, Brown Traditional Refractory	\$ 529	Y	21	Y	Y	Y
ODCOUG-36GTR	36" Courtyard Outdoor Fireplace, Gray Traditional Refractory	\$ 529	Y	21	Y	Y	Y
ODCOUG-36BKTR	36" Courtyard Outdoor Fireplace, Black Traditional Refractory	\$ 549	Y	21	21	14	Y
ODCOUG-36BHR	36" Courtyard Outdoor Fireplace, Brown Herringbone Refractory	\$ 609	Y	14	Y	Y	Y
ODCOUG-36GHR	36" Courtyard Outdoor Fireplace, Gray Herringbone Refractory	\$ 609	Y	Y	Y	Y	Y
ODCOUG-36BKHR	36" Courtyard Outdoor Fireplace, Black Herringbone Refractory	\$ 629	Y	14	21	21	Y

LP Conversion Kit

Courtyard Conversion Kits

ODCOUG-LPK	LP conversion kit for the Courtyard fireplace	\$ 104	Y	Y	Y	Y	Y
ODCOUG-NGK	NG conversion kit for the Courtyard fireplace	\$ 104	8	14	14	14	Y

Firescreens**Courtyard Screen**

ODCOUG-36SCN	Framed mesh hang-on screen for Courtyard 36"	\$ 649	Y	Y	Y	Y	Y
--------------	--	--------	---	---	---	---	---

Options & Accessories**Outdoor Gas Drain Pan**

ODGSDPFLT-36	36" Outdoor Drain Pan for rubber roof installs	\$ 111	8	14	14	14	Y
ODGSDP-36	36" Outdoor Drain Pan	\$ 111	Y	14	14	Y	Y

Outdoor Vent Free Pan

ODCOUG-VFP	Vent Free pan for the Courtyard Outdoor Fireplace	\$ 138	Y	Y	Y	Y	Y
------------	---	--------	---	---	---	---	---

Control, remotes, wall switches**Wired Wall Timer**

WWT	Wall Control Panel (30, 60, 120 minutes)	\$ 125	Y	Y	Y	Y	Y
-----	--	--------	---	---	---	---	---

Venting Notes

No venting is required with this unit

Courtyard 42**Includes:**

- Clean face & flush hearth design
- Wall switch with outdoor control box
- Stainless steel pull screens
- 55,000 BTUs (NG), 53,000 BTUs (LP)
- 42" X 30" viewing area
- UL/ULC Listed



Required to Complete - Sold Separately:

- Hearth Kit (GR-ODCOUG) & choice of log set (SD/HDLOGS-ODCOUG)
- Choice of refractory required for ODCOUG-42NR
- Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCOUG-42NR	42" Courtyard Outdoor Fireplace, refractory required	\$ 3,039	Y	Y	Y	Y	N
ODCOUG-42TS	42" Courtyard Outdoor Fireplace, Traditional Stacked Concrete Refractory	\$ 3,429	Y	Y	Y	Y	N

Hearth Kit (Required to Complete)**Hearth Kit**

GR-ODCOUG	Stainless steel grate with lava rock	\$ 399	Y	Y	Y	Y	Y
-----------	--------------------------------------	--------	---	---	---	---	---

Gas Logs - Log Set Option (Required to Complete)**Log Set - Traditional**

SDLOGS-ODCOUG	Standard definition log set, requires GR-ODCOUG to complete	\$ 459	Y	Y	Y	Y	Y
HDLOGS-ODCOUG	High definition log set, requires GR-ODCOUG to complete	\$ 859	Y	Y	Y	Y	Y

Refractory (Required to Complete)**Courtyard Refractory for -NR Units**

ODCOUG-42SSL	42" Courtyard Outdoor Fireplace, Stainless Steel Refractory	\$ 529	8	14	14	14	Y
ODCOUG-42BTR	42" Courtyard Outdoor Fireplace, Brown Traditional Refractory	\$ 569	Y	21	Y	Y	Y
ODCOUG-42GTR	42" Courtyard Outdoor Fireplace, Gray Traditional Refractory	\$ 569	Y	14	Y	Y	Y
ODCOUG-42BKTR	42" Courtyard Outdoor Fireplace, Black Traditional Refractory	\$ 589	Y	21	21	21	Y
ODCOUG-42BHR	42" Courtyard Outdoor Fireplace, Brown Herringbone Refractory	\$ 639	Y	Y	Y	Y	Y
ODCOUG-42GHR	42" Courtyard Outdoor Fireplace, Gray Herringbone Refractory	\$ 639	Y	Y	Y	Y	Y
ODCOUG-42BKHR	42" Courtyard Outdoor Fireplace, Black Herringbone Refractory	\$ 659	Y	21	21	Y	Y

LP Conversion Kit**Courtyard Conversion Kits**

ODCOUG-NGK	NG conversion kit for the Courtyard fireplace	\$ 104	8	14	14	14	Y
ODCOUG-LPK	LP conversion kit for the Courtyard fireplace	\$ 104	Y	Y	Y	Y	Y

Firescreens**Courtyard Screen**

ODCOUG-42SCN	Framed mesh hang-on screen for Courtyard 42"	\$ 759	Y	Y	Y	Y	Y
--------------	--	--------	---	---	---	---	---

Options & Accessories**Outdoor Gas Drain Pan**

ODGSDPFLT-42	42" Outdoor Drain Pan for rubber roof installs	\$ 128	8	14	14	14	Y
ODGSDP-42	42" Outdoor Drain Pan	\$ 128	8	Y	14	14	Y

Outdoor Vent Free Pan

ODCOUG-VFP	Vent Free pan for the Courtyard Outdoor Fireplace	\$ 138	Y	Y	Y	Y	Y
------------	---	--------	---	---	---	---	---

Control, remotes, wall switches

Wired Wall Timer

WWT	Wall Control Panel (30, 60, 120 minutes)	\$ 125	Y	Y	Y	Y	Y
-----	--	--------	---	---	---	---	---

Venting Notes

No venting is required with this unit

Lanai 48**Includes:**

- Multicolored LED lights
- Crystal glass media
- Glass wind guard
- Wall control with 15' of wire and junction box
- Gas flex connector
- 55,000 BTUs (NG & LP)
- 48" x 17" viewing area
- UL/ULC listed



Required to Complete - Sold Separately: • Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODLANAIG-48	48" Lanai outdoor linear fireplace with IntelliFire Ignition, Single-sided	\$ 4,639	Y	Y	Y	Y	N

Conversion Kit**Conversion Kit**

LPK-ODLANAIG48	LP Conversion Kit - 48" Lanai	\$ 136	Y	Y	Y	Y	Y
----------------	-------------------------------	--------	---	---	---	---	---

Firescreens**Lanai Screen**

ODLANAIG-48SCN	Framed Screen Barrier - 48" Lanai	\$ 439	Y	Y	Y	Y	Y
----------------	-----------------------------------	--------	---	---	---	---	---



Lanai Screen

Clean Face Kit**Lanai CF Kit**

ODLANAIG-48CFT	Clean Face Trim Kit - 48" Lanai	\$ 299	Y	Y	14	14	Y
----------------	---------------------------------	--------	---	---	----	----	---

Gas Logs - Log Set Option**Log Accessories**

CDLS	Driftwood Log Set	\$ 629	Y	Y	Y	Y	Y
------	-------------------	--------	---	---	---	---	---

Media**Crushed Glass Media**

MEDIA-CLEAR-48	Glass media, crystal (translucent white)	\$ 279	Y	Y	Y	Y	Y
MEDIA-EBONY-48	Glass media, ebony (black)	\$ 389	Y	Y	Y	Y	Y
MEDIA-AMBER-48	Glass media, amber	\$ 389	Y	Y	Y	Y	Y
MEDIA-COBALT-48	Glass media, cobalt (blue)	\$ 389	14	21	14	14	Y
MEDIA-RED-48	Glass media, scarlet (red)	\$ 389	14	14	14	14	Y

MEDIA									
STONEKIT	Stone Kit						\$	159	Y Y Y Y Y
Options & Accessories									
Options & Accessories									
ODLANAIG-48DP	Drain Pan - 48" Lanai						\$	249	Y Y 14 14 Y
Venting Notes									
No venting is required with this unit.									

Lanai 60**Includes:**

- Multicolored LED lights
- Crystal glass media
- Glass wind guard
- Wall control with 14' of wire and junction box
- Gas flex connector
- 65,000 BTUs (NG & LP)
- 60" x 17" viewing area
- UL/ULC listed



Required to Complete - Sold Separately: • Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODLANAIG-60	60" Lanai outdoor linear fireplace with IntelliFire Ignition, Single-sided	\$ 5,009	Y	Y	Y	Y	N

Conversion Kit**Conversion Kit**

LPK-ODLANAIG60	LP Conversion Kit - 60"/72" Lanai	\$ 159	Y	Y	Y	Y	Y
----------------	-----------------------------------	--------	---	---	---	---	---

Firescreens**Lanai Screen**

ODLANAIG-60SCN	Framed Screen Barrier - 60" Lanai	\$ 519	Y	Y	14	21	Y
----------------	-----------------------------------	--------	---	---	----	----	---



Lanai Screen

Clean Face Kit**Lanai CF Kit**

ODLANAIG-60CFT	Clean Face Trim Kit - 60" Lanai	\$ 319	Y	14	Y	14	Y
----------------	---------------------------------	--------	---	----	---	----	---

Gas Logs - Log Set Option**Log Accessories**

CDLS	Driftwood Log Set	\$ 629	Y	Y	Y	Y	Y
------	-------------------	--------	---	---	---	---	---

Media**Crushed Glass Media**

MEDIA-CLEAR-60	Glass media, crystal (translucent white)	\$ 379	Y	Y	Y	Y	Y
MEDIA-COBALT-60	Glass media, cobalt (blue)	\$ 469	14	14	14	14	Y
MEDIA-RED-60	Glass media, scarlet (red)	\$ 469	14	14	14	14	Y
MEDIA-EBONY-60	Glass media, ebony (black)	\$ 469	Y	Y	Y	Y	Y
MEDIA-AMBER-60	Glass media, amber	\$ 469	Y	21	14	14	Y

MEDIA									
STONEKIT	Stone Kit	\$	159	Y	Y	Y	Y	Y	
Options & Accessories									
Options & Accessories									
ODLANAIG-60DP	Drain Pan - 60" Lanai	\$	269	Y	21	14	14	Y	
Venting Notes									
No venting is required with this unit.									

Lanai 72**Includes:**

- Multicolored LED lights
- Crystal glass media
- Glass wind guard
- Wall control with 14' of wire and junction box
- Gas flex connector
- 65,000 BTUs (NG & LP)
- 72" x 17" viewing area
- UL/ULC listed



Required to Complete - Sold Separately: • Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODLANAIG-72	LANAI 72" Outdoor Gas Fireplace, NG	\$ 5,609	Y	Y	Y	14	N

Conversion Kit**Conversion Kit**

LPK-ODLANAIG60	LP Conversion Kit - 60"/72" Lanai	\$ 159	Y	Y	Y	Y	Y
----------------	-----------------------------------	--------	---	---	---	---	---

Firescreens**Lanai Screen**

ODLANAIG-72SCN	SCREEN FOR LANAI OUT FP	\$ 549	8	14	14	14	Y
----------------	-------------------------	--------	---	----	----	----	---



Lanai Screen

Clean Face Kit**Lanai CF Kit**

ODLANAIG-72CFT	LANAI CLEAN FACE TRIM	\$ 319	8	14	14	14	Y
----------------	-----------------------	--------	---	----	----	----	---

Gas Logs - Log Set Option**Log Accessories**

CDLS	Driftwood Log Set	\$ 629	Y	Y	Y	Y	Y
------	-------------------	--------	---	---	---	---	---

Media**Crushed Glass Media**

MEDIA-CLEAR-72	Glass media, crystal (translucent white)	\$ 499	Y	14	Y	14	Y
MEDIA-COBALT-72	Glass media, cobalt (blue)	\$ 609	14	14	14	14	Y
MEDIA-AMBER-72	Glass media, amber	\$ 609	14	14	14	14	Y
MEDIA-RED-72	Glass media, scarlet (red)	\$ 609	14	14	14	14	Y
MEDIA-EBONY-72	Glass media, ebony (black)	\$ 609	Y	21	14	14	Y

MEDIA									
STONEKIT	Stone Kit								
Options & Accessories									
Options & Accessories									
ODLANAIG-72DP	DRAIN PAN								

Vesper 36**Includes:**

- Stainless steel construction
- Optional mesh cabinet style doors
- 38,000 BTUs
- 36" x 27" viewing area
- UL/ULC Listed



Required to Complete - Sold Separately:

- Add the Lumonessen outdoor burner LUM-OD-PM (LP) or LUM-OD-NM (NG)
- Select a log set: Mezmer logs, Mezmer split logs, or Mountain Oak logs

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
VOFB36-T	36" Vesper Outdoor Firebox - Traditional Concrete Refractory	\$ 1,369	Y	14	14	Y	N
VOFB36-H	36" Vesper Outdoor Firebox - Herringbone Concrete Refractory	\$ 1,399	Y	14	14	Y	N

Gas Logs - Log Set Option (Required to Complete)**Mezmer**

MZMR-24	24" Mezmer Log Set	\$ 249	Y	14	Y	Y	Y
---------	--------------------	--------	---	----	---	---	---

Mezmer Split

MZMRSP-24	24" Mezmer Split Log Set	\$ 249	Y	14	21	Y	Y
-----------	--------------------------	--------	---	----	----	---	---

Mountain Oak

MTNOK-24	24" Mountain Oak Log Set	\$ 249	Y	Y	14	Y	Y
----------	--------------------------	--------	---	---	----	---	---



Mezmer



Mezmer Split



Mountain Oak

Gas Logs - Burner Option Outdoor (Required to Complete)**Lumonessen Outdoor**

LUM-OD-NM	Lumonessen Outdoor Burner: Manual Ignition, NG: 19,000 MIN - 38,000 MAX BTUs	\$ 849	Y	Y	Y	Y	Y
LUM-OD-PM	Lumonessen Outdoor Burner: Manual Ignition, LP: 31,000 MIN - 38,000 MAX BTUs	\$ 849	Y	14	14	Y	Y



Lumonessen Outdoor

Mesh Doors - Operable**Mesh Door**

VOFBSD-36	36" Vesper Stainless Steel Mesh Cabinet Style Doors	\$ 1,169	Y	14	14	Y	Y
-----------	---	----------	---	----	----	---	---



Mesh Door

Options & Accessories**Outdoor Gas Drain Pan**

ODGSDP-36	36" Outdoor Drain Pan	\$ 111	Y	14	14	Y	Y
ODGSDPFLT-36	36" Outdoor Drain Pan for rubber roof installs	\$ 111	8	14	14	14	Y

Venting Notes

Venting is not required with this unit

Vesper 42**Includes:**

- Stainless steel construction
- Optional mesh cabinet style doors
- 38,000 BTUs
- 42" x 27" viewing area
- UL/ULC Listed



Required to Complete - Sold Separately:

- Add the Lumonessen outdoor burner LUM-OD-PM (LP) or LUM-OD-NM (NG)
- Select a log set: Mezmer logs, Mezmer split logs, or Mountain Oak logs

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
VOFB42-T	42" Vesper Outdoor Firebox - Traditional Refractory	\$ 1,959	Y	14	Y	Y	N
VOFB42-H	42" Vesper Outdoor Firebox - Herringbone Refractory	\$ 1,969	Y	14	14	Y	N

Gas Logs - Log Set Option (Required to Complete)**Mezmer**

MZMR-30	30" Mezmer Log Set	\$ 279	Y	21	21	Y	Y
---------	--------------------	--------	---	----	----	---	---

Mezmer Split

MZMRSP-30	30" Mezmer Split Log Set	\$ 279	Y	21	21	Y	Y
-----------	--------------------------	--------	---	----	----	---	---

Mountain Oak

MTNOK-30	30" Mountain Oak Log Set	\$ 279	Y	21	21	Y	Y
----------	--------------------------	--------	---	----	----	---	---



Mezmer



Mezmer Split



Mountain Oak

Gas Logs - Burner Option Outdoor (Required to Complete)**Lumonessen Outdoor**

LUM-OD-PM	Lumonessen Outdoor Burner: Manual Ignition, LP: 31,000 MIN - 38,000 MAX BTUs	\$ 849	Y	14	14	Y	Y
LUM-OD-NM	Lumonessen Outdoor Burner: Manual Ignition, NG: 19,000 MIN - 38,000 MAX BTUs	\$ 849	Y	Y	Y	Y	Y



Lumonessen Outdoor

Mesh Doors - Operable**Mesh Door**

VOFBSD-42	42" Vesper Stainless Steel Mesh Cabinet Style Doors	\$ 1,299	Y	14	14	14	Y
-----------	---	----------	---	----	----	----	---



Mesh Door

Options & Accessories**Outdoor Gas Drain Pan**

ODGSDP-42	42" Outdoor Drain Pan	\$ 128	8	Y	14	14	Y
ODGSDPFLT-42	42" Outdoor Drain Pan for rubber roof installs	\$ 128	8	14	14	14	Y

Venting Notes

No venting is required with this unit

Hearth & Home Technologies

Fireplace Outdoor - Wood - Single-Sided

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT
Current pricing updated 04/06/2026

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

Castlewood 42

Includes:

- 42" x 38" Opening
- Steel Grate
- Dual gas knockouts
- Black grate
- Stainless Steel Safety Firescreen
- UL Listed
- Transition collar


Special Considerations:

- Fireplace is shipped with no refractory
- Refractory Set Includes (1) Hearth, (1) Left Panel, (1) Right Panel and (1) Back Panel

Required to Complete - Sold Separately: • Qty: 1 Refractory Set

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCASTLEWD-42-C	42" Castlewood Outdoor Wood Burning Fireplace	\$ 3,709	Y	Y	14	Y	N

Refractory (Required to Complete)
Herringbone

WDR3842-H-NG	42" Natural Gray Herringbone Refractory Set	\$ 1,579	Y	Y	Y	Y	N
WDR3842-H-BK	42" Black Onyx Herringbone Refractory Set	\$ 2,039	Y	Y	Y	Y	N
WDR3842-H-BR	42" Masonry Brown Herringbone Refractory Set	\$ 2,039	Y	14	14	14	N
WDR3842-H-AV	42" Antler Velvet Herringbone Refractory Set	\$ 2,039	Y	Y	Y	Y	N

Traditional

WDR3842-T-NG	42" Natural Gray Traditional Refractory Set	\$ 1,509	Y	14	14	Y	N
WDR3842-T-BR	42" Masonry Brown Traditional Refractory Set	\$ 1,889	14	14	14	14	N
WDR3842-T-AV	42" Antler Velvet Traditional Refractory Set	\$ 1,889	Y	14	14	14	N
WDR3842-T-BK	42" Black Onyx Traditional Refractory Set	\$ 1,889	8	14	14	14	N

Glass Doors - Operable
Outdoor Glass Bi-Fold Door

ODGF42BZ-B	Premium outdoor glass bi-fold door, bronze finish	\$ 2,619	8	14	14	14	Y
------------	---	----------	---	----	----	----	---



Outdoor Glass Bi-Fold Door

Gas Logs - Log Set Option**3-Tier Grand Birch - Vented Gas Log Option**

3TR-BRCH24	24" 3-Tier Grand Birch cement log set	\$ 649	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

3-Tier Grand Oaks - Vented Gas Log Option

3TR-GO24	24" 3-Tier Grand Oaks cement log set	\$ 649	Y	21	21	Y	N
----------	--------------------------------------	--------	---	----	----	---	---

3-Tier Heritage Oak - Vented Gas Log Option

3TR-OAK24	24" 3-Tier Heritage Oak cement log set	\$ 649	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

3-Tier Grand Birch - Vented Gas
Log Option3-Tier Grand Oaks - Vented Gas
Log Option3-Tier Heritage Oak - Vented
Gas Log Option**Gas Logs - Burner Option Outdoor****Outdoor 3-Tier Stadium Vented Burner 24"**

OD-3TRIP124-P	Outdoor 3-Tier Stadium Vented Burner - 24" IPI Ignition Propane	\$ 1,789	Y	21	21	14	N
OD-3TRIP124-N	Outdoor 3-Tier Stadium Vented Burner - 24" IPI Ignition Natural Gas	\$ 1,789	Y	21	21	14	N

Outdoor 3-Tier Stadium Vented
Burner 24"**Mortar****Refractory Mortar**

MMMORTR	10 lbs. Mortar (TRAD: 1 required, HERR: 2 required)	\$ 101	Y	Y	Y	Y	N
---------	---	--------	---	---	---	---	---

Options & Accessories**Outdoor Gas Drain Pan**

ODCASTLEWD-42DP	Drain Pan for 42" Castlewood	\$ 239	8	14	14	14	Y
-----------------	------------------------------	--------	---	----	----	----	---

Venting**SL1100 Wood Pipe - Single Pack - Chimney Air Kits/Flex Duct Dimensions: 11" Inner / 13" Outer**

CAK8A	Chimney air kit (For use with BIR42 and RUTHERFORD-42, ODCASTLEWD-42)	\$ 169	Y	Y	14	14	Y
-------	---	-----------	---	---	----	----	---

Venting Notes

Uses SL1100 series chimney

Cooling hood or all non-combustible materials are required.

Canada: Requires SL400 series pipe, SLA10 and CAK8A. See Venting section

Castlewood 50**Includes:**

- 50" x 38" opening
- Steel Grate
- Dual gas knockouts
- Outside Air Kit
- Stainless Steel Safety Firescreen
- UL Listed
- Not Approved in Canada
- Advanced Product Technology
training required before product ships

**Special Considerations:**

- Fireplace is shipped with no refractory
- Refractory Set Includes (1) Hearth, (1) Left Panel, (1) Right Panel and (1) Back Panel

Required to Complete - Sold Separately: • Qty: 1 Refractory Set • Flex Duct for Outside Air Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCASTLEWD-50	50" Castlewood Outdoor Wood Burning Fireplace	\$ 4,899	8	14	14	14	N

Refractory (Required to Complete)**Herringbone**

WDR3850-H-NG	50" Natural Gray Herringbone Refractory Set	\$ 2,299	Y	14	14	Y	N
WDR3850-H-BR	50" Masonry Brown Herringbone Refractory Set	\$ 2,449	8	14	14	14	N
WDR3850-H-BK	50" Black Onyx Herringbone Refractory Set	\$ 2,449	Y	14	14	Y	N
WDR3850-H-AV	50" Antler Velvet Herringbone Refractory Set	\$ 2,449	8	14	14	14	N

Traditional

WDR3850-T-NG	50" Natural Gray Traditional Refractory Set	\$ 1,929	Y	14	14	14	N
WDR3850-T-BR	50" Masonry Brown Traditional Refractory Set	\$ 2,079	8	14	14	14	N
WDR3850-T-AV	50" Antler Velvet Traditional Refractory Set	\$ 2,079	8	14	14	14	N
WDR3850-T-BK	50" Black Onyx Traditional Refractory Set	\$ 2,079	8	14	14	14	N

Glass Doors - Operable**Outdoor Glass Bi-Fold Door**

ODGF50BZ	50" Premium outdoor glass bi-fold door with stainless steel construction, bronze finish	\$ 3,059	8	14	14	14	N
----------	---	----------	---	----	----	----	---



Outdoor Glass Bi-Fold Door

Gas Logs - Log Set Option**3-Tier Grand Birch - Vented Gas Log Option**

3TR-BRCH30	30" 3-Tier Grand Birch cement log set	\$ 719	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

3-Tier Grand Oaks - Vented Gas Log Option

3TR-GO30	30" 3-Tier Grand Oaks cement log set	\$ 719	Y	21	21	Y	N
----------	--------------------------------------	--------	---	----	----	---	---

3-Tier Heritage Oak - Vented Gas Log Option

3TR-OAK30	30" 3-Tier Heritage Oak cement log set	\$ 719	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---



3-Tier Grand Birch - Vented Gas Log Option



3-Tier Grand Oaks - Vented Gas Log Option



3-Tier Heritage Oak - Vented Gas Log Option

Gas Logs - Burner Option Outdoor**Outdoor 3-Tier Stadium Vented Burner 30"**

OD-3TRIP130-N	Outdoor 3-Tier Stadium Vented Burner - 30" IPI Ignition Natural Gas	\$ 1,859	Y	21	21	14	N
OD-3TRIP130-P	Outdoor 3-Tier Stadium Vented Burner - 30" IPI Ignition Propane	\$ 1,859		21	21	14	N



Outdoor 3-Tier Stadium Vented Burner 30"

Options & Accessories**Outdoor Gas Drain Pan**

ODCASTLEWD-50DP	Drain Pan for 50" Castlewood	\$ 239	8	14	14	14	Y
-----------------	------------------------------	--------	---	----	----	----	---

Venting Notes

Requires 14" Dura-Vent DuraChimney II. See venting section

Must order Attic Insulation Shield (14DCA-IS), Roof Radiation Shields (14DCA-RRS), Chase Top Collar (14DCA-CTC). See Venting Section

Cottagewood 36**Includes:**

- 36" x 28 1/2" opening
- Steel Grate
- Dual gas knockouts
- Outside Air Kit
- Stainless Steel Safety Firescreen
- UL/ULC Listed

**Special Considerations:**

- Fireplace is shipped with no refractory
- Refractory Set Includes (1) Hearth, (1) Left Panel, (1) Right Panel and (1) Back Panel

Required to Complete - Sold Separately: • Qty: 1 Refractory Set • Flex Duct for Outside Air Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCTGWD-36-B	36" Cottagewood Outdoor Wood Burning Fireplace	\$ 2,769	Y	14	14	14	N

Refractory (Required to Complete)**Herringbone**

WDR2836-H-NG	36" Natural Gray Herringbone Refractory Set	\$ 659	Y	14	14	Y	N
WDR2836-H-BR	36" Masonry Brown Herringbone Refractory Set	\$ 759	8	14	14	14	N
WDR2836-H-BK	36" Black Onyx Herringbone Refractory Set	\$ 759	Y	14	14	Y	N

Traditional

WDR2836-T-NG	36" Natural Gray Traditional Refractory Set	\$ 599	Y	Y	14	Y	N
WDR2836-T-BR	36" Masonry Brown Traditional Refractory Set	\$ 699	8	14	14	14	N
WDR2836-T-BK	36" Black Onyx Traditional Refractory Set	\$ 699	Y	14	14	14	N

Venting (Required to Complete)**Insulated Flex Duct - Chimney Air Kits/Flex Duct**

ID4	4" (100mm) insulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 91	Y	Y	14	Y	Y
-----	---	-------	---	---	----	---	---

Uninsulated Flex Duct - Chimney Air Kits/Flex Duct

UD4	4" (100mm) uninsulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 58	Y	Y	Y	Y	Y
-----	---	-------	---	---	---	---	---

4" Insulated Flex Duct

FLEXDUCT4AI	4" (102mm) insulated flex duct for outside air - 25'	\$ 83	Y	21	21	21	N
-------------	--	-------	---	----	----	----	---

SL400 Series Pipe - Term Kits & Acc - Sng Pk - Chimney Air Kits/Flex Duct

CAK5A	Chimney air kit for SL1100 and SL400 series pipe (required in Canada)	\$ 149	Y	Y	14	14	Y
-------	---	--------	---	---	----	----	---

Glass Doors - Operable**Glass Bi-Fold Door**

DM6036-S	36" Stainless Steel Bi-Fold Doors	\$ 539	8	14	14	14	Y
----------	-----------------------------------	--------	---	----	----	----	---



Glass Bi-Fold Door

Gas Logs - Log Set Option**2-Tier Grand Birch - Vented Gas Log Option**

2TR-BRCH18	18" 2-Tier Grand Birch cement log set	\$ 389	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

2-Tier Grand Oaks - Vented Gas Log Option

2TR-GO18	18" 2-Tier Grand Oaks cement log set	\$ 389	Y	21	21	14	N
----------	--------------------------------------	--------	---	----	----	----	---

2-Tier Heritage Oak - Vented Gas Log Option

2TR-OAK18	18" 2-Tier Heritage Oak cement log set	\$ 389	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

3-Tier Grand Birch - Vented Gas Log Option

3TR-BRCH18	18" 3-Tier Grand Birch cement log set	\$ 639	Y	14	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

3-Tier Grand Oaks - Vented Gas Log Option

3TR-GO18	18" 3-Tier Grand Oaks cement log set	\$ 639	Y	14	21	14	N
----------	--------------------------------------	--------	---	----	----	----	---

3-Tier Heritage Oak - Vented Gas Log Option

3TR-OAK18	18" 3-Tier Heritage Oak cement log set	\$ 639	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

Kindled Stack - Vented Gas Log Option

VTD-STCK18	18" Kindled Stack cement log set	\$ 279	Y	21	21	14	N
------------	----------------------------------	--------	---	----	----	----	---

Timberland Oak - Vented Gas Log Option

VTD-OAK18	18" Timberland Oak cement log set	\$ 249	Y	21	21	14	N
-----------	-----------------------------------	--------	---	----	----	----	---

Woodland Birch - Vented Gas Log Option

VTD-BRCH18	18" Woodland Birch cement log set	\$ 259	Y	21	21	14	N
------------	-----------------------------------	--------	---	----	----	----	---



2-Tier Grand Birch - Vented Gas Log Option



2-Tier Grand Oaks - Vented Gas Log Option



2-Tier Heritage Oak - Vented Gas Log Option



3-Tier Grand Birch - Vented Gas Log Option



3-Tier Grand Oaks - Vented Gas
Log Option3-Tier Heritage Oak - Vented
Gas Log OptionKindled Stack - Vented Gas Log
OptionTimberland Oak - Vented Gas
Log OptionWoodland Birch - Vented Gas
Log Option**Gas Logs - Burner Option Outdoor****Outdoor 2-Tier Stadium Vented Burner 18"**

OD-2TRIP18-N	Outdoor 2-Tier Stadium Vented Burner - 18" IPI Ignition Natural Gas	\$ 1,509	Y	21	21	14	N
OD-2TRIP18-P	Outdoor 2-Tier Stadium Vented Burner - 18" IPI Ignition Propane	\$ 1,509	21	21	21	14	N

Outdoor 3-Tier Stadium Vented Burner 18"

OD-3TRIP18-P	Outdoor 3-Tier Stadium Vented Burner - 18" IPI Ignition Propane	\$ 1,699	21	21	21	14	N
OD-3TRIP18-N	Outdoor 3-Tier Stadium Vented Burner - 18" IPI Ignition Natural Gas	\$ 1,699	Y	21	21	14	N

Outdoor Single Tube - Vented Burner 18"

OD-STM18-N	Outdoor Single Tube Vented Burner - 18" Manual Ignition Natural Gas	\$ 899	Y	21	21	14	N
OD-STSP18-P	Outdoor Single Tube Vented Burner - 18" Safety Pilot Ignition Propane	\$ 1,029	21	21	21	14	N
OD-STSP18-N	18" NG ML OD HEARTH KIT	\$ 1,029	21	14	14	14	N

Outdoor 2-Tier Stadium Vented
Burner 18"Outdoor 3-Tier Stadium Vented
Burner 18"Outdoor Single Tube - Vented
Burner 18"**Miscellaneous****Cottagewood Drain Pans**

ODCTGWD-DP36	Drain pan for the 36" Cottagewood	\$ 189	8	14	14	14	Y
--------------	-----------------------------------	--------	---	----	----	----	---

Freestanding Kits

ODCTGWD-FSK36	Extended smoke shelf for use when unit is installed as a freestanding fireplace and the venting is reduced below the required minimum. See install manual for requirements.	\$ 199	8	14	14	14	Y
---------------	---	--------	---	----	----	----	---

Venting Notes

U.S. uses SL1100 series chimney. Canada uses SL400 series chimney and requires SLA-10

Cottagewood 42**Includes:**

- 42" x 28 1/2" opening
- Steel Grate
- Dual gas knockouts
- Outside Air Kit
- Stainless Steel Safety Firescreen
- UL Listed
- Not Approved in Canada

**Special Considerations:**

- Fireplace is shipped with no refractory
- Refractory Set Includes (1) Hearth, (1) Left Panel, (1) Right Panel and (1) Back Panel

Required to Complete - Sold Separately: • Qty: 1 Refractory Set • Flex Duct for Outside Air Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCTGWD-42-B	42" Cottagewood Outdoor Wood Burning Fireplace	\$ 2,979	Y	Y	Y	Y	N

Refractory (Required to Complete)**Herringbone**

WDR2842-H-NG	42" Natural Gray Herringbone Refractory Set	\$ 879	Y	Y	Y	Y	N
WDR2842-H-BR	42" Masonry Brown Herringbone Refractory Set	\$ 979	Y	14	14	Y	N
WDR2842-H-BK	42" Black Onyx Herringbone Refractory Set	\$ 979	Y	Y	Y	Y	N

Traditional

WDR2842-T-NG	42" Natural Gray Traditional Refractory Set	\$ 819	Y	Y	Y	Y	N
WDR2842-T-BK	42" Black Onyx Traditional Refractory Set	\$ 919	Y	Y	Y	Y	N
WDR2842-T-BR	42" Masonry Brown Traditional Refractory Set	\$ 919	Y	14	14	Y	N

Venting (Required to Complete)**Insulated Flex Duct - Chimney Air Kits/Flex Duct**

ID4	4" (100mm) insulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 91	Y	Y	14	Y	Y
-----	---	-------	---	---	----	---	---

Uninsulated Flex Duct - Chimney Air Kits/Flex Duct

UD4	4" (100mm) uninsulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 58	Y	Y	Y	Y	Y
-----	---	-------	---	---	---	---	---

4" Insulated Flex Duct

FLEXDUCT4AI	4" (102mm) insulated flex duct for outside air - 25'	\$ 83	Y	21	21	21	N
-------------	--	-------	---	----	----	----	---

SL400 Series Pipe - Term Kits & Acc - Sng Pk - Chimney Air Kits/Flex Duct

CAK5A	Chimney air kit for SL1100 and SL400 series pipe (required in Canada)	\$ 149	Y	Y	14	14	Y
-------	---	--------	---	---	----	----	---

Glass Doors - Operable**Glass Bi-Fold Door**

DM8042-S	42" Stainless Steel Bi-Fold Door	\$ 679	Y	14	14	14	Y
----------	----------------------------------	--------	---	----	----	----	---



Glass Bi-Fold Door

Gas Logs - Log Set Option**2-Tier Grand Birch - Vented Gas Log Option**

2TR-BRCH24	24" 2-Tier Grand Birch cement log set	\$ 479	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

2-Tier Grand Oaks - Vented Gas Log Option

2TR-GO24	24" 2-Tier Grand Oaks cement log set	\$ 479	Y	Y	21	Y	N
----------	--------------------------------------	--------	---	---	----	---	---

2-Tier Heritage Oak - Vented Gas Log Option

2TR-OAK24	24" 2-Tier Heritage Oak cement log set	\$ 479	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

3-Tier Grand Birch - Vented Gas Log Option

3TR-BRCH24	24" 3-Tier Grand Birch cement log set	\$ 649	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

3-Tier Grand Oaks - Vented Gas Log Option

3TR-GO24	24" 3-Tier Grand Oaks cement log set	\$ 649	Y	21	21	Y	N
----------	--------------------------------------	--------	---	----	----	---	---

3-Tier Heritage Oak - Vented Gas Log Option

3TR-OAK24	24" 3-Tier Heritage Oak cement log set	\$ 649	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

Kindled Stack - Vented Gas Log Option

VTD-STCK24	24" Kindled Stack cement log set	\$ 339	Y	21	21	14	N
------------	----------------------------------	--------	---	----	----	----	---

Timberland Oak - Vented Gas Log Option

VTD-OAK24	24" Timberland Oak cement log set	\$ 309	Y	21	21	14	N
-----------	-----------------------------------	--------	---	----	----	----	---

Woodland Birch - Vented Gas Log Option

VTD-BRCH24	24" Woodland Birch cement log set	\$ 319	Y	21	21	14	N
------------	-----------------------------------	--------	---	----	----	----	---



2-Tier Grand Birch - Vented Gas Log Option



2-Tier Grand Oaks - Vented Gas Log Option



2-Tier Heritage Oak - Vented Gas Log Option



3-Tier Grand Birch - Vented Gas Log Option



3-Tier Grand Oaks - Vented Gas
Log Option3-Tier Heritage Oak - Vented
Gas Log OptionKindled Stack - Vented Gas Log
OptionTimberland Oak - Vented Gas
Log OptionWoodland Birch - Vented Gas
Log Option**Gas Logs - Burner Option Outdoor****Outdoor 2-Tier Stadium Vented Burner 24"**

OD-2TRIP24-N	Outdoor 2-Tier Stadium Vented Burner - 24" IPI Ignition Natural Gas	\$ 1,599	Y	21	21	14	N
OD-2TRIP24-P	Outdoor 2-Tier Stadium Vented Burner - 24" IPI Ignition Propane	\$ 1,599	21	21	21	14	N

Outdoor 3-Tier Stadium Vented Burner 24"

OD-3TRIP24-N	Outdoor 3-Tier Stadium Vented Burner - 24" IPI Ignition Natural Gas	\$ 1,789	Y	21	21	14	N
OD-3TRIP24-P	Outdoor 3-Tier Stadium Vented Burner - 24" IPI Ignition Propane	\$ 1,789	Y	21	21	14	N

Outdoor Single Tube - Vented Burner 24"

OD-STSP24-P	Outdoor Single Tube Vented Burner - 24" Safety Pilot Ignition Propane	\$ 1,149	21	21	21	14	N
OD-STSP24-N	Outdoor Single Tube Vented Burner - 24" Safety Pilot Ignition Natural Gas	\$ 1,149	21	21	21	21	N

Outdoor 2-Tier Stadium Vented
Burner 24"Outdoor 3-Tier Stadium Vented
Burner 24"Outdoor Single Tube - Vented
Burner 24"**Miscellaneous****Cottagewood Drain Pans**

ODCTGWD-DP42	Drain pan for the 42" Cottagewood	\$ 219	8	14	14	14	Y
--------------	-----------------------------------	--------	---	----	----	----	---

Freestanding Kits

ODCTGWD-FSK42	Extended smoke shelf for use when unit is installed as a freestanding fireplace and the venting is reduced below the required minimum. See install manual for requirements.	\$ 229	8	14	14	14	Y
---------------	---	--------	---	----	----	----	---

Venting Notes

U.S. uses SL1100 series chimney. Canada uses SL400 series chimney and requires SLA-10

Cottagewood 50**Includes:**

- 50" x 33" opening
- Steel Grate
- Dual gas knockouts
- Outside Air Kit
- Stainless Steel Safety Firescreen
- UL Listed

**Special Considerations:**

- Fireplace is shipped with no refractory
- Refractory Set Includes (1) Hearth, (1) Left Panel, (1) Right Panel and (1) Back Panel

Required to Complete - Sold Separately: • Qty: 1 Refractory Set • Flex Duct for Outside Air Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODCTGWD-50	50" Cottagewood Outdoor Wood Burning Fireplace	\$ 4,179	Y	14	14	14	N

Refractory (Required to Complete)**Herringbone**

WDR3350-H-NG	50" Natural Gray Herringbone Refractory Set	\$ 979	Y	Y	14	Y	N
WDR3350-H-BR	50" Masonry Brown Herringbone Refractory Set	\$ 1,079	8	14	14	14	N
WDR3350-H-BK	50" Black Onyx Herringbone Refractory Set	\$ 1,079	Y	14	14	Y	N

Traditional

WDR3350-T-NG	50" Natural Gray Traditional Refractory Set	\$ 909	Y	14	14	Y	N
WDR3350-T-BR	50" Masonry Brown Traditional Refractory Set	\$ 1,009	8	14	14	14	N
WDR3350-T-BK	50" Black Onyx Traditional Refractory Set	\$ 1,009	Y	14	14	14	N

Venting (Required to Complete)**Insulated Flex Duct - Chimney Air Kits/Flex Duct**

ID4	4" (100mm) insulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 91	Y	Y	14	Y	Y
-----	---	-------	---	---	----	---	---

Uninsulated Flex Duct - Chimney Air Kits/Flex Duct

UD4	4" (100mm) uninsulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 58	Y	Y	Y	Y	Y
-----	---	-------	---	---	---	---	---

4" Insulated Flex Duct

FLEXDUCT4AI	4" (102mm) insulated flex duct for outside air - 25'	\$ 83	Y	21	21	21	N
-------------	--	-------	---	----	----	----	---

SL400 Series Pipe - Term Kits & Acc - Sng Pk - Chimney Air Kits/Flex Duct

CAK5A	Chimney air kit for SL1100 and SL400 series pipe (required in Canada)	\$ 149	Y	Y	14	14	Y
-------	---	--------	---	---	----	----	---

Glass Doors - Operable**Glass Bi-Fold Door**

DM100-S	50" Stainless Steel Bi-Fold Doors	\$ 1,799	8	14	14	14	N
---------	-----------------------------------	----------	---	----	----	----	---



Glass Bi-Fold Door

Gas Logs - Log Set Option**2-Tier Grand Birch - Vented Gas Log Option**

2TR-BRCH30	30" 2-Tier Grand Birch cement log set	\$ 569	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

2-Tier Grand Oaks - Vented Gas Log Option

2TR-GO30	30" 2-Tier Grand Oaks cement log set	\$ 569	Y	21	21	Y	N
----------	--------------------------------------	--------	---	----	----	---	---

2-Tier Heritage Oak - Vented Gas Log Option

2TR-OAK30	30" 2-Tier Heritage Oak cement log set	\$ 569	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

3-Tier Grand Birch - Vented Gas Log Option

3TR-BRCH30	30" 3-Tier Grand Birch cement log set	\$ 719	Y	21	21	14	N
------------	---------------------------------------	--------	---	----	----	----	---

3-Tier Grand Oaks - Vented Gas Log Option

3TR-GO30	30" 3-Tier Grand Oaks cement log set	\$ 719	Y	21	21	Y	N
----------	--------------------------------------	--------	---	----	----	---	---

3-Tier Heritage Oak - Vented Gas Log Option

3TR-OAK30	30" 3-Tier Heritage Oak cement log set	\$ 719	Y	21	21	14	N
-----------	--	--------	---	----	----	----	---

2-Tier Grand Birch - Vented Gas
Log Option2-Tier Grand Oaks - Vented Gas
Log Option2-Tier Heritage Oak - Vented
Gas Log Option3-Tier Grand Birch - Vented Gas
Log Option3-Tier Grand Oaks - Vented Gas
Log Option3-Tier Heritage Oak - Vented
Gas Log Option**Gas Logs - Burner Option Outdoor****Outdoor 2-Tier Stadium Vented Burner 30"**

OD-2TRIP130-N	Outdoor 2-Tier Stadium Vented Burner - 30" IPI Ignition Natural Gas	\$ 1,649	Y	21	21	14	N
OD-2TRIP130-P	Outdoor 2-Tier Stadium Vented Burner - 30" IPI Ignition Propane	\$ 1,649	Y	21	21	14	N

Outdoor 3-Tier Stadium Vented Burner 30"

OD-3TRIP130-P	Outdoor 3-Tier Stadium Vented Burner - 30" IPI Ignition Propane	\$ 1,859	21	21	21	14	N
OD-3TRIP130-N	Outdoor 3-Tier Stadium Vented Burner - 30" IPI Ignition Natural Gas	\$ 1,859	Y	21	21	14	N



Outdoor 2-Tier Stadium Vented
Burner 30"



Outdoor 3-Tier Stadium Vented
Burner 30"

Miscellaneous

Cottagewood Drain Pans

ODCTGWD-DP50	Drain pan for the 50" Cottagewood	\$ 219	8	14	14	14	Y
--------------	-----------------------------------	--------	---	----	----	----	---

Venting Notes

Uses SL1100 series chimney

Villawood 36**Includes:**

- Traditional or herringbone brick interior
- Grate
- Stainless steel mesh curtain screens
- Dual gas knockouts
- Outside air standard
- UL & ULC listed
- 36" x 20-7/8" viewing area



No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODVILLA-36T-B	36" Outdoor Villa Wood Firebox - Traditional Refractory	\$ 1,609	Y	Y	Y	Y	N
ODVILLA-36H-B	36" Outdoor Villa Wood Firebox - Herringbone Refractory	\$ 1,659	Y	Y	14	Y	N

Doors - Operable**Villawood Glass Door 36**

ODVGF-36	36" Bi-fold glass doors	\$ 639	Y	14	14	14	Y
----------	-------------------------	--------	---	----	----	----	---



Villawood Glass Door 36

Options & Accessories**Options & Accessories**

ODVILLA-36DP	Drain Pan for 36" ODVILLA	\$ 189	8	14	14	14	Y
--------------	---------------------------	--------	---	----	----	----	---

Venting Notes

Requires SL300 series pipe. See Venting section.

Villawood 42**Includes:**

- Traditional or herringbone brick interior
- Grate
- Stainless steel mesh curtain screens
- Dual gas knockouts
- Outside air standard
- UL & ULC listed
- 42" x 20-7/8" viewing area



No additional items required to complete.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODVILLA-42T-B	42" Outdoor Villa Wood Firebox - Traditional Refractory	\$ 1,839	Y	Y	Y	Y	N
ODVILLA-42H-B	42" Outdoor Villa Wood Firebox - Herringbone Refractory	\$ 1,889	Y	Y	Y	Y	N

Doors - Operable**Villawood Glass Door 42**

ODVGF-42	42" Bi-fold glass doors	\$ 779	Y	14	14	14	Y
----------	-------------------------	--------	---	----	----	----	---



Villawood Glass Door 42

Options & Accessories**Options & Accessories**

ODVILLA-42DP	Drain Pan for 36" ODVILLA	\$ 199	8	14	14	14	Y
--------------	---------------------------	--------	---	----	----	----	---

Venting Notes

Requires SL300 series pipe. See Venting section.

Hearth & Home Technologies

Fireplace Outdoor - Gas - Multi-Sided

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT
Current pricing updated 04/06/2026

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

Fortress 36 Indoor/Outdoor See-Through Gas Fireplace

Includes:

- Anti-reflective glass
- Touch screen remote control (RC400)
- Halogen accent lights
- Factory installed outdoor kit
- Both Indoor and Outdoor Screen
- 56,000-38,000 BTUs (NG)
- 59,000-44,000 BTUs (LP)
- 36" x 30" viewing area
- CSA design certified
- Not available for sale in Rhode Island



Required to Complete - Sold Separately: • Traditional or herringbone brick interior. • Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODFORTG-36	Fortress indoor/outdoor gas fireplace with IntelliFire Touch ignition system, see-through	\$ 10,649	Y	Y	14	Y	N

Brick Panels (Required to Complete)

Fortress Brick Panels

ODFORTG36-IT	Fortress traditional brick refractory	\$ 499	Y	14	Y	14	N
ODFORTG36-IH	Fortress herringbone brick refractory	\$ 559	Y	Y	21	Y	N

Conversion Kit

Conversion Kit

LPK-ODFORTG-36	LP conversion kit for Fortress	\$ 104	Y	Y	Y	Y	Y
----------------	--------------------------------	--------	---	---	---	---	---

Control, remotes, wall switches

IntelliFire app

IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400, RC450 or RC150 is required for thermostat control	\$ 239	Y	Y	Y	Y	Y
---------	---	--------	---	---	---	---	---

Remote/Wall Switch/Wall Thermostat

IFT-RC150	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength)	\$ 124		Y	Y	Y	Y
-----------	---	--------	--	---	---	---	---

Touch Screen Remote

IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$ 399	Y	Y	Y	Y	Y
-----------	---	--------	---	---	---	---	---

Wall Switch						
IFT-RC150-HTL	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)	*	14	14	14	Y Y



IntelliFire app



Touch Screen Remote



Wall Switch

Venting Notes
Requires 8" DVP pipe. Must have a 24" minimum vertical vent before attaching a 90° elbow to unit. See venting section.
Approved for use with PVLP-SLP and PVI-SLP-B with power vent wire harness (order separately). See venting section of manual.

Lanai 48 See-Through**Includes:**

- Multi-colored LED lights
- Crystal glass media
- Glass wind guards
- Wall control with LED lights
- Gas flex connector
- 15' wire harness for wall control
- 48" x 17" viewing area
- 55,000 BTUs (NG & LP)
- UL/ULC listed



Required to Complete - Sold Separately: • Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODLANAIGST-48	48" Lanai outdoor linear fireplace with IntelliFire Ignition, See-through	\$ 5,249	Y	14	14	14	N

Conversion Kit**Conversion Kit**

LPK-ODLANAIG48	LP Conversion Kit - 48" Lanai	\$ 136	Y	Y	Y	Y	Y
----------------	-------------------------------	--------	---	---	---	---	---

Firescreens**Lanai Screen**

ODLANAIG-48SCN	Framed Screen Barrier - 48" Lanai	\$ 439	Y	Y	Y	Y	Y
----------------	-----------------------------------	--------	---	---	---	---	---



Lanai Screen

Clean Face Kit**Lanai CF Kit**

ODLANAIG-48CFT	Clean Face Trim Kit - 48" Lanai	\$ 299	Y	Y	14	14	Y
----------------	---------------------------------	--------	---	---	----	----	---

Gas Logs - Log Set Option**Log Accessories**

CDLS	Driftwood Log Set	\$ 629	Y	Y	Y	Y	Y
------	-------------------	--------	---	---	---	---	---

Media**Crushed Glass Media**

MEDIA-CLEAR-48	Glass media, crystal (translucent white)	\$ 279	Y	Y	Y	Y	Y
MEDIA-AMBER-48	Glass media, amber	\$ 389	Y	Y	Y	Y	Y
MEDIA-RED-48	Glass media, scarlet (red)	\$ 389	14	14	14	14	Y
MEDIA-EBONY-48	Glass media, ebony (black)	\$ 389	Y	Y	Y	Y	Y
MEDIA-COBALT-48	Glass media, cobalt (blue)	\$ 389	14	21	14	14	Y

MEDIA									
STONEKIT	Stone Kit						\$	159	Y Y Y Y Y
Options & Accessories									
Options & Accessories									
ODLANAIG-48DP	Drain Pan - 48" Lanai						\$	249	Y Y 14 14 Y
Venting Notes									
No venting is required for this unit									

Lanai 60 See-through

Includes:

- Multi-colored LED lights
- Crystal glass media
- Glass wind guards
- Wall control with LED lights
- Gas flex connector
- 15' wire harness for wall control
- 60" x 17" viewing area
- 65,000 BTUs (NG & LP)
- UL/ULC listed



Required to Complete - Sold Separately: • Units are built NG. Conversion kit required for LP

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ODLANAIGST-60	LANAI 60" Outdoor See-through Gas Fireplace, NG	\$ 5,859	Y	14	14	14	N

Conversion Kit

Conversion Kit

LPK-ODLANAIG60	LP Conversion Kit - 60"/72" Lanai	\$ 159	Y	Y	Y	Y	Y
----------------	-----------------------------------	--------	---	---	---	---	---

Firescreens

Lanai Screen

ODLANAIG-60SCN	Framed Screen Barrier - 60" Lanai	\$ 519	Y	Y	14	21	Y
----------------	-----------------------------------	--------	---	---	----	----	---



Lanai Screen

Clean Face Kit

Lanai CF Kit

ODLANAIG-60CFT	Clean Face Trim Kit - 60" Lanai	\$ 319	Y	14	Y	14	Y
----------------	---------------------------------	--------	---	----	---	----	---

Gas Logs - Log Set Option

Log Accessories

CDLS	Driftwood Log Set	\$ 629	Y	Y	Y	Y	Y
------	-------------------	--------	---	---	---	---	---

Media

Crushed Glass Media

MEDIA-CLEAR-60	Glass media, crystal (translucent white)	\$ 379	Y	Y	Y	Y	Y
MEDIA-AMBER-60	Glass media, amber	\$ 469	Y	21	14	14	Y
MEDIA-COBALT-60	Glass media, cobalt (blue)	\$ 469	14	14	14	14	Y
MEDIA-RED-60	Glass media, scarlet (red)	\$ 469	14	14	14	14	Y
MEDIA-EBONY-60	Glass media, ebony (black)	\$ 469	Y	Y	Y	Y	Y

MEDIA									
STONEKIT	Stone Kit								
Options & Accessories									
Options & Accessories									
ODLANAIG-60DP	Drain Pan - 60" Lanai								

Twilight Indoor/Outdoor See-Through Gas Fireplace

Includes:

- 38,000 Btu/Hour Input (NG)
- 36,000 Btu/Hour Input (LP)
- Gas flex connector
- Traditional refractory
- Junction box
- 7 ceramic fiber logs
- Manual gas shut-off valve
- Glowing embers
- Battery backup
- Exterior front
- IntelliFire Touch ignition system



Required to Complete - Sold Separately:

- 1 interior front
- Units are built NG. Conversion kit required for LP.
- Advanced Install Product training required before product ships

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TWILIGHT-IFT	Twilight 36" Indoor/Outdoor See-Through Gas Fireplace with IntelliFire (NG)	\$ 7,729	Y	Y	Y	Y	N

Fronts - Non-Operable (Required to Complete)

Twilight Firescreen

FS-TWI-BK	Firescreen front - Black	\$ 499	Y	Y	Y	Y	Y
-----------	--------------------------	--------	---	---	---	---	---

Twilight Modern Fronts

TWI-MOD-BK	Contemporary front with built in, overlapping surround - Black	\$ 799	14	14	14	14	N
------------	--	--------	----	----	----	----	---



Twilight Firescreen



Twilight Modern Fronts

Conversion Kit

Conversion Kit

LPK-TWI-IFT	LP Conversion Kit	\$ 101	Y	Y	Y	Y	Y
NGK-MC-C	NG Conversion Kit	\$ 104	14	14	14	14	Y

Fans

Fan

GFK-160T	Blower Assembly - Cannot install fan if ordering a modern front	\$ 349	Y	Y	Y	Y	Y
----------	---	--------	---	---	---	---	---

Control, remotes, wall switches

Battery Back Up

BATTERY-WSK	Battery backup wall switch kit for units with IFT control systems. Includes: On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$ 199	Y	14	Y	14	Y
-------------	--	--------	---	----	---	----	---

IntelliFire app						
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400, RC450 or RC150 is required for thermostat control	\$ 239	Y	Y	Y	Y
IntelliFire Touch Controls - Aux Module						
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).	\$ 100	Y	Y	14	14
Remote/Wall Switch/Wall Thermostat						
IFT-RC150	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength	\$ 124		Y	Y	Y
Touch Screen Remote						
IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$ 399	Y	Y	Y	Y
Wall Switch						
IFT-RC150-HTL	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)	*	14	14	14	Y



Battery Back Up



IntelliFire app



Touch Screen Remote



Wall Switch

Venting Notes

No venting is required with this unit.

Twilight Modern Indoor/Outdoor See-Through Gas Fireplace**Includes:**

- 38,000 Btu/Hour Input (NG)
- 36,000 Btu/Hour Input (LP)
- Black glass media
- Reflective black glass refractory
- Gas flex connector
- Manual gas shut-off valve
- Junction box
- Battery backup
- Exterior front
- IntelliFire Touch ignition system



Required to Complete - Sold Separately:

- 1 non-operable front required for interior
- Advanced Install Product training required before product ships
- Units are built NG. Conversion kit required for LP.

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TWILIGHT-MD-IFT	Twilight Modern 36" Indoor/Outdoor See-Through Gas Fireplace contemporary with Intellifire (NG)	\$ 8,229	14	14	Y	14	N

Fronts - Non-Operable (Required to Complete)**Twilight Firescreen**

FS-TWI-BK	Firescreen front - Black	\$ 499	Y	Y	Y	Y	Y
-----------	--------------------------	--------	---	---	---	---	---

Twilight Modern Fronts

TWI-MOD-BK	Contemporary front with built in, overlapping surround - Black	\$ 799	14	14	14	14	N
------------	--	--------	----	----	----	----	---



Twilight Firescreen



Twilight Modern Fronts

Conversion Kit**Conversion Kit**

LPK-TWI-IFT	LP Conversion Kit	\$ 101	Y	Y	Y	Y	Y
NGK-MC-C	NG Conversion Kit	\$ 104	14	14	14	14	Y

Media**Crushed Glass Media**

MEDIA-BLACK-20	Glass media, Ebony (black)	\$ 279	14	14	14	14	N
MEDIA-AMBER-20	Glass media, Amber	\$ 289	14	14	14	14	Y
MEDIA-CRYSTAL21	Glass media, Crystal (translucent white) - 21 lbs	\$ 309	14	14	14	14	N

Fans**Fan**

GFK-160T	Blower Assembly - Cannot install fan if ordering a modern front	\$ 349	Y	Y	Y	Y	Y
----------	---	--------	---	---	---	---	---

Control, remotes, wall switches**Battery Back Up**

BATTERY-WSK	Battery backup wall switch kit for units with IFT control systems. Includes: On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$ 199	Y	14	Y	14	Y
-------------	--	--------	---	----	---	----	---

IntelliFire app

IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400, RC450 or RC150 is required for thermostat control	\$ 239	Y	Y	Y	Y	Y
---------	---	--------	---	---	---	---	---

IntelliFire Touch Controls - Aux Module

IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).	\$ 100	Y	Y	14	14	Y
---------	---	--------	---	---	----	----	---

Remote/Wall Switch/Wall Thermostat

IFT-RC150	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength	\$ 124		Y	Y	Y	Y
-----------	--	--------	--	---	---	---	---

Touch Screen Remote

IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$ 399	Y	Y	Y	Y	Y
-----------	---	--------	---	---	---	---	---

Wall Switch

IFT-RC150-HTL	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)	*	14	14	14	Y	Y
---------------	---	---	----	----	----	---	---



Battery Back Up



IntelliFire app



Touch Screen Remote



Wall Switch

Venting Notes

No venting is required with this unit.

Hearth & Home Technologies

Power Vent

Stocked Item/Lead Time

004=Mt. Pleasant RDC
 010=Kutztown RDC
 014=Sacramento RDC
 016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

PVV-SLEEVE

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PVV-SLEEVE-12	12" long sleeve for use with PVV-SLP to protect the wire harness; 8" diameter, uses DVP flashing for roof terminations	\$ 83	Y	14	14	14	Y
PVV-SLEEVE-48	48" long sleeve for use with PVV-SLP to protect the wire harness; 8" diameter, uses DVP flashing for roof terminations	\$ 140	Y	14	14	14	Y

PVLP-SLP - Low Profile Power Vent

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PVLP-SLP	Low Profile Power Vent, may require PV-IPI-CK kit. Refer to Venting Notes on the fireplace price page. Wire harness required to complete.	\$ 1,949	Y	Y	14	Y	Y

PVV-SLP

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PVV-SLP	Vertical Power Vent, includes a DVP storm collar. May require PV-IPI-CK, refer to venting notes on the fireplace price page. PVV-SLEEVE-12 or PVV-SLEEVE-48 required to complete, wire harness required to complete.	\$ 1,949	Y	14	14	Y	Y

Power Vent

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PVI-SLP-B	Inline Power Vent, may require PV-IPI-CK kit. Refer to Venting Notes on the fireplace price page. Wire harness required to complete.	\$ 1,949	14	14	14	14	N

PVLP-SLP - Accessories

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PVLP-HS	Low Profile Power Vent Heat Shield (optional)	\$ 82	8	14	14	14	Y
PVLP-BEK	Brick extension kit for Low Profile Power Vent	\$ 94	Y	14	Y	14	Y
PV-IPI-CK	Power Vent conversion kit required for IntelliFire and IntelliFire Plus Gas Fireplaces	\$ 419	Y	Y	14	14	Y

PVI-SLP - Term Kits and Acc

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
LPC-BEK	Brick kit	\$ 103	8	14	14	14	Y

Hearth & Home Technologies

Wire Harness

Stocked Item/Lead Time

004=Mt. Pleasant RDC
 010=Kutztown RDC
 014=Sacramento RDC
 016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

Power Vent - Wire Harness

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
PVI-WH10	10 foot Power Vent Wire Harness for use with PVLP-SLP, PVV-SLP and PVI-SLP-B	\$ 144	14	21	14	14	Y
PVI-WH20	20 foot Power Vent Wire Harness for use with PVLP-SLP, PVV-SLP and PVI-SLP-B	\$ 209	14	14	14	14	Y
PVI-WH40	40 foot Power Vent Wire Harness for use with PVLP-SLP, PVV-SLP and PVI-SLP-B	\$ 259	Y	Y	Y	Y	Y
PVI-WH60	60 foot Power Vent Wire Harness for use with PVLP-SLP, PVV-SLP and PVI-SLP-B	\$ 319	Y	Y	21	14	Y
PVI-WH80	80 foot Power Vent Wire Harness for use with PVLP-SLP, PVV-SLP and PVI-SLP-B	\$ 359	21	28	28	28	Y
PVI-WH100	100 foot Power Vent Wire Harness for use with PVLP-SLP, PVV-SLP and PVI-SLP-B	\$ 419	21	28	14	14	Y
PVMW100	Wire harness for PVLP-SLP Power Vent installed on Signature Command fireplace, 100 ft	\$ 789	8	14	14	14	Y

Hearth & Home Technologies

Venting

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.
Customer is responsible for freight for orders made outside of assigned RDC facility.

8" DuraPlus - Anchor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8DP-BP	8" DuraPlus base plate	\$ 190	35	35	28	35	N

8" DuraPlus - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8DP-WT	8" DuraPlus wall thimble	\$ 250	35	35	28	35	N
DV-8DP-WTSS	8" DuraPlus wall thimble (SS)	\$ 292	35	35	28	35	N
DV-8DP-TSB	8" DuraPlus tee support bracket (GA)	\$ 316	35	35	28	35	N
DV-8DP-CS11	8X11 DuraPlus square ceiling support	\$ 326	35	35	28	35	N
DV-8DP-TSBSS	8" DuraPlus tee support bracket (SS)	\$ 501	35	35	28	35	N
DV-8DP-CS36	8X36 DuraPlus square ceiling support	\$ 555	35	35	28	35	N

8" DuraPlus - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8DP-TSS	8" DuraPlus tee w/cap (SS)	\$ 959	35	35	28	35	N

Brick Extension Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
HEAT-OUT-BEK	Exterior Heat-Zone brick extension kit	\$ 75	8	14	21	14	Y

Decorative Termination for Wood Units - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TR-TVK	Round termination top adaptor kit for shrouds	\$ 130	Y	14	Y	Y	Y

Decorative Termination Caps/Shrouds for Wood and Gas Units - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
CT-3A-B	Chimney adapter for use with DTS & DTO caps on SL300 pipe	\$ 209	8	14	14	14	Y
CT-11A-B	Chimney adapter for use with DTS & DTO caps on SL1100 pipe	\$ 239	Y	14	14	14	Y
CT-14A	Chimney adapter for use with DTS & DTO caps on 14" DuraChimney	\$ 289	8	21	14	14	Y
LDS33	Vertical 3' x 3' (915mm x 915mm) field adjustable, UL listed decorative shroud for use with TS and TR termination caps	\$ 429	8	14	14	14	Y
LDS46	Vertical 4' x 6' (1220mm x 1830mm) field adjustable, UL listed decorative shroud for use with TS and TR termination caps	\$ 799	8	14	14	Y	Y
LDSCP-M	40 piece multi-pack of UL listed vertical shroud "corner posts" for field fabrication of shroud	\$ 969	Y	21	14	14	Y
DTS134-BK	Decorative Termination Square 34" - Black (Adapter required for wood)	\$ 1,809	Y	14	14	Y	N
DTO134-BK	Decorative Termination Octagon 34" - black (adapter required for wood pipe)	\$ 1,809	8	14	14	14	N
DTS134-CP	Decorative Termination Square 34" - faux copper (Adapter required for wood)	\$ 1,809	8	21	14	Y	N
DTO134-CP	Decorative Termination Octagon 34" - faux copper (Adapter required for wood)	\$ 1,809	8	14	14	14	N
DTO146-CP	Decorative Termination Octagon 46" - faux copper (Adapter required for wood)	\$ 1,979	8	21	14	Y	N
DTS146-CP	Decorative Termination Square 46" - faux copper (Adapter required for wood)	\$ 1,979	8	21	14	14	N
DTO146-BK	Decorative Termination Octagon 46" - Black (Adapter required for wood)	\$ 1,979	8	14	14	14	N
DTS146-BK	Decorative Termination Square 46" - Black (Adapter required for wood)	\$ 1,979	8	14	14	14	N

6" DuraPlus

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DP-WS	6" DuraPlus wall strap	\$ 79	35	35	28	35	N
DV-6DP-ES	6" DuraPlus elbow strap	\$ 94	35	35	28	35	N
DV-6DP-WSSS	6" DuraPlus wall strap - stainless steel	\$ 99	35	35	28	35	N
DV-6DP-09	6x9 DuraPlus pipe	\$ 189	35	35	28	35	N
DV-6DP-FRS	6" DuraPlus firestop radiation shield	\$ 190	35	35	28	35	N
DV-6DP-WT	6" DuraPlus wall thimble	\$ 196	35	35	28	35	N
DV-6DP-IS	6" DuraPlus attic insulation shield	\$ 211	35	35	28	35	N
DV-6DP-CCS48	6x48 DuraPlus close clearance shield	\$ 232	35	35	28	35	N
DV-6DP-TSB	6" DuraPlus tee support bracket	\$ 254	35	35	28	35	N
DV-6DP-RCS	6" DuraPlus RD ceiling support box	\$ 310	35	35	28	35	N
DV-6DP-CCS36	6x36 DuraPlus close clearance shield	\$ 353	35	35	28	35	N
DV-6DP-F12DSA	6" DuraPlus DSA flashing 7/12-12/12	\$ 420	35	35	28	35	N
DV-6DP-TSBSS	6" DuraPlus tee support bracket - stainless steel	\$ 501	35	35	28	35	N
DV-6DP-CS36	6x36 DuraPlus square ceiling support box	\$ 566	35	35	28	35	N
DV-6DP-T	6" DuraPlus tee with cap	\$ 610	35	35	28	35	N
DV-6DP-F24	6" DuraPlus flashing 19/12-24/12	\$ 643	35	35	28	35	N
DV-6DP-TSS	6" DuraPlus tee with cap - stainless steel	\$ 675	35	35	28	35	N
DV-6DP-E15	6" DuraPlus 15 Degree elbow kit	\$ 752	35	35	28	35	N
DV-6DP-F18	6" DuraPlus 13/12-18/12	\$ 1,057	35	35	28	35	N
DV-6DP-KMFG	6" DuraPlus multi-fuel home kit	\$ 1,525	35	35	28	35	N
DV-6DP-CCS60	6x60 DuraPlus close clearance shield	\$ 1,863	35	35	28	35	N

10" B-Vent Components - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-10BVSC	Storm Collar	\$ 39	35	35	28	35	Y
DV-10BVF	Adjustable Roof Flashing	\$ 142	35	35	28	35	Y
DV-10BVFF	Tall Cone Flat Flashing	\$ 200	35	21	28	21	Y

10" B-Vent Components - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-7DP-WS	Wall Strap (DuraPlus Mult applies)	\$ 100	35	14	28	14	Y
DV-10GVFS	Firestop Spacer	\$ 119	Y	14	28	14	Y

10" B-vent Draft Hood Connector

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-10BVC-1	10* DRAFT HOOD CONNECTOR	\$ 154	35	35	35	35	Y

10" B-Vent Components - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-10BV12-1	12* LENGTH OF 10* B-VENT	\$ 228	35	35	35	35	Y
DV-10BV18-1	18* LENGTH OF 10* B-VENT	\$ 248	Y	14	14	14	Y
DV-10BV24-1	24* LENGTH OF 10* B-VENT	\$ 313	35	35	35	35	Y
DV-10BV36-1	36* LENGTH OF 10* B-VENT	\$ 350	Y	Y	28	14	Y
DV-10BV18A-1	18* ADJ LENGTH OF 10* BV	\$ 375	Y	14	14	14	Y

10" B-Vent Components - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-10BVL45-1	10* 45 DEGREE ADJ ELBOW	\$ 341	Y	Y	14	14	Y
DV-10BVL90-1	10* 90 DEGREE ADJ ELBOW	\$ 384	35	35	14	35	Y

10" B-vent High Wind Cap

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-10BVVT-1	10* B-VENT HIGH WIND CAP	\$ 398	35	35	35	35	Y

6" B-Vent Terminations - Shield/Flashing/Coll

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVSC	6BVSC - Storm Collar	\$ 21	Y	21	28	Y	Y

6" B-Vent Components - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVFS	6BVFS - Firestop Spacer	\$ 23	Y	14	28	Y	Y
DV-6BVS	6BVS - Gas Vent Roof Support	\$ 42	35	35	28	35	Y

6" B-Vent Components - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVC	6BVC - Draft Hood Connector	\$ 44	35	35	28	35	Y
DV-6BV36	6X36 LENGTH B-VENT	\$ 105	Y	21	14	Y	Y
DV-6BVFF	TALL CONE FLASHING	\$ 114	35	35	28	35	Y

6" B-Vent Components - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BV06	6BVDV-6 - 6" Length Round Rigid Pipe	\$ 50	Y	21	28	Y	Y
DV-6BV12	6BV12 - 12" Length Round Rigid Pipe	\$ 51	Y	21	28	Y	Y
DV-6BV18	6BV18 - 18" Length Round Rigid Pipe	\$ 58	Y	21	28	Y	Y
DV-6BV12A	6BV12A - 12" Length Round Adjustable Pipe	\$ 63	Y	21	28	Y	Y
DV-6BV24	6BV24 - 24" Length Round Rigid Pipe	\$ 82	Y	21	28	Y	Y
DV-6BV48	6BV48 - 48" Length Round Rigid Pipe	\$ 136	Y	21	28	Y	Y
DV-6BV60	6BV60 - 60" Length Round Rigid Pipe	\$ 160	Y	21	28	Y	Y

6" B-Vent Components - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVF	6BVF - Adjustable Roof Flashing	\$ 80	35	21	Y	35	N
DV-6BVF SR	6BVF SR - Steep Roof Flashing	\$ 136	Y	Y	28	Y	Y
DV-6BVFDSA	6BVFDSA - 6" DSA Roof Flashing	\$ 155	35	21	Y	21	Y

6" B-Vent Components - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVL45	6BVL45 - 45/60 Degree Adjustable Elbow	\$ 82	Y	21	28	Y	Y
DV-6BVL90	6BVL90 - 90 Degree Adjustable Elbow	\$ 141	Y	21	28	Y	Y

6" B-Vent Terminations - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVDC	6BVDC - DuraCap	\$ 83	Y	21	28	21	Y
DV-6BVVTH	6BVVTH - High-Wind Cap	\$ 98	Y	21	21	Y	Y

6" B-vent Quick Grip Firestop/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVFSPU	6" B-vent Quick Grip Firestop/Support	\$ 93	35	35	28	35	Y

6" B-vent Wall Support/Band Assembly

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6BVWSB	6" B-vent Wall Support/Band Assembly	\$ 121	35	35	28	35	Y

8" B-Vent Components - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BVSC	Storm Collar	\$ 27	35	35	28	35	Y
DV-8BVFS	Firestop Spacer	\$ 42	Y	14	28	14	Y
DV-8BVF	Adjustable Roof Flashing	\$ 105	35	35	28	35	Y
DV-8BVFF	Tall Cone Flat Flashing	\$ 144	35	35	28	35	Y
DV-8BVFSR	Steep Roof Flashing	\$ 211	35	35	14	35	Y
DV-7BVIS	Attic Insulation Shield 7" - 8"	\$ 286	35	35	28	35	Y

8" B-Vent Components - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BV12	12" Length Round Rigid Pipe	\$ 83	Y	21	28	21	Y
DV-8BV12A	12" Length Round Adjustable Pipe	\$ 94	Y	21	28	21	Y
DV-8BV18	18" Length Round Rigid Pipe	\$ 94	Y	21	28	21	Y
DV-8BV24	24" Length Round Rigid Pipe	\$ 135	Y	21	28	21	Y
DV-8BV36	36" Length Round Rigid Pipe	\$ 172	35	28	28	21	Y
DV-8BV48	48" Length Round Rigid Pipe	\$ 235	Y	21	28	14	Y
DV-8BV60	60" Length Round Rigid Pipe	\$ 272	Y	21	28	21	Y

8" B-Vent Components - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BVWT	Wall Thimble	\$ 98	35	35	28	21	Y

8" B-Vent Components - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BVVS	SQUARE FIRESTOP SUPPORT	\$ 101	35	35	28	35	Y

8" B-Vent Components - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BVL45	45 Degree Adjustable Elbow	\$ 138	Y	21	28	21	Y
DV-8BVL90	90 Degree Adjustable Elbow	\$ 217	Y	21	28	21	Y

8" B-vent Wall Support/Band Assembly

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BVWSB	8" B-vent Wall Support/Band Assembly	\$ 141	35	35	28	35	Y

8" B-Vent Components - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-8BVVTH	High-Wind Cap	\$ 148	35	35	28	35	Y

DVP Termination Kits - Single Pk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TRAP-LV	Top Louver for Trap Caps	\$ 27	8	14	14	14	Y
TRAP-VSS	Vinyl siding shield	\$ 28	Y	Y	14	Y	Y
VPK-DV	Vinyl protector kit	\$ 117	14	14	14	14	Y

DVP Components-SinglePk - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP-HVS	Horizontal pipe support	\$ 52	Y	Y	14	14	Y
DVP-FS	Ceiling firestop	\$ 74	Y	Y	Y	Y	Y
DVP-WS	Wall Firestop	\$ 100	Y	Y	Y	Y	Y

DVP Components-SinglePk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
UNIV-AS2	Attic insulation shield (firestop not included)	\$ 56	Y	Y	Y	Y	Y
DVP-RDS	Roof Deck Underside Insulation Shield	\$ 289	8	21	Y	14	Y

DVP Components-SinglePk - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP4	4" (102mm) length of double wall	\$ 81	Y	Y	Y	Y	Y
DVP6	6" (152mm) length of double wall	\$ 90	Y	Y	Y	Y	Y
DVP6A	3 - 6" (76-152mm) slip section to slide over pipe (can be cut to length)	\$ 96	Y	Y	Y	Y	Y
DVP12	12" (305mm) length of double wall	\$ 125	Y	Y	Y	Y	Y
DVP12A	3 - 12" (76-305mm) slip section to slide over pipe (can be cut to length)	\$ 130	Y	Y	Y	Y	Y
DVP24	24" (610mm) length of double wall	\$ 132	Y	Y	Y	Y	Y
DVP36	36" (914mm) length of double wall	\$ 142	Y	Y	Y	Y	Y
DVP48	48" (1219mm) length of double wall	\$ 209	Y	Y	Y	Y	Y

DVP Termination Kits - Multi Pk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP-TRAPFL	Trap cap rain flashing (multi-pack of 4)	\$ 131	Y	Y	Y	Y	Y
DVP-HSM-B	26" (660mm) trimmable heat shield (multi-pack of 6)	\$ 219	8	21	14	14	Y

DVP Components-SinglePk - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP90ST	90 Degree elbow	\$ 159	Y	Y	Y	Y	Y
DVP45	45 Degree elbow	\$ 159	Y	Y	Y	Y	Y

Roof Flashing

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
RF6	Roof flashing, 0/12 - 6/12 roof pitch	\$ 189	Y	Y	Y	Y	Y
RF12	Roof flashing, 7/12 - 12/12 roof pitch	\$ 229	Y	Y	Y	Y	Y

DVP Termination Kits - Single Pk - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP-TV	Vertical direct vent termination cap, with storm collar	\$ 329	Y	Y	Y	Y	Y
DVP-TRAP2	Horizontal termination cap with long flue, attached slip and wall shield with heat shield, 5-3/8" - 9-3/8" (137 -238mm)	\$ 349	Y	Y	Y	Y	Y
DVP-TRAP1	Horizontal termination cap with short flue, attached slip and wall shield with heat shield, 3-1/8" - 4-5/8" (79-117mm)	\$ 349	Y	Y	Y	Y	Y
DVP-TVHW	Vertical termination cap - high wind (includes 18901 storm collar)	\$ 349	Y	Y	Y	Y	Y
DVP-HPC2	Horizontal high performance termination cap (long flue with attached slip, and wall shield with heat shield)	\$ 409	8	14	14	14	Y
DVP-HPC1	High performance termination cap (short flue with attached slip, and wall shield with heat shield)	\$ 409	8	21	14	14	Y
DVP-TRAPK1	Horizontal termination kit (includes DVP-TRAP1, slip section, wall shield and DVP90ST)	\$ 469	Y	Y	Y	Y	Y
DVP-TRAPK2	Horizontal termination kit (includes DVP-TRAP2, slip section, wall shield and DVP90ST)	\$ 469	Y	Y	Y	Y	Y
DVP-HRC-SS	Horizontal high rise termination cap, standard base, DVP pipe (stainless steel)	\$ 539	8	14	14	14	Y
DVP-HRC-ZC-SS	Horizontal high rise termination cap, glass termination base, DVP pipe (stainless steel)	\$ 539	8	14	14	14	Y
DVP-TB1	Horizontal snorkel cap for basement applications	\$ 549	Y	21	14	14	Y

DVP Components-MultiPk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP-WSM	DVP Wall Shield (6 piece)	\$ 609	Y	21	14	14	Y

DVP Components-MultiPk - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP-FSM	Ceiling firestop (multi-pack of 10)	\$ 609	Y	Y	Y	Y	Y

DVP Termination Kits - Multi Pk - Brick Extension

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
BEK	Brick extension kit, 14" x 14" (multi-pack of 10)	\$ 819	8	21	14	14	N
DVP-BEK2	Brick extension kit, 12" x 14" (multi-pack of 10)(box quantities only)	\$ 889	Y	Y	14	Y	Y

SLP Flex Pipe - Components

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-FLEX-3	3' (914mm) SL pipe length - flexible venting	\$ 189	Y	21	21	14	Y
SLP-FLEX-5	5' (1524mm) SL pipe length - flexible venting	\$ 239	Y	14	Y	21	N
SLP-FLEX-10	10' (3048mm) SL pipe length - flexible venting	\$ 349	Y	21	Y	14	Y

SLP Flex Pipe - Termination Kits

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-FLEX-TRAP	Trapezoid termination kit (includes cap and wall thimble)	\$ 439	Y	21	Y	21	N
SLP-FLEXTRAP30B	Trapezoid termination kit (includes 24" of flex, trap cap with 6" collar and firestop)	\$ 539	Y	21	Y	14	Y

Decorative Shrouds for Direct Vent - Shroud

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DRC-RADIUS	Decorative radius cover for SLP/DVP-TRAP	\$ 329	Y	Y	Y	Y	Y

Decorative Shroud B-Vent - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
LDS-BV	Decorative shroud for 5" or 6" B-vent	\$ 379	Y	21	14	14	Y

Shrouds for Gas Units - Shroud

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TCG375	Vertical terra cotta termination cap cover (for DV and BV units)	\$ 549	Y	21	21	21	N
COOL-ADDM	Safety shields for horizontal termination caps (multi-pack of 6)	\$ 629	Y	Y	14	Y	Y

SLP - Black - Single-Pack - Adapter

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-SA	Stove adapter	\$ 18	8	14	14	14	Y

SLP - Components - Single-Pack - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-FS	Ceiling firestop	\$ 55	Y	Y	Y	Y	Y
SLP-WS	Wall firestop	\$ 65	Y	Y	Y	Y	Y
SLP-HVS	Horizontal vent support hanger	\$ 70	Y	Y	14	14	Y

SLP - Components - Single-Pack - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP6A	2" - 6" (51 - 152mm) slip section to slide over pipe (can be cut to length)	\$ 70	Y	Y	Y	Y	Y
SLP6	6" (152mm) pipe length	\$ 73	Y	Y	Y	Y	Y
SLP4	4" (102mm) pipe length	\$ 73	Y	Y	Y	Y	Y
SLP12A	2" - 12" (51 - 305mm) slip section to slide over pipe (can be cut to length)	\$ 85	Y	Y	Y	Y	Y
SLP12	12" (305mm) pipe length	\$ 100	Y	Y	Y	Y	Y
DVP-2SL	DVP to SLP adapter converts 8 inch to 6-5/8	\$ 110	Y	Y	Y	Y	N
SLP24	24" (610mm) pipe length	\$ 118	Y	Y	Y	Y	Y
DVP-SLP24	DVP to SLP 24" (640mm) pipe length adapter	\$ 129	Y	Y	Y	Y	Y
SLP36	36" (914mm) pipe length	\$ 129	Y	Y	Y	Y	Y
SL-2DVP	SLP to DVP adapter	\$ 169	Y	Y	21	21	N
SLP48	48" (1219mm) pipe length	\$ 179	Y	Y	Y	Y	Y

SLP - Black - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP6A-BK	2" - 6" (51 - 152mm) slip section to slide over pipe (can be cut to length) - Black	\$ 74	Y	Y	14	14	Y
SLP4-BK	4" (102mm) pipe length - Black	\$ 75	Y	14	14	14	Y
SLP12A-BK	2" - 12" (51 - 305mm) slip section to slide over pipe (can be cut to length) - Black	\$ 79	Y	Y	Y	14	Y
SLP6-BK	6" (152mm) pipe length - Black	\$ 83	Y	Y	Y	14	Y
SLP12-BK	12" (305mm) pipe length - Black	\$ 91	Y	Y	Y	21	Y
SLP24-BK	24" (610mm) pipe length - Black	\$ 120	Y	Y	Y	14	Y
SLP36-BK	36" (914mm) pipe length - Black	\$ 138	Y	Y	Y	14	Y
SLP48-BK	48" (1219mm) pipe length - Black	\$ 199	Y	Y	Y	14	Y

SLP - Black - Collar

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
STOVEDV-BK	Stove collar for DuraVent pipe - Black	\$ 81	14	14	14	14	Y

SLP - Components - Single-Pack - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-RF6	0/12 - 6/12 roof flashing	\$ 91	Y	Y	Y	Y	Y
SLP-RF12	7/12-12/12 roof flashing	\$ 137	Y	Y	Y	Y	Y
SLP-RDS	Roof Deck Underside Insulation Shield	\$ 289	8	21	Y	14	Y

SLP - Black - Decorative

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-WT-BK	Decorative wall thimble cover - Black	\$ 108	Y	Y	Y	14	Y
SLP-DCF-BK	Decorative ceiling firestop - Black	\$ 115	Y	14	14	14	Y
SLP-CCS-BK	Cathedral ceiling support - Black	\$ 169	Y	Y	Y	14	Y

SLP - Black - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP90-BK	90 Degree elbow - Black	\$ 128	Y	Y	Y	14	Y
SLP45-BK	45 Degree elbow - Black	\$ 128	Y	Y	Y	14	Y

SLP - Components - Single-Pack - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP45	45 Degree elbow	\$ 135	Y	Y	Y	Y	Y
SLP90	90 Degree elbow	\$ 137	Y	Y	Y	Y	Y

SLP - Term Kits & Acc - Single Pack - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-TVHW	Vertical termination cap - high wind (includes 4071-004 storm collar)	\$ 219	Y	Y	Y	Y	Y
SLP-TRAP1	Horizontal trapezoid termination short flue 3-1/8 -4-3/4" (79-121mm), includes SLP-WS	\$ 349	Y	Y	Y	14	Y
SLP-TRAP2	Horizontal trapezoid termination Kit 5-1/4 - 9-1/4" (133-235mm) wall thickness	\$ 349	Y	Y	Y	Y	Y
SLP-HHW2	Horizontal high wind trapezoid termination (includes 1 - SLP-WS)	\$ 429	Y	21	Y	14	Y
SLP-TRAPK2	Top vent horizontal term kit #2 (includes SLP-TRAP2, slip section, wall shield, SLP90)	\$ 469	Y	Y	Y	Y	Y
SLP-TRAPK1	Top vent horizontal term kit #1 (includes SLP-TRAP1, slip section, wall shield, SLP90)	\$ 469	Y	21	Y	14	Y
SLP-HRC-SS	Horizontal high-rise termination - stainless steel (includes 1 - SLP-WS)	\$ 489	Y	21	14	14	Y
SLP-TB1	Horizontal snorkel cap for basement applications	\$ 549	Y	21	14	14	Y
SLK-SNKD	SL snorkel cap, adds 14" vertical rise (includes firestop)	\$ 669	35	14	14	14	Y

SLP - Black - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
LINK-STOVE	Stove adapter kit (includes 30' of 4" flex, adapters, wall thimble, masonry, and ZC flashing, 991DA cap and fasteners)	\$ 579	Y	Y	28	21	N
SLP-SK-BK	Horizontal trapezoid termination kit (includes 1 each CCSLP, SLP-HHW2, SLP-WT-BK, SLP24-BK, SLP6-BK, SLP6A-BK, SLP90-BK)	\$ 829	Y	Y	14	14	Y

Gas Insert Venting - Components

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
95070310	BD Flex liner 3x10 aluminum	\$ 75	Y	21	21	14	N
FLEX-CNCT	Connector kit -- 3" liner to 3" liner (1 connector per kit)	\$ 81	Y	Y	14	14	Y
LINK-ZC-ADPB	14 1/2" round flashing adapter kit (for use with existing liner kits when using Class A pipe)	\$ 94	Y	Y	14	14	Y
FLEX3-30	One 3" flexible liner (expands to 30')	\$ 159	Y	14	21	21	N
95070325	BD Flex liner 3x25 aluminum	\$ 179	Y	14			N
DV-46DVA-GCL	Colinear adapter for stoves with SLP coaxial outlets	\$ 358	Y	14	28	14	N
DV-46DVA-GK	Adapter kit - colinear 3" to direct vent pipe to extend the run	\$ 386	Y	14	28	14	N

Gas Insert Venting - 30/30 Termination Kits

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
LINK-DV4-30B	Direct vent insert kit - one 4 - liner, one 30 - liner, plus term cap components	\$ 579	Y	Y	Y	Y	Y
LINKSQB-DV4-30	Direct vent insert kit - one 4 - liner, one 30 - liner, plus black term cap components	\$ 689	Y	Y	14	14	Y
LINK-DV30B	Direct vent insert kit - two 30 - liners, plus term cap components	\$ 689	Y	Y	Y	Y	Y
LINKSQB-DV30	Direct vent insert kit - two 30 - liners, plus black term cap components	\$ 769	Y	Y	Y	14	Y
LINKSQC-DV30	Direct vent insert kit - two 30" liners, plus faux copper term cap components	\$ 829	Y	Y	Y	14	Y

Outside Air Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
AK22	Outside air kit - (flex not included)	\$ 17	Y	Y	Y	Y	Y
OA-RD-6	Outside air elbow kit (used to offset outside air starting collar)	\$ 63	Y	14	14	14	Y
OAK-ACC	ACC outside air kit	\$ 70	Y	Y	Y	21	Y
AKD	Outside Combustion Air Kit with Access Door	\$ 80	Y	21	14	Y	Y
OAK-3	Outside air kit	\$ 159	Y	Y	Y	21	Y
AK-TV	Outside air kit - (25" un-insulated flex duct included)	\$ 199	14	21	14	14	Y

Uninsulated Flex Duct - Chimney Air Kits/Flex Duct

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
UD4	4" (100mm) uninsulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 58	Y	Y	Y	Y	Y
UD6	6" (152mm) uninsulated flex duct for use with outside air kit - includes two 42" (1065mm) sections	\$ 75	Y	14	14	14	Y

Insulated Flex Duct - Chimney Air Kits/Flex Duct

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ID4	4" (100mm) insulated flex duct for outside air - includes two 42" (1065mm) sections	\$ 91	Y	Y	14	Y	Y
ID6	6" (152mm) insulated flex duct for use with outside air kit - includes two 42" (1065mm) sections	\$ 106	Y	Y	Y	Y	Y

SLP and DVP - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
UNIV-AS2M	Attic shield (multi-pack of 6) (firestop not included)	\$ 239	Y	Y	Y	Y	Y

Adaptor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
ADP-CK30	Adapter kit (required for use with CK-30)	\$ 239	Y	Y	Y	14	Y
DG3	Thermal damper	\$ 389	Y	14	14	14	Y

3" Pellet Vent Pro - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-SC	3" PV Storm Collar	\$ 15	35	35	35	35	N
DV-3PVP-WSA-EXT	3" PV Wall Strap Extension	\$ 31	35	35	28	35	N
DV-3PVP-F6	3" PV Adjustable Roof Flashing 0/12-6/12	\$ 47	35	35	28	35	N
DV-3PVP-RC	3" PV Reduction Collar	\$ 51	35	35	28	35	N
DV-3PVP-FF	3" PV Tall Cone Roof Flashing	\$ 63	35	35	28	35	N
DV-3PVP-F6DS	3" PV DSA Roof Flashing 0/12 - 6/12	\$ 125	35	35	28	35	N
DV-3PVP-IS	3" PV Attic Insulation Shield	\$ 126	35	35	28	35	N
DV-3PVP-F12DS	3" PV DSA Roof Flashing 7/12 - 12/12	\$ 136	35	35	28	35	N
DV-3PVP-WT	Wall Thimble (for 1" clearance)	\$ 155	Y	Y	Y	14	N
DV-3PVP-FTC	3" PV Flex Trim Collar	\$ 155	35	35	28	35	N

4" Pellet Vent Pro - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-SC	4" PV Storm Collar	\$ 16	35	35	28	35	N
DV-4PVP-RC	4" PV Reduction Collar	\$ 51	35	35	28	35	N
DV-4PVP-F6	4" PV Adjustable Roof Flashing	\$ 53	35	35	28	35	N
DV-4PVP-IS	4" PV Attic Insulation Shield	\$ 126	35	35	28	35	N
DV-4PVP-FTC	4" PV Flex Trim Collar	\$ 149	35	35	28	35	N
DV-4PVP-WT	4" PV Wall Thimble (for 1" clearance)	\$ 167	35	42	28	42	N

3" Pellet Vent Pro - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-AD	3" PV Appliance Adapter	\$ 45	Y	Y	Y	14	N
DV-3PVP-ADFF	3" PV Female Flex Adapter	\$ 57	35	35	28	35	N
DV-3PVP-ADB	3" PV Appliance Adapter Black	\$ 68	35	35	28	35	N
DV-3PVP-ADHB	3" PV pipe adapter	\$ 69	Y	14	Y	14	N
DV-3PVP-ADFM	3" PV Male Flex Adapter	\$ 79	35	35	28	35	N
DV-3PVP-12A	12" Pipe Extension	\$ 113	Y	14	28	14	N
DV-3PVP-X4	Increaser 3" - 4"	\$ 141	35	35	28	35	N
DV-3PVP-X4AD	Appliance Adapter/Increaser 3" - 4"	\$ 163	35	35	28	35	N
DV-3PVP-X6	Chimney Adapter - 6"	\$ 200	35	35	28	35	N
DV-3PVP-X4ADHB	Appliance Adapter/Increaser 3" - 4"	\$ 214	35	35	28	35	N
DV-3PVP-X4ADB	Appliance Adapter/Increaser 3" - 4" (black)	\$ 214	35	35	28	35	N
DV-3PVP-X8	Chimney Adapter - 8"	\$ 246	35	35	28	35	N
DV-3PVP-TADB	3" PV Adapter Tee w/Clean-Out Tee Cap (black)	\$ 268	35	35	28	35	N

3" Pellet Vent Pro - Anchor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-WS	3" PV Wall Strap	\$ 56	35	35	28	35	N
DV-3PVP-WSA	3" PV Adjustable Wall Strap	\$ 62	35	35	28	35	N

3" Pellet Vent Pro - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-06	6" Straight Length Pipe	\$ 58	Y	Y	Y	14	N
DV-3PVP-06B	6" Straight Length Pipe (black)	\$ 82	Y	14	28	14	N
DV-3PVP-12	12" Straight Length Pipe	\$ 83	Y	Y	Y	14	Y
DV-3PVP-12B	12" Straight Length Pipe (black)	\$ 108	Y	Y	28	14	N
DV-3PVP-24	24" Straight Length Pipe	\$ 109	35	42	Y	14	N
DV-3PVP-12AB	12" Pipe Extension (black)	\$ 135	Y	14	28	14	N
DV-3PVP-24B	24" Straight Length Pipe (black)	\$ 136	Y	Y	28	14	N
DV-3PVP-36	36" Straight Length Pipe	\$ 150	Y	Y	Y	14	N
DV-3PVP-36B	36" Straight Length Pipe (black)	\$ 169	35	35	28	35	N
DV-3PVP-18A	18" Pipe Extension	\$ 173	35	35	28	35	N
DV-3PVP-18AB	18" Pipe Extension (black)	\$ 207	35	35	28	35	N
DV-3PVP-60	60" Straight Length Pipe	\$ 214	35	42	Y	42	N
DV-3PVP-60B	60" Straight Length Pipe (black)	\$ 253	35	35	28	35	N
DV-3PVP-60F	60" Flex Pipe	\$ 368	35	35	28	35	N

4" Pellet Vent Pro - Anchor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-WS	4" PV Wall Strap	\$ 60	35	35	28	35	N
DV-4PVP-WSA	4" PV Adjustable Wall Strap	\$ 66	35	35	28	35	N

4" Pellet Vent Pro - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-06	6" Straight Length Pipe	\$ 62	35	35	28	35	N
DV-4PVP-12	12" Straight Length Pipe	\$ 89	35	14	28	14	N
DV-4PVP-06B	6" Straight Length Pipe (black)	\$ 101	35	35	28	35	N
DV-4PVP-12A	12" Pipe Extension	\$ 125	35	35	28	35	N
DV-4PVP-24	24" Straight Length Pipe	\$ 138	35	42	28	14	N
DV-4PVP-12B	12" Straight Length Pipe (black)	\$ 140	35	35	28	35	N
DV-4PVP-12AB	12" Pipe Extension (black)	\$ 176	35	35	28	35	N
DV-4PVP-36	4" PV 36" Straight Length Pipe	\$ 179	35	42	28	14	N
DV-4PVP-24B	24" Straight Length Pipe (black)	\$ 189	35	35	28	35	N
DV-4PVP-18A	18" Pipe Extension	\$ 191	35	35	28	35	N
DV-4PVP-36B	36" Straight Length Pipe (black)	\$ 221	35	35	28	35	N
DV-4PVP-60	60" Straight Length Pipe	\$ 242	35	14	28	14	Y
DV-4PVP-18AB	18" Pipe Extension (black)	\$ 272	35	35	28	35	N
DV-4PVP-60B	60" Straight Length Pipe (black)	\$ 292	35	35	28	35	N
DV-4PVP-60F	60" Flex Pipe	\$ 534	35	35	28	35	N

3" Pellet Vent Pro - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-CO1	3" CLEAN OUT TEE CAP	\$ 92	35	35	28	35	Y
DV-3PVP-INC	2IN-3IN INCREASER	\$ 103	35	35	28	35	Y
DV-3PVP-HC2	HORIZONTAL CAP	\$ 103	Y	Y	Y	14	Y
DV-3PVP-COB1	End cap for 3" pellet T	\$ 106	35	35	28	35	Y
DV-3PVP-T1	SNG TEE/CLEAN OUT CAP	\$ 245	Y	Y	Y	14	Y
DV-3PVP-TAD1	ADPTR TEE W/ CO CAP	\$ 245	35	35	28	35	Y
DV-3PVP-TADX41	3-4 INCRS ADPT TEE	\$ 260	35	35	28	35	Y
DV-3PVP-TB1	BLK SNG TEE W/ CLEAN OUT	\$ 265	35	14	28	14	Y
DV-3PVP-TADX4B1	3-4 INCRS ADPT TEE BLACK	\$ 283	35	35	28	35	Y
DV-3PVP-DBT1	DBL TEE W/ CLEAN OUT CAP	\$ 479	35	35	28	35	Y
DV-3PVP-DBTB1	BLK DBL TEE W/ CLEAN OUT	\$ 479	35	35	28	35	Y

4" Pellet Vent Pro - Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-FS3	4" PV Ceiling Support Firestop Spacer (for 3" clearance) - Canada*	\$ 111	35	35	28	35	N
DV-4PVP-FS	4" PV Ceiling Support Firestop Spacer (for 1" clearance)	\$ 140	35	35	28	35	N
DV-4PVP-CS	4" PV Cathedral Ceiling Support Box	\$ 248	35	35	28	35	N

3" Pellet Vent Pro - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-HSC	3" PV Square Horizontal Cap	\$ 120	35	35	28	35	N
DV-3PVP-VC	3" PV Vertical Cap	\$ 136	35	42	35	42	N

3" Pellet Vent Pro - Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-FS	3" PV Ceiling Support Firestop Spacer (for 1" clearance)	\$ 120	35	35	28	35	N
DV-3PVP-WTC	Ceiling Support/Wall Thimble Cover	\$ 129	35	35	28	35	N
DV-3PVP-CS	3" PV Cathedral Ceiling Support Box	\$ 248	35	35	28	35	N

3" Pellet Vent Pro - Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-AIK	3" - 4" PelletVent Pro Fresh Air Intake Kit (includes: faceplate w/screen, moisture barrier, aluminum flex, [2] clamp) Made for 3-inch exhaust outlets with 2-inch air inlets. Not for use with Harman products.	\$ 124	35	35	28	35	N
DV-3PVP-WTI	3" Wall Thimble Air Intake Kit (includes: Wall Thimble [for 1" clearance]; 2" AL Flex; [2] hose clamps)	\$ 365	35	42	28	35	N
DV-3PVP-KHA	3" PelletVent Pro Horizontal Kit (includes: Round Horizontal Cap, Wall Thimble [for 1" clearance], Appliance Adapter [black])	\$ 435	35	35	28	35	N
DV-3PVP-KVA	3" PelletVent Pro Vertical Kit - Flat Ceiling (includes: Vertical Cap, Storm Collar, Ceiling Support Firestop Spacer [for 1" clearance], Adjustable Flashing, Appliance Adapter [black])	\$ 577	35	35	28	35	N

4" Pellet Vent Pro - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-HSC	4" PV Square Horizontal Cap	\$ 131	35	35	28	35	N
DV-4PVP-VC	4" PV Vertical Cap	\$ 144	35	35	28	35	N

3" Pellet Vent Pro - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-3PVP-E45	3" PV 45 Degree Elbow	\$ 145	Y	Y	28	14	N
DV-3PVP-E45B	3" PV 45 Degree Elbow (black)	\$ 163	Y	14	28	14	N
DV-3PVP-E90	3" PV 90 Degree Elbow	\$ 183	Y	Y	Y	14	Y
DV-3PVP-E90B	3" PV 90 Degree Elbow (black)	\$ 207	Y	Y	28	14	N

4" Pellet Vent Pro - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-E45	4" PV 45 Degree Elbow	\$ 166	35	35	28	14	N
DV-4PVP-E45B	4" PV 45 Degree Elbow (black)	\$ 207	35	35	28	35	N
DV-4PVP-E90	4" PV 90 Degree Elbow	\$ 230	35	35	28	35	N
DV-4PVP-E90B	4" PV 90 Degree Elbow (black)	\$ 268	35	35	28	35	N

4" Pellet Vent Pro - Kit

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-WTI	4" Wall Thimble Air Intake Kit (includes: Wall Thimble [for 1" clearance]; 2" AL Flex; [2] hose clamps)	\$ 392	35	42	28	35	N
DV-4PVP-KVAC	4" PV Vertical kit	\$ 512	35	35	28	35	N
DV-4PVP-KHA	4" PelletVent Pro Horizontal Kit (includes: Round Horizontal Cap, Wall Thimble [for 1" clearance], Appliance Adapter/Increaser 3" - 4" [black])	\$ 544	35	35	28	35	N
DV-4PVP-KVA	4" PelletVent Pro Vertical Kit - Flat Ceiling (includes: Vertical Cap, Storm Collar, Ceiling Support Firestop Spacer [for 1" clearance], Adjustable Flashing, Appliance Adapter/increaser 3" - 4" [black])	\$ 621	35	35	28	35	N

Direct vent wall pass thru

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
1-00-677177	Direct vent wall pass thru for 3" or 4" chimney	\$ 359	Y	Y	Y	21	Y

Venting - Discontinued

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-4PVP-CO1	4* CLEAN OUT TEE W/ CAP	\$ 92	35	35	28	35	Y
DV-4PVP-COB1	4*CLEAN OUT TEE W/CAP BLK	\$ 114	35	35	28	35	Y
DV-4PVP-HC2	HORIZONTAL CAP	\$ 117	35	35	28	35	Y
DV-4PVP-T31	INC. TEE W/ CLEAN OUT CAP	\$ 249	35	35	28	35	Y
DV-4PVP-T1	SLG TEE W/ CLEAN OUT CAP	\$ 256	35	35	28	35	Y
DV-4PVP-T3B1	BLK INC TEE W/ CLEAN OUT	\$ 280	35	35	28	35	Y
DV-4PVP-TB1	BLK SIN TEE W/ CLEAN OUT	\$ 283	35	35	28	35	Y

Venting - Discontinued

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-AES	6 DURATECH AD ELBOW STRAP	\$ 111	35	35	28	35	Y
DV-6DT-AWS	6 DT ADJ WALL STRAP (GA)	\$ 118	35	35	28	35	Y
DV-6DT-RCS-2	6 DURATECH RD CLG SPT	\$ 217	35	35	28	35	Y
DV-6DT-FCS-2	6 DURATECH FLT CLG SP	\$ 257	35	35	14	35	Y
DV-6DT-CS11-2	6X11 SQ CEILING SPT BOX	\$ 378	Y	21	Y	21	Y
DV-6DT-CS36-2	6X36 SQ CEILING SPT	\$ 468	35	35	28	35	Y

14" Dura Vent DuraChimney II - Anchor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
14DCA-AP	Anchor plate	\$ 435	35	35	28	35	N
14DCA-APD	Anchor plate w/damper	\$ 1,013	35	35	28	35	N

Venting

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
CCSLP	Radiance, Stardance, Oxford SLP adapter	\$ 47	Y	Y	Y	14	N
DV-46DVA-ADP	Duravent Appliance Adapter for Radiance, Stardance & Oxford	\$ 119	Y	Y	Y	14	Y
MBSLP	VCG Fireplace Unit adapter to SLP (Carton of 8)	\$ 169	8	14	14	14	Y
MPSLP	VCG Inline Pipe adapter 4x7 Twist Lock to SLP (Carton of 8)	\$ 169	8	14	14	14	Y
SLPMP	SLP Unit & Inline Pipe adapter To 4x7 Twist Lock (Carton of 8)	\$ 179	8	14	14	14	Y
FSDHAGSLP	Freestanding Draft Hood Adapter	\$ 269	8	14	14	14	Y
SLP-DVFAM	SLP Flex Adapter Kit w/gear clamps (multi-pack of 4)	\$ 429	8	21	14	14	Y
DVP-DVFAM	DVP Flex Adapter Kit w/gear clamps (multi-pack of 4)	\$ 439	8	14	14	14	Y

Vermont Castings - Wood Stove Adaptors

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
0001860	Oval to 6" round adapter, 6" w x 11" h - Classic Black	\$ 90	Y	Y	21	21	Y
0001855	Oval to 8 round adapter, 8" w x 11" h - Classic Black	\$ 90	Y	Y	28	21	N
0001836	Oval to 8" round offset adapter, 8" x 5.5"	\$ 130	Y	Y	28	21	N
0001846	Oval to 8" round elbow, 8" x 13"	\$ 140	Y	Y	28	21	Y
DV-8DVL-ORAD	8" x 14.5" Duravent DVL Double Wall Oval-to-Round Adapter	\$ 272	35	28	28	35	Y
DV-6DVL-ORAD	6" x 14.5" Duravent DVL Double Wall Oval-to-Round Adapter	\$ 272	Y	28	28	35	Y

Flue Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
0000555	8" Oval Flue Collar - Classic Black	\$ 201	21	21	28	21	Y
0000561	8" Oval Flue Collar - Twilight	\$ 301	21	21	28	21	Y
0000557	8" Oval Flue Collar - Majolica Brown	\$ 372	21	21	28	21	Y
0000560	8" Oval Flue Collar - Bordeaux	\$ 402	21	21	28	21	Y

14" Dura Vent DuraChimney II - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
14DCA-SC	Storm collar	\$ 72	Y	14	Y	Y	N
14DCA-RRS	Roof radiation shield	\$ 113	Y	21	28	Y	N
14DCA-CTC	Chase top collar	\$ 322	Y	14	28	Y	Y
14DCA-CTF	Chase top flashing (Pre-bent)	\$ 326	35	35	28	35	N
14DCA-IS	Attic insulation shield (consists of two parts - collar and base)	\$ 798	Y	21	28	Y	N

14" Dura Vent DuraChimney II - Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
14DCA-ST	Stabilizer	\$ 100	35	35	28	35	N
14DCA-FS	Firestop spacer	\$ 114	Y	Y	Y	Y	N
14DCA-WS	Wall strap	\$ 216	35	35	28	35	N

14" Dura Vent DuraChimney II - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
14DCA-12	12" chimney section	\$ 207	Y	Y	Y	Y	N
14DCA-18	18" chimney section	\$ 242	Y	21	Y	Y	N
14DCA-36	36" chimney section	\$ 399	Y	Y	Y	Y	N
14DCA-48	48" chimney section	\$ 429	Y	Y	Y	Y	N

14" Dura Vent DuraChimney II - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
14DCA-ES	Elbow strap	\$ 207	Y	21	28	Y	N
14DCA-E15	15 Degree elbow - must order 2	\$ 410	35	35	28	35	Y
14DCA-E30	30 Degree elbow - must order 2	\$ 410	Y	Y	Y	Y	Y

14" Dura Vent DuraChimney II - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
14DCA-VC1	Round termination cap	\$ 643	Y	14	Y	Y	Y

SL1100 Wood Pipe - Multi Pack - Firestop/Straps/Support Dimensions: 11" Inner / 13" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
JB577	Joint band (package of 3)	\$ 67	Y	Y	14	14	Y
CB576	SL1100 and SL400 Series Chimney bracket (package of 3)	\$ 81	Y	Y	14	14	Y
SL11FL96	FLASHING SL1100 SERIES4X8	\$ 379	21	Y	21	Y	N
FS538M	Firestop spacer for straight flue (multi-pack of 12)	\$ 769	Y	14	14	Y	Y

SL1100 Wood Pipe - Single Pack - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
FS538	Flat Firestop Spacer for SL1100 and SL400 Series Pipe	\$ 73	Y	Y	Y	Y	Y
FS540	AC30 Degree firestop spacer for SL1100 and SL400 Series Pipe	\$ 85	Y	14	14	14	Y
SL11	6" (152mm) chimney stabilizer	\$ 189	Y	Y	14	14	Y

SL1100 Wood Pipe - Single Pack - Straight Section Dimensions: 11" Inner / 13" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL1106	6" chimney section	\$ 113	Y	Y	Y	Y	Y
SL1112	12" (305mm) pipe section	\$ 122	Y	Y	Y	Y	Y
SL1118	18" (455mm) pipe section	\$ 169	Y	Y	Y	Y	Y
SL1136	36" (915mm) pipe section	\$ 239	Y	Y	Y	Y	Y
SL1148	48" (1220mm) pipe section	\$ 329	Y	Y	Y	Y	Y

SL1100 Wood Pipe - Single Pack - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
AS10	Attic insulation shield, straight flue (firestop not included) for SL1100 and SL400 Series Pipe	\$ 122	Y	Y	Y	Y	Y
RF570	Roof flashing, 0 - 6/12 pitch for SL1100 and SL400 Series Pipe	\$ 209	Y	Y	Y	Y	Y
RF571	Roof flashing, 7/12 - 12/12 pitch for SL1100 and SL400 Series Pipe	\$ 309	Y	Y	Y	Y	Y

SL1100 Wood Pipe - Single Pack - Chimney Air Kits/Flex Duct Dimensions: 11" Inner / 13" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
CAK8A	Chimney air kit (For use with BIR42 and RUTHERFORD-42, ODCASTLEWD-42)	\$ 169	Y	Y	14	14	Y

SL1100 Wood Pipe Term Kits Acc - Sng Pk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL1100-RDS	Roof Deck Underside Insulation Shield	\$ 289	8	14	14	14	Y

SL1100 Wood Pipe Term Kits Acc - Sng Pk - Termination Dimensions: 11" Inner / 13" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TR11	Round termination cap (includes 34508 storm collar)	\$ 299	Y	Y	Y	Y	Y
TR11T-B	Round telescoping termination cap with storm collar	\$ 449	Y	Y	Y	Y	Y
ST1175	Square termination cap, painted black	\$ 469	Y	Y	14	Y	Y
TCT1175	Terra cotta vertical termination cap	\$ 679	Y	21	21	21	Y
ST1175SS	Stainless steel ST1175 termination cap	\$ 879	8	14	14	14	Y

SL1100 Wood Pipe - Single Pack - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL1130	30 Degree elbow (offset and return)	\$ 409	Y	Y	Y	Y	Y

SL300 Series Pipe - Comp - SngPk - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
FS338	Firestop for straight up flue	\$ 57	Y	Y	Y	Y	Y
FS339	Firestop for 15 Degree angular flue	\$ 79	8	14	14	14	Y
FS340	Firestop for 30 Degree angular flue	\$ 118	Y	14	14	14	Y
SL3	6" (200mm) flue support section	\$ 124	Y	Y	14	14	Y
WS30	30 Degree wall firestop spacer	\$ 179	8	14	14	14	Y

SL300 Series Pipe - Comp - Multi-Pk - Firestop/Straps/Support Dimensions: 8" Inner / 10.5" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
JB877	Joint band (package of 3)	\$ 79	Y	Y	14	14	Y
CB876	SL300 Series Chimney bracket (package of 3)	\$ 101	Y	Y	14	Y	Y
FS338M	Straight firestop spacer (multi-pack of 10)	\$ 439	Y	Y	Y	Y	Y

SL300 Series Pipe - Comp - SngPk - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL306	6" chimney section	\$ 85	Y	Y	Y	Y	Y
SL312	12" (305mm) pipe section	\$ 106	Y	Y	Y	Y	Y
SL318	18" (455mm) pipe section	\$ 117	Y	Y	Y	Y	Y
SL318A	18" chimney section, aluminized (for Canada only)	\$ 118	Y	21	14	14	Y
SL324	24" chimney section	\$ 141	Y	Y	Y	Y	Y
SL336	36" (915mm) pipe section	\$ 179	Y	Y	Y	Y	Y
SL336A	36" chimney section, aluminized (for Canada only)	\$ 179	Y	21	14	14	Y
SL348	4 ft. (1220mm) pipe section	\$ 209	Y	Y	Y	Y	Y

SL300 Series Pipe - Comp - SngPk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
AS8	Attic insulation shield, straight flue (firestop not included)	\$ 121	Y	Y	Y	Y	Y
RF370	0-6/12 pitch roof flashing	\$ 189	Y	Y	Y	Y	Y
RF371	6-12 PITCH FLASHING SPK	\$ 289	Y	Y	Y	Y	Y
SL300-RDS	Roof Deck Underside Insulation Shield	\$ 289	8	14	14	14	Y

SL300 Series Pipe - Comp - SngPk - Chimney Air Kits/Flex Duct Dimensions: 8" Inner / 10.5" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
CAK4A	Chimney air kit (for SL300 series chimney systems only)	\$ 132	Y	Y	14	14	Y
SL3FL96	FLASHING SL300 SERIES 4X8	\$ 389	21	Y	21	Y	N

SL300 Series Pipe - Term Kits & Acc - Sng Pk - Termination Dimensions: 8" Inner / 10.5" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TR344	Round termination cap (includes 32738 storm collar)	\$ 199	Y	Y	Y	Y	Y
TR342-B	Round telescoping termination cap with storm collar	\$ 269	Y	Y	Y	Y	Y
TS345	Trapezoid termination cap	\$ 379	8	21	14	14	Y
TS345P	Trapezoid termination cap, painted black	\$ 449	Y	14	14	Y	Y
ST375	Square termination cap, painted black	\$ 449	Y	Y	14	Y	Y
TCT375	Terra cotta vertical termination cap, 8"	\$ 749	21	21	21	21	N
ST375SS	Stainless steel ST375 termination cap	\$ 749	8	Y	14	14	Y

SL300 Series Pipe - Comp - SngPk - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL315	15 Degree elbow (offset and return)	\$ 239	Y	Y	Y	14	Y
SL330	30 Degree elbow (offset and return)	\$ 269	Y	Y	Y	Y	Y

SL300 Series Pipe - Comp - Multi-Pk - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
RF370M	Roof flashing, 0 - 6/12 pitch (multi-pack of 5)	\$ 509	Y	14	14	14	Y

SL400 Series Pipe - Comp - SngPk - Straight Section Dimensions: 10" Inner / 13" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL406	6" (150mm) chimney section	\$ 138	Y	14	14	14	Y
SL412	12" (305mm) chimney section	\$ 159	Y	21	14	14	Y
SL418	18" (460mm) chimney section	\$ 199	Y	21	14	14	Y
SL4	6" (150mm) flue support section	\$ 259	8	14	14	14	Y
SL436	36" (915mm) chimney section	\$ 269	Y	21	14	14	Y
SL448	48" (1220mm) chimney section	\$ 349	Y	Y	14	14	Y

SL400 Series Pipe - Term Kits & Acc - Sng Pk - Chimney Air Kits/Flex Duct

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
CAK5A	Chimney air kit for SL1100 and SL400 series pipe (required in Canada)	\$ 149	Y	Y	14	14	Y

SL400 Series Pipe - Comp - SngPk - Adapter/Inceaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLA10	11" to 10" adapter	\$ 239	Y	21	14	14	Y

SL400 Series Pipe - Term Kits & Acc - Sng Pk - Termination Dimensions: 10" Inner / 13" Outer

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
TR444	Round termination cap with storm collar	\$ 289	Y	14	14	14	Y

SL400 Series Pipe - Comp - SngPk - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SL430	30 degree elbow (offset and return)	\$ 439	Y	21	14	14	Y

6" DuraFlex 304SS - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-DFS-SA	3-8 Spark Arrestor	\$ 36	35	35	28	35	N
DV-6DFS-VCRC	6" DuraFlex Vertical Cap	\$ 104	Y	21	28	21	N

6" DuraFlex 304SS - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DFS-FC	6" DuraFlex Connector	\$ 41	Y	14	28	14	N

6" DuraFlex 304SS - Anchor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DFS-TPSC	6" DuraFlex Top Plate	\$ 209	Y	35	28	21	N

6" DuraFlex 304SS - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DF304-15	6 X 15' length	\$ 661	35	35	28	35	N
DV-6DF304-20	6 X 20" length	\$ 864	Y	14	28	14	N
DV-6DF304-25	6 X 25' length	\$ 1,081	35	14	28	14	N
DV-6DF304-30	6 X 30' length	\$ 1,307	Y	14	28	14	N

6" DuraTech - Shield/Flashing/Collars

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-LB	Locking Band	\$ 26	Y	Y	28	Y	N
DV-5DT-SC	Storm Collar 5" - 6"	\$ 38	Y	Y	Y	14	N
DV-6DT-WTSS	Wall Thimble Exterior Trim - SS	\$ 113	35	35	28	35	N
DV-6DT-FC	Finishing Collar	\$ 117	35	35	28	35	N
DV-6DT-CTF	Chase top flashing	\$ 129	35	35	28	35	N
DV-6DT-RSTC3	Trim Collar for Roof Support 0/12 - 3/12	\$ 150	35	35	28	35	N
DV-6DT-RSTC6	Trim Collar for Roof Support 4/12 - 6/12	\$ 150	35	35	28	35	N
DV-6DT-F6	Adjustable Roof Flashing 0/12 - 6/12	\$ 200	Y	14	Y	14	N
DV-6DT-RRS	Roof Radiation Shield	\$ 211	35	35	28	35	N
DV-6DT-F12	Adjustable Roof Flashing 7/12 - 12/12	\$ 258	Y	14	28	14	N
DV-6DT-XRS	6DT AD EXTENDED ROOF BRKT	\$ 264	Y	14	28	Y	Y
DV-6DT-F6L	Large Base Adjustable Roof Flashing 0/12 - 6/12	\$ 265	35	35	28	35	N
DV-6DT-FF	Flat Roof Flashing	\$ 268	35	35	28	35	N
DV-6DT-F6DSA	DSA Adjustable Roof Flashing 0/12-6/12	\$ 277	35	35	28	35	N
DV-6DT-F12L	Large Base Adjustable Roof Flashing 7/12 - 12/12	\$ 353	35	35	28	35	N
DV-6DT-F18	Adjustable Roof Flashing 13/12 - 18/12	\$ 383	35	35	28	35	N
DV-6DT-F12DSA	DSA Adjustable Roof Flashing 7/12-12/12	\$ 446	35	35	28	35	N

6" DuraTech - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-5DT-SA	Spark Arrestor	\$ 44	Y	14	28	14	N
DV-6DT-VC	Chimney Cap	\$ 217	Y	Y	Y	Y	N
DV-6DT-SP	Snow Splitter	\$ 292	35	35	28	35	N

6" DuraBlack - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DBK-AD	Stovetop Adapter -Black	\$ 52	35	35	28	35	N
DV-6DBK-ADOR	Oval to Round Adapter	\$ 60	35	35	28	35	N
DV-6DBK-ADDB	Double-Skirted Stovetop Adapter - Black	\$ 76	35	35	28	35	N
DV-6DBK-X7	Increaser 6" - 7"	\$ 80	35	35	28	35	N

6" DVL - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DVL-ADC	DVL/DuraBlack Adapter w/Trim	\$ 75	Y	14	Y	14	Y
DV-6DVL-AD	Adapter Section No Damper	\$ 115	Y	Y	Y	14	N
DV-6DVL-ADWD	Adapter Section with Damper	\$ 155	35	35	28	35	N
DV-6DVL-T	Double-Wall Black Tee w/Clean-Out Cap	\$ 217	35	35	28	35	N

Vermont Castings - Wood Stove Enamel Venting

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
0000191	6" and 8" Chimney Connector Heat Shield--24"	\$ 92	21	21	28	21	Y
0003691	6" x 12" Chimney Connectors - Majolica Brown	\$ 209	Y	21	21	21	Y
0003670	6" x 12" Chimney Connectors - Biscuit	\$ 209	Y	21	21	21	N
0003679	6" Slip - 1 1/4" - 17" Length - Biscuit	\$ 279	Y	21	21	21	N
0003694	6" Slip - 1 1/4" - 17" Length - Majolica Brown	\$ 279	Y	21	21	21	Y
0003682	6" x 6 3/4" 45 Degree Elbow - Biscuit	\$ 289	Y	21	21	21	N
0003696	6" x 12" Chimney Connectors - Bordeaux	\$ 289	Y	21	21	21	N
0003690	Oval to 6" round adapter, 6" w x11" h - Majolica Brown	\$ 289	Y	Y	21	21	Y
0003695	6" x 6 3/4" 45 Degree Elbow - Majolica Brown	\$ 289	Y	21	21	21	Y
0003692	6" x 24" Chimney Connectors - Majolica Brown	\$ 319	Y	21	21	21	Y
0003673	6" x 24" Chimney Connectors - Biscuit	\$ 319	Y	21	21	21	N
0003693	6" x 7" 90 Degree Elbow - Majolica Brown	\$ 329	Y	21	21	21	Y
0003699	6" Slip - 1 1/4" - 17" Length - Bordeaux	\$ 329	Y	21	21	21	N
0003676	6" x 7" 90 Degree Elbow - Biscuit	\$ 329	Y	21	21	21	N
0003701	Oval to 6" round adapter, 6" w x11" h - Bordeaux	\$ 339	Y	Y	21	21	Y
0003700	6" x 6 3/4" 45 Degree Elbow - Bordeaux	\$ 359	Y	21	21	21	N
0003697	6" x 24" Chimney Connectors - Bordeaux	\$ 379	Y	14	14	14	N
0003698	6" x 7" 90 Degree Elbow - Bordeaux	\$ 409	Y	21	21	21	N

6" DVL - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DVL-06	6" Double-Wall Black Pipe	\$ 121	Y	14	28	14	N
DV-6DVL-12	12" Double-Wall Black Pipe	\$ 129	Y	14	28	14	N
DV-6DVL-6ADJ	6" Double-Wall Adjustable Black Pipe	\$ 131	Y	14	28	14	N
DV-6DVL-18	18" Double-Wall Black Pipe	\$ 153	35	14	28	14	N
DV-6DVL-12ADJ	12" Double-Wall Adjustable Black Pipe	\$ 161	Y	14	28	14	N
DV-6DVL-24	24" Double-Wall Black Pipe	\$ 212	Y	14	Y	14	N
DV-6DVL-48	48" Double-Wall Black Pipe	\$ 326	Y	14	28	14	N
DV-6DVL-46TA	Telescoping Length 29" - 46"	\$ 385	Y	14	Y	14	N
DV-6DVL-68TA	Telescoping Length 40" - 68"	\$ 512	Y	14	Y	14	N

6" DuraTech - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-06	6" Chimney Pipe - GA	\$ 128	35	35	28	35	N
DV-6DT-09	9" Chimney Pipe - GA	\$ 159	35	35	28	35	N
DV-6DT-06SS	6" Chimney Pipe - SS	\$ 166	35	35	28	35	N
DV-6DT-09SS	9" Chimney Pipe - SS	\$ 177	35	35	28	35	N
DV-6DT-12	12" Chimney Pipe - GA	\$ 187	Y	14	28	14	N
DV-6DT-12SS	12" Chimney Pipe - SS	\$ 189	Y	14	28	14	N
DV-6DT-18	18" Chimney Pipe - GA	\$ 236	35	35	28	35	N
DV-6DT-18SS	18" Chimney Pipe - SS	\$ 257	35	35	28	35	N
DV-6DT-24	24" Chimney Pipe - GA	\$ 298	Y	14	28	14	N
DV-6DT-24SS	24" Chimney Pipe - SS	\$ 342	Y	14	28	14	N
DV-6DT-36	36" Chimney Pipe - GA	\$ 392	Y	14	Y	14	N
DV-6DT-36SS	36" Chimney Pipe - SS	\$ 457	Y	14	28	14	N
DV-6DT-48	48" Chimney Pipe - GA	\$ 490	Y	14	Y	14	N
DV-6DT-21TA	Adjustable Pipe 14"-21"	\$ 534	35	35	28	35	N
DV-6DT-48SS	48" Chimney Pipe - SS	\$ 588	Y	Y	28	14	N
DV-6DT-60CF	60" Chimney Pipe - GA (CF)	\$ 610	35	35	28	35	N

6" DuraTech - Firestop/Straps/Support

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-FRS	Firestop Radiation Shield	\$ 150	35	14	28	14	N
DV-6DT-WSSS	Adjustable Wall Strap - SS	\$ 177	35	35	28	35	N
DV-6DT-ARS	6" & 8" Adjustable Roof Support	\$ 185	35	35	28	35	Y
DV-6DT-WT	Wall Thimble	\$ 192	Y	14	28	14	N
DV-6DT-IS	Attic Insulation Shield	\$ 196	35	14	28	14	N
DV-6DT-TSB	Adjustable Tee Support Bracket - GA	\$ 244	35	35	28	35	N
DV-6DT-CS24R-2	Square Ceiling Support Box - 24" (Reduced Clearance)	\$ 394	35	35	28	35	Y
DV-6DT-CS24-2	Square Ceiling Support Box - 24"	\$ 419	Y	21	28	21	Y
DV-6DT-TSBSS	Adjustable Tee Support Bracket - SS	\$ 588	35	35	28	35	N

6" DuraTech - Anchor

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-AP	6" DuraTech anchor plate	\$ 155	35	35	28	35	N
DV-6DT-AP13X21	13x21 trans anchor plate	\$ 817	35	35	28	35	N
DV-6DT-AP17X17	17x17 trans anchor plate	\$ 817	35	35	28	35	N
DV-6DT-AP17X21	17x21 trans anchor plate	\$ 828	35	35	28	35	N

6" DVL - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DVL-E45	45 Degree Double-Wall Black Elbow	\$ 168	Y	14	Y	14	N
DV-6DVL-E90	90 Degree Double-Wall Black Elbow	\$ 250	35	14	28	14	N

6" DuraTech - Adapter/Increaser/Tee

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-ST	Standard Tee w/Cap GA	\$ 490	35	35	28	35	N
DV-6DT-STSS	Standard Tee w/Cap SS	\$ 643	35	35	28	35	N

6" DuraTech - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DV-6DT-E15K	15 Degree Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap)	\$ 741	35	35	28	35	N
DV-6DT-E30K	30 Degree Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap)	\$ 871	35	35	28	35	N
DV-6DT-E15KSS	15 Degree Elbow Kit - SS (includes 2 Elbows & 1 Elbow Strap)	\$ 899	35	35	28	35	N
DV-6DT-E30KSS	30 Degree Elbow Kit - SS (includes 2 Elbows & 1 Elbow Strap)	\$ 1,198	35	42	28	42	N

Hearth & Home Technologies

Termination Kits

Stocked Item/Lead Time

004=Mt. Pleasant RDC
010=Kutztown RDC
014=Sacramento RDC
016=Charlotte RDC

EXP=Factory Expedite Program

Page printed 7/17/2026, 2:33:27 PM CDT

* Please Contact Who You Purchase This Through for MSRP Pricing

Prices in USD

Non-stock and custom product cannot be cancelled.

Customer is responsible for freight for orders made outside of assigned RDC facility.

Legacy Termination Kits - Single Pk - Termination

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
AK4	Outside Combustion Air Kit	\$ 100	Y	14	14	14	N
DVP-RVTK	Rear Vent Termination Kit includes adj Termination Cap, 1" firestop, 9" - 12" adj. termination pipe	\$ 349	8	Y	14	14	Y
SLP-RVTK	Rear Vent Termination Kit includes adj Termination Cap, 1" firestop, 9" - 12" adj. termination pipe	\$ 349	8	Y	14	Y	Y
SLP-HVTK	Horizontal Vent Termination Kit includes adj Termination Cap, 1" firestop, 3" firestop, 90 degree elbow, 9" - 12" adj. termination pipe	\$ 479	8	14	14	Y	Y
DVP-HVTK	Horizontal Vent Termination Kit includes adj Termination Cap, 1" firestop, 3" firestop, 90 degree elbow, 9" - 12" adj. termination pipe	\$ 479	8	14	14	14	Y
DVP-TRFK	Thru roof flex termination kit includes DVP-TVHW, 24" DVP pipe/roof support and flex adapters	\$ 539	8	14	14	14	Y
SLP-TRFK	Through roof flex termination kit includes SLP-TVHW, 24" SLP pipe, roof support and flex adapters	\$ 539	8	14	14	14	Y
SLP-HSFTK	Horizontal Vent Termination Kit includes adj Termination Cap, 1" firestop, 42" Flex and adapters	\$ 599	8	14	14	14	Y
DVP-HSFTK	Horizontal Vent Termination Kit includes adj Termination Cap, 1" firestop, 30" Flex and adapters	\$ 599	8	14	14	14	Y

Legacy Components-MultiPk - Straight Section

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-20TPM	20" Termination pipe (multi-pack of 6)	\$ 429	8	21	14	14	Y
DVP-RVT12AM	9"-12" adj. termination pipe (multi-pack of 6)	\$ 539	8	14	14	14	Y
SLP-RVT12AM	9" - 12" adj. termination pipe (multi-pack of 6)	\$ 539	8	14	14	14	Y

Legacy Components-MultiPk - Elbow

		MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
DVP90M	90 degree elbow (multi-pack of 4)(for use with legacy Majestic unit made prior to HHT)	\$ 589	Y	14	14	14	Y

Legacy Termination Kits - Multi Pk - Termination

			MSRP USD	004 IA	010 PA	014 CA	016 NC	EXP
SLP-RVTM	Rear Vent Termination includes adj Termination Cap, 1" firestop (multi-pack of 4)		\$ 1,059	8	14	14	14	Y
DVP-RVTM	Rear Vent Termination includes adj Termination Cap, 1" firestop (multi-pack of 4)		\$ 1,059	8	21	14	14	Y

