

#



UNITED STATES PRICE LIST



Effective March 1, 2026

(REV 072026 - BDI -LIST PRICES INCLUDE TARIFF SURCHARGES)

PHONE 204.632.1962 FAX 204.632.1960



Table of Contents

Outdoor Linear Product	Page Number
Linear Burner Systems - Custom	4
Custom Build Wind Guards	5
Linear Outdoor Fire Stands	7
Outdoor Fire Table (24" Burner Tables)	8
Outdoor Fire Table (36" Burner Tables)	9
Outdoor Fire Table (48" Burner Tables)	10
Outdoor Linear Fireplaces	11
Outdoor Fire Pits and Bowls – FP2085/FP2785	12
Outdoor Fireplace – OFP42	13
Warranty	14



Updates for Mar 1, 2026

Price List

Product Updates:

- Build you own Custom Size Wind Guard.
- IPI PF2 is available for OB burners and OFP Linear fireplaces, the IPI PF2 system will include a remote, and color LED lighting.
- The OFP42 is available with IPI PF1 valve system.
- New Wind Guard OB96WGC custom wind guard using smaller glass sizes and brackets (4 pcs of glass now becomes 6 pcs of glass). Allows for easier shipping and less chance of damages.



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

Linear Outdoor Burners Systems

Certified for USA and Canada to Outdoor Decorative Gas Standards,
Propane Burner includes 5ft Hose and Regulator

1). Choose Burner Size

OB24MAPT	Linear Burner 24" - Manual Valve w/Thermocouple - Propane* - 41,000 BTU	\$911
OB24MVN	Linear Burner 24" - Millivolt Valve Natural Gas - 40,000 BTU	1,104
OB24IPN	Linear Burner 24" - IPI P2 Valve Natural Gas - LED - 40,000 BTU	2,782
24OB-CKLP	Conversion Kit - To Propane Millivolt	137
24OB-CKLP2	Conversion Kit - To Propane IPI P2	288
OB36MAPT	Linear Burner 36" - Manual Valve w/Thermocouple Propane* - 60,000 BTU	961
OB36MVN	Linear Burner 36" - Millivolt Valve Natural Gas - 60,000 BTU	1,150
OB36IPN	Linear Burner 36" - IPI P2 Valve Natural Gas - LED 60,000 BTU	2,826
36OB-CKLP	Conversion Kit - To Propane Millivolt	137
36OB-CKLP2	Conversion Kit - To Propane IPI P2	288
OB48MAPT	Linear Burner 48" - Manual Valve w/Thermocouple - Propane* - 60,500 BTU	1,053
OB48MVN	Linear Burner 48" - Millivolt Valve Natural Gas - 80,000 BTU	1,247
OB48IPN	Linear Burner 48" - IPI P2 Valve Natural Gas - LED - 80,000 BTU	2,925
48OB-CKLP	Conversion Kit - To Propane Millivolt	137
48OB-CKLP2	Conversion Kit - To Propane IPI P2	288
OB72MVN	Linear Burner 72" - Millivolt Valve Natural Gas - 120,000 BTU	1,665
OB72IPN	Linear Burner 72" - IPI P2 Valve Natural Gas - LED - 117,000 BTU	3,344
72OB-CKLP	Conversion Kit - To Propane Millivolt	137
72OB-CKLP2	Conversion Kit - To Propane IPI P2	288
OB96MVN	Linear Burner 96" - Millivolt Valve Natural Gas - 156,000 BTU	1,807
96OB-CKLP	Conversion Kit - To Propane Millivolt	137
27FP-P900FF	Regulator and 5FT Hose (used if converting MV NG to Propane)	124

* Manual Valve Systems (MAP) are shipped as Propane, NG conversion orifice is included with burner.

2). Choose Glass Media - 5 lbs per Foot of Burner (ie: 24" burner = 10lbs)

MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

Optional Accessories:

MQRBD3	Drift Wood - Log Set - 5 Pce	587
MQRBD4	Drift Wood - Log Set 3 Pce	380
MQROCK2	Rock Set - Contemporary Collection - Natural	373
MQSTONE	Decorative Stones - 80 PCE Set	432
MQSTONE10	Decorative Stones - 10 PCE Set	88
RBCB1	Cannonballs - Assorted size and colors x 14	475
OFP42SA	Spark Assist - Millivolt Only - (AA Battery not included)	97
OBUEM2	Universal Valve Bracket Mount - MV/IPI 2 (for Custom Applications)	127

Optional Wind Guards for Outdoor Burners

OB24WG	Wind Guard - (24" Burners - OB24) - 4 Pce Set	\$696
OB36WG	Wind Guard - (36" Burners - OB36) - 4 Pce Set	805
OB48WG	Wind Guard - (48" Burners - OB48) - 4 Pce Set	905
OB72WG	Wind Guard - (72" Burners - OB72) - 4 Pce Set	1,068
OB96WGC	Wind Guard - (96" Burners - OB96) - 6 Pce Set	1,278

Optional Burner Lids

24LT-LID	Burner Lid for 24" - Black	260
36LT-LID	Burner Lid for 36" - Black	296
48LT-LID	Burner Lid for 48" - Black	328




Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number	Description	USA LIST
BUILD A CUSTOM SIZE WIND GUARD		
24G-101	GLASS PANEL - ENDS - 9-11/16"	81
36G-101	GLASS PANEL - 40-3/16"	141
48G-101	GLASS PANEL - 52-3/16"	141
72G-101	GLASS PANEL - 76-3/16"	320
24G-P202	CORNER BRACKET	50
24FPG-203	CONNECTOR BRACKET	46
72G-P202	BOTTOM SUPPORT BRACKET	43
24G-P205	BOTTOM BUTTON	21
24G-P205-1	SPACER - FOR CONNECTOR BRACKET	6


Wind Guards - Custom Sizes

Custom lengths of wind guards can be ordered and assembled based on combinations of glass panels available:




The following hardware items are required:


Corner Brackets 24G-P202 (8 required)




Connector Brackets 24FPG-203 (4 required for each added section)



Bottom Button 24G-P205 (1 required for each corner and bottom Connector Bracket)



Bottom Supports 72G-P202 (1 required for each length of 72G-101 Glass)





Spacer 24G-P205-1 (1 required for each corner and bottom Connector Brackets when Bottom Supports 72G-P202 are used)



Example: For a 16-foot custom burner, the following components are required:

- A [2 Pcs.] 24G-101 Glass Panel
- B [2 Pcs.] 36G-101 Glass Panel
- C [4 Pcs.] 72G-101 Glass Panel
- D [8 Pcs.] Corner Bracket 24G-P202
- E [8 Pcs.] Connector Brackets 24FPG-203
- F [4 Pcs.] Bottom Supports 72G-P202
- G [8 Pcs.] Bottom Button 24G-P205
- H [8 Pcs.] Spacer 24G-P205-1





Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

Linear Outdoor Fire Stands - Flat Black (Stove Bright)

Certified for USA and Canada to Outdoor Decorative Gas Standards,
Propane Burner Includes 10ft Hose and Regulator, Manual Valve with Thermocouple
NG conversion orifice is included with burner.

1). Choose Burner Size

OFS24MAPT	Fire Stand with Linear Burner 24" - Manual Valve Propane - 41,000 BTU	\$884
OFS36MAPT	Fire Stand with Linear Burner 36" - Manual Valve Propane - 60,000 BTU	1,009
OFS48MAPT	Fire Stand with Linear Burner 48" - Manual Valve Propane - 60,500 BTU	1,136

2). Choose Glass Media - 5 lbs per Foot of Burner (ie: 24" burner = 10lbs)

MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

Optional Accessories:

MQRBD3	Drift Wood - Log Set - 5 Pce	587
MQRBD4	Drift Wood - Log Set 3 Pce	380
MQROCK2	Rock Set - Contemporary Collection - Natural	373
MQSTONE	Decorative Stones - 80 PCE Set	432
MQSTONE10	Decorative Stones - 10 PCE Set	88
RBCB1	Cannonballs - Assorted size and colors x 14	475

Optional Burner Lids

24LT-LID	Burner Lid for 24" - Black	260
36LT-LID	Burner Lid for 36" - Black	296
48LT-LID	Burner Lid for 48" - Black	328

Optional Wind Guards for Outdoor Fire Stands

OB24WG	Wind Guard - (24" Burners - OB24) - 4 Pce Set	696
OB36WG	Wind Guard - (36" Burners - OB36) - 4 Pce Set	805
OB48WG	Wind Guard - (48" Burners - OB48) - 4 Pce Set	905



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

24" Burner Table **Linear Outdoor Fire Tables - Chat Height 25" H**

Certified for USA and Canada to Outdoor Decorative Gas Standards
Assembled Propane Fire Table - Manual Valve with Thermocouple and Ignitor
Includes - Wind Guard, Bronze Glass Media and Weather Cover. 40,000 BTU
NG conversion orifice is included.

Choose Color **Table Dimensions: 42 13/16" L x 28 5/16" W x 25 1/4" H**

OLT24GMAPT Outdoor Fire Table - (24" Burner) - Black with Gray Accents \$4,439

OLT24BMAPT Outdoor Fire Table - (24" Burner) - Black with Brown Accents 4,439

Optional Glass Media - Two Bags Required - 10LBS

MQG5ZG Glass Media - ZIRCON Glacier Ice - 5 lbs 147

MQG5A Glass Media - 1/2" Cobalt Blue - 5 lbs 147

MQG5B Glass Media - 1/2" Black - 5 lbs 147

MQG5C Glass Media - 1/2" Bronze - 5 lbs 147

MQG5W Glass Media - 1/2" White - 5lbs 147

Optional - Driftwood - Rocks - Cannoballs

MQRBD3 Drift Wood - Log Set - 5 Pce 587

MQRBD4 Drift Wood - Log Set 3 Pce 380

MQROCK2 Rock Set - Contemporary Collection - Natural 373

MQSTONE Decorative Stones - 80 PCE Set 432

MQSTONE10 Decorative Stones - 10 PCE Set 88

RBCB1 Cannonballs - Assorted size and colors x 14 475

Replacement Parts

OB24WG Wind Guard - (24" Burners - OB24) - 4 Pce Set 696

OB24WWC Weather Cover - Wide- Black 551



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

36" Burner Table **Linear Outdoor Fire Tables - Chat Height 25" H**

Certified for USA and Canada to Outdoor Decorative Gas Standards
Assembled Propane Fire Table - Manual Valve with Thermocouple and Ignitor
Includes - Wind Guard, Bronze Glass Media and Weather Cover. 60,000 BTU
NG conversion orifice is included.

Choose Color **Table Dimensions: 54 13/16" L x 28 5/16 W x 25 1/4"H**

OLT36GMAPT Outdoor Fire Table - (36" Burner) - Black with Gray Accents \$5,063

OLT36BMAPT Outdoor Fire Table - (36" Burner) - Black with Brown Accents 5,063

Optional Glass Media - Three Bags Required - 15LBS

MQG5ZG Glass Media - ZIRCON Glacier Ice - 5 lbs 147

MQG5A Glass Media - 1/2" Cobalt Blue - 5 lbs 147

MQG5B Glass Media - 1/2" Black - 5 lbs 147

MQG5C Glass Media - 1/2" Bronze - 5 lbs 147

MQG5W Glass Media - 1/2" White - 5lbs 147

Optional - Driftwood - Rocks - Cannoballs

MQRBD3 Drift Wood - Log Set - 5 Pce 587

MQRBD4 Drift Wood - Log Set 3 Pce 380

MQROCK2 Rock Set - Contemporary Collection - Natural 373

MQSTONE Decorative Stones - 80 PCE Set 432

MQSTONE10 Decorative Stones - 10 PCE Set 88

RBCB1 Cannonballs - Assorted size and colors x 14 475

Replacement Parts

OB36WG Wind Guard - (36" Burners - OB36) - 4 Pce Set 805

OB36WWC Weather Cover - Wide - Black 607



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

48" Burner Table **Linear Outdoor Fire Tables - Chat Height 25" H**

Certified for USA and Canada to Outdoor Decorative Gas Standards
Assembled Propane Fire Table - Manual Valve with Thermocouple and Ignitor
Includes - Wind Guard, Bronze Glass Media and Weather Cover. 60,000 BTU
NG conversion orifice is included.

Choose Color **Table Dimensions: 66 13/16" L x 28 5/16 W x 25 1/4"H**

OLT48GMAPT Outdoor Fire Table - (48" Burner) - Black with Gray Accents \$6,077

OLT48BMAPT Outdoor Fire Table - (48" Burner) - Black with Brown Accents 6,077

Optional - Glass Media - Four Bags Required - 20LBS

MQG5ZG Glass Media - ZIRCON Glacier Ice - 5 lbs 147

MQG5A Glass Media - 1/2" Cobalt Blue - 5 lbs 147

MQG5B Glass Media - 1/2" Black - 5 lbs 147

MQG5C Glass Media - 1/2" Bronze - 5 lbs 147

MQG5W Glass Media - 1/2" White - 5lbs 147

Optional - Driftwood - Rocks - Cannoballs

MQRBD3 Drift Wood - Log Set - 5 Pce 587

MQRBD4 Drift Wood - Log Set 3 Pce 380

MQROCK2 Rock Set - Contemporary Collection - Natural 373

MQSTONE Decorative Stones - 80 PCE Set 432

MQSTONE10 Decorative Stones - 10 PCE Set 88

RBCB1 Cannonballs - Assorted size and colors x 14 475

Replacement Parts

OB48WG Wind Guard - (48" Burners - OB48) - 4 Pce Set 905

OB48WWC Weather Cover - Wide - Black 664



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

Outdoor Linear Fireplaces		
Certified for USA and Canada to Outdoor Decorative Gas Standard		
Includes: Stainless Steel Firebox with Satin Coat Outer Wrap, Wind Guard		
(Safety Screen Barrier - 2021 Production)		
Built as Natural Gas Appliance (Conversion Kits available)		

1). Choose Size of Fireplace

OFP4336S1	Outdoor Linear Fireplace - 36" Burner -MV - NG - 60,000 BTU - Single Side	\$5,216
OFP4336S2	Outdoor Linear Fireplace - 36" Burner - MV - NG - 60,000 BTU- See Through	5,670
36OB-CKLP	Conversion Kit - To Propane Millivolt	137
OFP4336S1P2	Outdoor Linear Fireplace - 36" Burner - IPI P2 - LED - NG - 60,000 BTU - Single Side	6,892
OFP4336S2P2	Outdoor Linear Fireplace - 36" Burner - IPI P2 - LED - NG - 60,000 BTU- See Throug	7,346
36OB-CKLP2	Conversion Kit - To Propane IPI PF2	288
OFP5548S1	Outdoor Linear Fireplace - 48" Burner - MV - NG - 80,000 BTU - Single Side	5,585
OFP5548S2	Outdoor Linear Fireplace - 48" Burner - MV - NG - 80,000 BTU - See Through	6,124
48OB-CKLP	Conversion Kit - To Propane Millivolt	137
OFP5548S1P2	Outdoor Linear Fireplace - 48" Burner - IPI P2 - LED - NG - 80,000 BTU - Single Side	7,259
OFP5548S2P2	Outdoor Linear Fireplace - 48" Burner - IPI P2 - LED- NG - 80,000 BTU - See Throug	7,803
48OB-CKLP2	Conversion Kit - To Propane IPI P2	288
OFP7972S1	Outdoor Linear Fireplace - 72" Burner -MV- NG - 120,000 BTU - Single Side	6,744
OFP7972S2	Outdoor Linear Fireplace - 72" Burner - MV - NG - 120,000 BTU - See Through	7,342
72OB-CKLP	Conversion Kit - To Propane Millivolt	137
OFP7972S1P2	Outdoor Linear Fireplace - 72" Burner - IPI P2 - LED - NG - Single Side	8,420
OFP7972S2P2	Outdoor Linear Fireplace - 72" Burner - IPI P2 - LED - NG - See Through	9,020
72OB-CKLP2	Conversion Kit - To Propane IPI P2	288

2). Choose Glass Media - 5 lbs per Foot of Burner (ie: 36" burner = 15lbs)

MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

Accessories (Optional)		
MQRBD3	Drift Wood - Log Set - 5 Pce	587
MQRBD4	Drift Wood - Log Set 3 Pce	380
MQROCK2	Rock Set - Contemporary Collection - Natural	373
MQSTONE	Decorative Stones - 80 PCE Set	432
MQSTONE10	Decorative Stones - 10 PCE Set	88
RBCB1	Cannonballs - Assorted size and colors x 14	475
OFP42SA	Spark Assist - Millivolt Only (AA Battery not included)	97
OFP43SS	Stainless Steel Surround	881
OFP55SS	Stainless Steel Surround	935
OFP79SS	Stainless Steel Surround	1,309
OFP43SC	Safety Screen Barrier (Replacement)	\$498
OFP55SC	Safety Screen Barrier (Replacement)	549
OFP79SC	Safety Screen Barrier (Replacement)	633
OFP43WC	Weather Cover - Stainless Steel	682
OFP55WC	Weather Cover - Stainless Steel	747
OFP79WC	Weather Cover - Stainless Steel	935



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number **Description** **USA LIST**

OUTDOOR FIRE PITs - Round and Rectangle		
Certified for USA and Canada to Outdoor Decorative Gas Standard		
Manual Valve with Thermocouple, Listed for Canada and USA		
1). Choose Burner Type - Round or Rectangle		
FP2085NT	Round 20" Diameter - 57,000 BTU - Natural Gas	658
FP2085LPT	Round 20" Diameter - 64,000 BTU - Propane c/w Reg and 5 FT Hose	758
FP2785LPT-FL	Rectangular 27" x 20" - 64,000 BTU Propane - c/w Reg & 5FT Hose and Flat Cover, Includes 1/4" Lava Rock, and NG conversion orifice.	889

2). Choose Log Set or Media - (Note: If Purchasing Fire Bowl 1/4 Media is Included)		
LOG SET OR MEDIA : (REQUIRED FOR EACH FIRE PIT)		
LOGC85	Log Set - Four Piece Cast Oak	360
LOGC86	Log Set - Four Piece Cast Oak	401
MQSTONE	Decorative Stones - 80 PCE Set	432
MLR1410	Media - 1/4" Lava Rock 10 lbs - (For FP2085-Modern Look, no logs required)	66
Fire Bowls Require 40 lbs of Glass Media, FP2085/2785 Requires 20 lbs of Glass Media		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147

Optional Accessories for Round and Rectangle Fire Pits		
FP27COV	Cover for FP2785 - Rectangle Fire Pit (used with Log Set)	163
FP20COV	Cover for FP2085 - Round Fire Pit or Propane Tank	152
FP20SSRT	Stainless Steel Ring - for FP2085NT/FP2085LPT	179
Hardware for those making custom DIY Enclosures for Fire Pits		
24OBT-MANCP	Control Panel Bracket - for Custom Fire Pit Tables	144



Rev 072026 - BDI - LIST PRICES INCLUDE TARIFF SURCHARGES

Mar 1, 2026

Product Number Description USA LIST

OFP42	ZERO CLEARANCE OUTDOOR FIREPLACE - 42" WIDE:
	Listed for USA/Canada For Outdoor Use Only, Valve with Hi/Lo Adjustment Wall Switch, Stainless Steel Screens, Framing 42 1/8" W x 38 1/4" H x 18 1/2" D

Step 1 Choose Black or Stainless Fireplace

OFP42N	Outdoor Fireplace, Satin Coat Black, Millivolt (as above) Natural Gas, 55,000 BTU	\$2,696
OFP42NS	Outdoor Fireplace, Stainless Steel, Millivolt (as above) NG, 55,000 BTU	4,160
OFP42NE	Outdoor Fireplace, Satin Coat Black, IPI PF1 (as above) Natural Gas, 55,000 BTU	3,145
OFP42NSE	Outdoor Fireplace, Stainless Steel, IPI PF1 (as above) NG, 55,000 BTU	4,607
Conversion Kits		
42OFP-CKLP	Conversion Kit - Millivolt Propane	111
42OFP-CKLPI	Conversion Kit - IPI PF1 - Propane	130

Step 2 Choose Log Set or Contemporary Rock Collection or MQSTONE

	LOG SET OR ROCKS: (REQUIRED FOR EACH UNIT)	
MQROCK2	Rock Set - Contemporary Collection - Natural	373
MQSTONE	Decorative Stones - 80 PCE Set	432
LOGF36	Log Set - Fiber Split Oak	680

	DECORATE THE BOTTOM OF THE FIREPLACE - (10 lbs of Glass Needed)	
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	147
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	147
MQG5B	Glass Media - 1/2" Black - 5 lbs	147
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	147
MQG5W	Glass Media - 1/2" White - 5lbs	147
OPTIONAL FIREPLACE ACCESSORIES		
OFP42SS	Surround - Stainless Steel	1037
OFP42WCSS	Weather Cover - Stainless Steel	793
OFP42WCBL	Weather Cover - Black	313
OFP42RLT	Brick Liner - Traditional	550
OFP42RLH	Brick Liner - Herringbone	550
OFP42SA	Spark Assist - (AA Battery not included)	97

LIMITED WARRANTY



Save this certificate. It gives you specific legal rights, and you may also have other rights which may vary from one province or state to another.

In the event your unit needs servicing contact your dealer or contractor who installed or services your unit. When requesting service, please have the model and serial number from each unit readily available. If your dealer needs assistance, the distributor is available for support and we, in turn support the distributor's efforts. Fill in the installation date and model and serial numbers of the unit in the space provided below and retain this limited warranty for your files.

GENERAL TERMS

This limited warranty applies only while the unit remains at the site of the original installation and only if the unit is installed inside the continental United States, Alaska, Hawaii and Canada. The warranty applies only if the unit is installed and operated in accordance with the printed instructions and in compliance with applicable installation, building codes and good trade practices.

The burner is warranted against defects for five years. All other components such as gas valves, thermocouples, igniters, lights and media are warranted against defects for one year.

This limited warranty further does not cover any scratches, dents, painted finishes, corrosion or discoloring by heat, abrasive and chemical cleaners, nor chipping on powder coated parts.

During the first year after installation, we will provide a replacement for any component part of your unit found to be defective in materials or workmanship. The part to be replaced must be returned to our distributor in exchange for the replacement part.

In lieu of providing a replacement part, we may, at our option, provide the distributor's component purchase price from us or a credit equal to the distributor's component purchase price from us toward the purchase of any new unit which we distribute. If a credit is given in lieu of a replacement part, the rating plate from the unit being replaced must be submitted on a warranty claim and the unit being replaced must be made available to our distributor for disposition.

In establishing the date of installation for any purpose including determination of the starting date for the term of this limited warranty, reasonable proof of the original installation date must be presented*, otherwise the effective date will be based upon the date of manufacture plus thirty (30) days.

Any labor, material, freight and/or handling charges associated with any repair or replacement pursuant to this limited warranty will be your responsibility. In this warranty the word "installation" means original installation.

We will not be responsible for and you the user will pay for: (a) damages caused by accident, abuse, negligence, misuse, riot, fire, flood, or Acts of God (b) damages caused by operating the unit where there is a corrosive atmosphere containing chlorine, fluorine, or any other damaging chemicals (other than in a normal residential environment) (c) damages caused by any unauthorized alteration or repair of the unit affecting its stability or performance (d) damages caused by improper matching or application of the unit or the unit's components (e) damages caused by failing to provide proper maintenance and service to the unit (f) any expenses incurred for erecting disconnecting or dismantling the unit (g) parts or supplies used in connection with service or maintenance (h) damage repairs, inoperation or inefficiency resulting from faulty installation or application (i) electricity or fuel costs or any increase in electricity or fuel cost whatsoever including additional or unusual use of supplemental electric heat.

We shall not be liable for any incidental, consequential, or special damages or expenses in connection with any use or failure of this unit. We have not made and do not make any representation or warranty of fitness for a particular use or purpose and there is no implied condition of fitness for a particular use or purpose. We make no express warranties except as stated in this limited warranty. No one is authorized to change this limited warranty or to create for us any other obligation or liability in connections with this unit. Any implied warranties shall last for one year after the original installation. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages or do not allow limitations on how long an implied Warranty or condition lasts so the above limitations or exclusions may not apply to you. The provisions of this limited warranty are in additions to and not a modification of or subtraction from any statutory warranties and other rights and remedies provided by law.

Model No.: _____ Serial No.: _____

Date Installed: _____

*You must retain the original records that can establish the installation date of your unit.